# DICOM Conformance Statement

## Product Name: ACUSON Redwood ™ Ultrasound System

## Release: VA10
## Date: October 2019

www.siemens.com/DICOM

SIEMENS Healthineers

# 1 CONFORMANCE STATEMENT OVERVIEW

This Conformance Statement applies to the following ACUSON Redwood products and versions:

| Product | Product Version | <Software ID> | <Product Name> |
|---|---|---|---|
| ACUSON Redwood | VA10 | 1.0.xxx | Redwood |

For all DICOM image files generated by the above mentioned ACUSON Redwood products, the following attribute values are applicable:

| | |
|---|---|
| Software Versions (0018,1020) | Set to “<Software ID>” |
| Manufacturer’s Model Name (0008,1090) | Set to “ACUSON <Product Name>” |

For all DICOM Comprehensive Structured Reports generated by the above mentioned ACUSON Redwood products, the following attribute values are applicable:

| | |
|---|---|
| Software Versions (0018,1020) | Set to “SR1.0_<Software ID>_<Product Name>” |
| Manufacturer’s Model Name (0008,1090) | Set to “ACUSON <Product Name>” |

The **ACUSON Redwood Ultrasound System** supports the following DICOM Application Entities:

- Verification
  - Verification AE
- Transfer
  - Storage AE
  - Storage Commitment AE
- Query / Retrieve
  - Query AE
  - Retrieve AE
- Workflow Management
  - Worklist AE
  - MPPS AE
- Print Management
  - Print AE

**Table 1: Network Services**

| SOP Classes | Service Class User (SCU) | Service Class Provider (SCP) |
|---|---|---|
| **VERIFICATION** | | |
| **Verification AE** | | |
| Verification | Yes | Yes |
| **TRANSFER** | | |
| **Storage AE** | | |
| Ultrasound Image Storage | Yes | Yes |
| Ultrasound Multi-frame Image Storage | Yes | Yes |

| SOP Classes | Service Class User (SCU) | Service Class Provider (SCP) |
|---|---|---|
| Comprehensive SR | Yes | No |
| **Storage Commitment AE** | | |
| Storage Commitment Push Model | Yes | No |
| **QUERY / RETRIEVE** | | |
| **Query AE** | | |
| Study Root Query/Retrieve Information Model - FIND | Yes | No |
| **Retrieve AE** | | |
| Study Root Query/Retrieve Information Model - MOVE | Yes | No |
| **WORKFLOW MANAGEMENT** | | |
| **Worklist AE** | | |
| Modality Worklist | Yes | No |
| **MPPS AE** | | |
| Modality Performed Procedure Step | Yes | No |
| **PRINT MANAGEMENT** | | |
| **Print AE** | | |
| Basic Grayscale Print Management Meta SOP Class | Yes | No |
| Basic Color Print Management Meta SOP Class | Yes | No |
| Basic Grayscale Image Box SOP Class | Yes | No |
| Basic Color Image Box SOP Class | Yes | No |
| Print Job SOP Class | Yes | No |

**Table 2: UID Values**

| SOP Class Name | SOP Class UID | Category |
|---|---|---|
| **Verification AE** | | |
| Verification | 1.2.840.10008.1.1 | Verification |
| | | |
| **Storage AE** | | |
| Ultrasound Image Storage | 1.2.840.10008.5.1.4.1.1.6.1 | Transfer |
| Ultrasound Multi-frame Image Storage | 1.2.840.10008.5.1.4.1.1.3.1 | Transfer |
| Comprehensive SR | 1.2.840.10008.5.1.4.1.1.88.33 | Transfer |
| **Storage Commitment AE** | | |
| Storage Commitment Push Model | 1.2.840.10008.1.20.1 | Transfer |
| | | |
| **Query AE** | | |
| Study Root Query/Retrieve Information Model - FIND | 1.2.840.10008.5.1.4.1.2.2.1 | Query / Retrieve |
| **Retrieve AE** | | |
| Study Root Query/Retrieve Information Model - MOVE | 1.2.840.10008.5.1.4.1.2.2.2 | Query / Retrieve |
| | | |
| **Worklist AE** | | |
| Modality Worklist | 1.2.840.10008.5.1.4.31 | Workflow Management |
| **MPPS AE** | | |
| Modality Performed Procedure Step | 1.2.840.10008. 3.1.2.3.3 | Workflow Management |
| | | |

| SOP Class Name | SOP Class UID | Category |
|---|---|---|
| **Print AE** | | |
| Basic Grayscale Print Management Meta SOP Class | 1.2.840.10008.5.1.1.9 | Print Management |
| Basic Color Print Management Meta SOP Class | 1.2.840.10008.5.1.1.18 | Print Management |
| Basic Grayscale Image Box SOP Class | 1.2.840.10008.5.1.1.4 | Print Management |
| Basic Color Image Box SOP Class | 1.2.840.10008.5.1.1.4.1 | Print Management |
| Print Job SOP Class | 1.2.840.10008.5.1.1.14 | Print Management |

**Table 3: MEDIA Services**

| Media Storage Application Profile | Write Files (FSC or FSU) | Read Files (FSR) |
|---|---|---|
| **DVD—Recordable** | | |
| STD-US-ID-SF-DVD<br>STD-US-ID-MF-DVD | Yes | Yes |
| STD-US-SC-SF-DVD<br>STD-US-SC-MF-DVD | Yes | No |
| **Compact Disk—Recordable** | | |
| STD-US-ID-SF-CDR<br>STD-US-ID-MF-CDR | Yes | Yes |
| STD-US-SC-SF-CDR<br>STD-US-SC-MF-CDR | Yes | No |

# 2 TABLE OF CONTENTS

1 CONFORMANCE STATEMENT OVERVIEW ..... 2
2 TABLE OF CONTENTS ..... 5
3 LIST OF FIGURES ..... 8
4 INTRODUCTION ..... 9
4.1 Revision History ..... 9
4.2 Audience ..... 9
4.3 Remarks ..... 9
4.4 Terms and Definitions ..... 9
4.5 Basics of DICOM Communication ..... 11
4.6 Abbreviations ..... 12
4.7 References ..... 12
5 NETWORKING ..... 13
5.1 Implementation Model ..... 13
5.2 AE Specifications ..... 24
6 REMOVABLE MEDIA INTERCHANGE SPECIFICATIONS ..... 61
6.1 Supported Application Profiles ..... 61
6.2 Supported SOP Classes ..... 61
6.3 Information Object Definition and DICOMDIR Keys ..... 61
7 COMMUNICATION PROFILES ..... 64
7.1 TCP/IP Stack Supported ..... 64
7.2 Physical Media Supported ..... 64
7.3 Chapter Extensions/Specializations/Privatizations ..... 64
8 CONFIGURATION ..... 65
8.1 General System Configuration ..... 65
8.2 DICOM Network Configuration ..... 65
8.3 External Equipment Configuration ..... 68
8.4 Support of Extended Character Sets ..... 68
9 SECURITY ..... 68
9.1 Security Profiles ..... 68
9.2 Association Level Security ..... 70
9.3 Application Level Security ..... 70
9.4 Virus Protection ..... 70
10 APPENDICES ..... 71

10.1 Appendix A: OB-GYN Structured Report Measurements....71
10.2 Appendix B: Vascular Structured Report....115
10.3 Appendix C: Fetal Echo Structured Report....725
10.4 ppendix D: Adult Echocardiography Structured Report....802

# LIST OF TABLES

Table 1: Network Services ..... 2
Table 2: UID Values ..... 3
Table 3: MEDIA Services ..... 4
Table 4: Supported SOP Classes ..... 24
Table 5: VerificationPresentationContext ..... 25
Table 6: Store Presentation Context ..... 26
Table 7: Supported SOP Classes ..... 27
Table 8: Ultrasound Image IOD Attributes ..... 27
Table 9: Ultrasound MultiFrame Image IOD Attributes ..... 33
Table 10: Comprehensive SR IOD Attributes ..... 42
Table 11: C-STORE Status Responses ..... 44
Table 12: Storage Commitment Presentation Context ..... 45
Table 13: Supported SOP Class ..... 45
Table 14: Storage Commitment Request Attributes in N-ACTION REQUEST ..... 45
Table 15: Worklist Presentation Context ..... 46
Table 16: Worklist Supported SOP Classes ..... 46
Table 17: Modality Worklist Information Model Attributes ..... 46
Table 18: MPPS Presentation Context ..... 48
Table 19: Supported SOP Class ..... 48
Table 20: Modality Performed Procedure Step Attributes in N-CREATE ..... 48
Table 21: Modality Performed Procedure Step Attributes in N-SET ..... 50
Table 22: Query C-FIND Presentation Context ..... 52
Table 23: Query C-FIND Search Keys ..... 52
Table 24: Query C-FIND Status Responses ..... 55
Table 25: Retrieve C-MOVE Presentation Context ..... 55
Table 26: Retrieve C-MOVE Status Responses ..... 55
Table 27: Grayscale Print Presentation Context ..... 57
Table 28: Conformance to Grayscale Print Meta SOP Class ..... 57
Table 29: Supported DIMSE Services for Basic Film Session SOP Class ..... 57
Table 30: Supported DIMSE Services for Basic Film Box SOP Class ..... 57
Table 31: Attributes set for the Basic Film Box SOP Class ..... 58
Table 32: Supported DIMSE Services for the Basic Grayscale Image Box SOP ..... 58
Table 33: Attributes set for the Basic Grayscale Image Box SOP Class ..... 59
Table 34: Supported DIMSE Services for the Printer SOP ..... 59
Table 35: Supported Printer SOP Class Element ..... 59
Table 36: Color Print Server Presentation Context ..... 59
Table 37: Conformance to Color Print Meta SOP Class ..... 59
Table 38: Supported DIMSE Services for the Basic Color Image Box SOP Class ..... 60
Table 39: Attributes set for the Basic Color Image Box SOP Class ..... 60
Table 40: Supported Error Codes for Printer Classes ..... 60
Table 41: Application Profiles, Real-World Activities, and Roles ..... 61
Table 42: Transfer Syntaxes for Media Interchange ..... 61
Table 43: US Image Attributes Used ..... 62
Table 44: USMF Image Attributes Used ..... 62
Table 45: Comprehensive SR Attributes Used ..... 62
Table 46: Private Attributes ..... 64
Table 47: User-Configurable Printer Parameters ..... 66

# 3 LIST OF FIGURES

Figure 1. Implementation Model ..... 14
Figure 2. Verification Model ..... 15
Figure 3. Store Model ..... 16
Figure 4. Storage Commitment Model ..... 16
Figure 5. Modality Worklist Model ..... 17
Figure 6. MPPS Model ..... 18
Figure 7. Query / Retrieve Model ..... 19
Figure 8. Print Model ..... 20
Figure 9. Sequence Diagram for Real-World Activities ..... 23

# 4 INTRODUCTION

This document describes the conformance to the ACR-NEMA DICOM 3.0 Standard by the ACUSON Redwood Ultrasound System software from Siemens Medical Solutions USA, Inc. Ultrasound Division. It shall establish the conformance specifications for this system only, and does not apply to other products offered by Siemens Medical Solutions USA, Inc., or its affiliates.

The ACUSON Redwood Ultrasound System is a device that generates ultrasound images and structured reports that can be sent using DICOM standard protocols and definitions to other DICOM compliant devices that support SOP classes as defined in Table 4:  in this document.

## 4.1 Revision History

| **Revision Date** | **Applicable Product Releases** |
|---|---|
| | **ACUSON Redwood** |
| October 2019 | VA10 |

## 4.2 Audience

This document is written for the people that need to understand how the ACUSON Redwood Ultrasound System will integrate into their healthcare facility.  This includes both those responsible for overall imaging network policy and architecture, as well as integratorswho need to have a detailed understanding of the DICOM features of the product.  This document contains some basic DICOM definitions so that any reader may understand how this product implements DICOM features.  However, integrators are expected to fully understand all the DICOM terminology, how the tables in this document relate to the product's functionality, and how that functionality integrates with other devices that support compatible DICOM features.

## 4.3 Remarks

The scope of this DICOM Conformance Statement is to facilitate integration between the Redwood Ultrasound System and other DICOM products.  The Conformance Statement should be read and understood in conjuntion with the DICOM Standard.  DICOM by itself does not guarantee interoperability. The Conformance Statement does, however, facilitate a first-level comparison for interoperability between different applications supporting compatible DICOM functionality.

This Conformance Statement is not supposed to replace validation with other DICOM equipment to ensure proper exchange of intended information.  In fact, the user should be aware of the following important issues:

- The comparison of different Conformance Statements is just the first step towards assessing interconnectivity and interoperability between the product and other DICOM conformant equipment.
- Test procedures should be defined and executed to validate the required level of interoperability with specific compatible DICOM equipment, as established by the healthcare facility.

## 4.4 Terms and Definitions

Informal definitions are provided for the following terms used in this Conformance Statement.  The DICOM Standard is the authoritative source for formal definitions of these terms.

**Abstract Syntax** – the information agreed to be exchanged between applications, generally equivalent to a Service/Object Pair (SOP) Class. Examples: Verification SOP Class,  Modality Worklist Information Model Find SOP Class, Computed Radiography Image Storage SOP Class.

**Application Entity (AE)** – an end point of a DICOM information exchange, including the DICOM network or media interface software; i.e., the software that sends or receives DICOM information objects or messages. A single device may have multiple Application Entities.

**Application Entity Title** – the externally known name of an *Application Entity*, used to identify a DICOM application to other DICOM applications on the network.

**Application Context** – the specification of the type of communication used between *Application Entities*. Example: DICOM network protocol.

**Association** – a network communication channel set up between *Application Entities*.

**Attribute** – a unit of information in an object definition; a data element identified by a *tag*. The information may be a complex data structure (Sequence), itself composed of lower level data elements. Examples: Patient ID (0010,0020), Accession Number (0008,0050), Photometric Interpretation (0028,0004), Procedure Code Sequence (0008,1032).

**Information Object Definition (IOD)** – the specified set of *Attributes* that comprise a type of data object; does not represent a specific instance of the data object, but rather a class of similar data objects that have the same properties. The *Attributes* may be specified as Mandatory (Type 1), Required but possibly unknown (Type 2), or Optional (Type 3), and there may be conditions associated with the use of an Attribute (Types 1C and 2C). Examples: MR Image IOD, CT Image IOD, Print Job IOD.

**Joint Photographic Experts Group (JPEG) –** a set of standardized image compression techniques, available for use by DICOM applications.

**Media Application Profile** – the specification of DICOM information objects and encoding exchanged on removable media (e.g., CDs)

**Module** – a set of *Attributes* within an *Information Object Definition* that are logically related to each other. Example: Patient Module includes Patient Name, Patient ID, Patient Birth Date, and Patient Sex.

**Negotiation** – first phase of *Association* establishment that allows *Application Entities* to agree on the types of data to be exchanged and how that data will be encoded.

**Presentation Context** – the set of DICOM network services used over an *Association*, as negotiated between *Application Entities*; includes *Abstract Syntaxes* and *Transfer Syntaxes*.

**Protocol Data Unit (PDU)** – a packet (piece) of a DICOM message sent across the network. Devices must specify the maximum size packet they can receive for DICOM messages.

**Security Profile** – a set of mechanisms, such as encryption, user authentication, or digital signatures, used by an *Application Entity* to ensure confidentiality, integrity, and/or availability of exchanged DICOM data

**Service Class Provider (SCP)** – role of an *Application Entity* that provides a DICOM network service; typically, a server that performs operations requested by another *Application Entity* (*Service Class User*). Examples: Picture Archiving and Communication System (image storage SCP, and image query/retrieve SCP), Radiology Information System (modality worklist SCP).

**Service Class User (SCU)** – role of an *Application Entity* that uses a DICOM network service; typically, a client. Examples: imaging modality (image storage SCU, and modality worklist SCU), imaging workstation (image query/retrieve SCU)

**Service/Object Pair (SOP) Class** – the specification of the network or media transfer (service) of a particular type of data (object); the fundamental unit of DICOM interoperability specification. Examples: Ultrasound Image Storage Service, Basic Grayscale Print Management.

**Service/Object Pair (SOP) Instance** – an information object; a specific occurrence of information exchanged in a *SOP Class*. Examples: a specific x-ray image.

**Tag** – a 32-bit identifier for a data element, represented as a pair of four digit hexadecimal numbers, the "group" and the "element". If the "group" number is odd, the tag is for a private (manufacturer-specific) data element. Examples: (0010,0020) [Patient ID], (07FE,0010) [Pixel Data], (0019,0210) [private data element]

**Transfer Syntax** – the encoding used for exchange of DICOM information objects and messages. Examples: *JPEG* compressed (images), little endian explicit value representation.

**Unique Identifier (UID)** – a globally unique "dotted decimal" string that identifies a specific object or a class of objects; an ISO-8824 Object Identifier. Examples: Study Instance UID, SOP Class UID, SOP Instance UID.

**Value Representation (VR)** – the format type of an individual DICOM data element, such as text, an integer, a person's name, or a code. DICOM information objects can be transmitted with either explicit identification of the type of each data element (Explicit VR), or without explicit identification (Implicit VR); with Implicit VR, the receiving application must use a DICOM data dictionary to look up the format of each data element.

## 4.5 Basics of DICOM Communication

This section describes terminology used in this Conformance Statement for the non-specialist. The key terms used in the Conformance Statement are highlighted in *italics* below. This section is not a substitute for training about DICOM, and it makes many simplifications about the meanings of DICOM terms.

Two *Application Entities* (devices) that want to communicate with each other over a network using DICOM protocol must first agree on several things during an intial network "handshake". One of the two devices must initiate an *Association* (a connection to the other device), and ask if specific services, information, and encoding can be supported by the other device (*Negotiation*).

DICOM specifes a number of network services and types of information objects, each of which is called an *Abstract Syntax* for the Negotiation. DICOM also specifes a variety of methods for encoding data, denoted *Transfer Syntaxes*. The Negotiation allows the initiating Application Entity to propose combinations of Abstract Syntax and Transfer Syntax to be used on the Association; these combinations are called *Presentation Contexts.* The receiving Application Entity accepts the Presentation Contexts it supports.

For each Presentation Context, the Association Negotiation also allows the devices to agree on *Roles* – which one is the *Service Class User* (SCU - client) and which is the *Service Class Provider* (SCP - server). Normally the device initiating the connection is the SCU, i.e., the client system calls the server, but not always.

The Association Negotiation finally enables exchange of maximum network packet (*PDU*) size, security information, and network service options (called *Extended Negotiation* information).

The Application Entities, having negotiated the Association parameters, may now commence exchanging data. Common data exchanges include queries for worklists and lists of stored images, transfer of image objects and analyses (structured reports), and sending images to film printers. Each exchangeable unit of data is formatted by the sender in accordance with the appropriate *Information Object Definition*, and sent using the negotiated Transfer Syntax. There is a Default Transfer Syntax that all systems must accept, but it may not be the most efficient for some use cases. Each transfer is explicitly acknowledged by the receiver with a *Response Status* indicating success, failure, or that query or retrieve operations are still in process.

Two Application Entities may also communicate with each other by exchanging media (such as a CD-R). Since there is no Association Negotiation possible, they both use a *Media Application Profile* that specifies "pre-negotiated" exchange media format, Abstract Syntax, and Transfer Syntax.

## 4.6 Abbreviations

| | |
|---|---|
| AE | Application Entity |
| AET | Application Entity Title |
| CD-R | Compact Disk Recordable |
| DICOM | Digital Imaging and Communications in Medicine |
| FSC | File-Set Creator |
| FSU | File-Set Updater |
| FSR | File-Set Reader |
| IHE | Integrating the Healthcare Enterprise |
| IOD | Information Object Definition |
| ISO | International Organization for Standards |
| JPEG | Joint Photographic Experts Group |
| LUT | Look-up Table |
| MPPS | Modality Performed Procedure Step |
| MSPS | Modality Scheduled Procedure Step |
| MWL | Modality Worklist |
| O | Optional (Key Attribute) |
| PACS | Picture Archiving and Communication System |
| PDU | Protocol Data Unit |
| R | Required (Key Attribute) |
| SC | Secondary Capture |
| SCP | Service Class Provider |
| SCU | Service Class User |
| SOP | Service-Object Pair |
| SPS | Scheduled Procedure Step |
| SR | Structured Reporting |
| TCP/IP | Transmission Control Protocol/Internet Protocol |
| U | Unique (Key Attribute) |
| US | Ultrasound |
| VR | Value Representation |

## 4.7 References

NEMA PS3 Digital Imaging and Communications in Medicine (DICOM) Standard, available free at www.dicomstandard.org

# 5 NETWORKING

This section contains the ACUSON Redwood system networking related services.

## 5.1 Implementation Model

Redwood Ultrasound System users can store images directly on the system hard drive. Images can also be transferred to DICOM workstations and archive servers on a network. Storage Commitment can be used to insure that patient images and data are safely committed. Measurements from exams can be exported as DICOM SR Objects. The system is capable of printing images and reports. Performed procedure status and other procedure information can be returned to the HIS/ RIS using Modality Performed Procedure Step (MPPS).

### 5.1.1 Application Data Flow

Figure 1 provides a functional overview of the Redwood Ultrasound System's Application Entities (AE). Relationships are shown between user-invoked activities (in the circles at the left of the AEs) and the associated real-world activities provided by DICOM service providers (in the circles at the right of the AEs).




**Figure 1. Implementation Model**

### 5.1.1.1 Verification

Verification is a part of the DICOM configuration located on the 'DICOM' page of the System Presets. Verification can be used to send a DICOM Verification request to a remote Application Entity (AE) and listen for a response.

When used as a diagnostic tool, Verification returns the following messages to the user:

- If the verification succeeds: “DICOM - Successfully contacted system”.
- If the verification fails: “DICOM - Unable to communicate with system”.




**Figure 2. Verification Model**

### 5.1.1.2 DICOM Store

When requested, the ACUSON Redwood system sends images and/or structured reports to the preconfigured DICOM Storage server.

DICOM Store can be seen as two sub-operations:

- Queueing images and/or structured reports for transfer.
- Transferring images and/or structured reports to the storage server.

**Queuing images and structured reports for transfer:**

ACUSON Redwood systems can be configured to automatically queue up images and structured reports for transfer as they are being created. “AutoStore to DICOM” option in DICOM presets has to be set for this.

Alternatively, user can select exams or individual images and manually queue them up from Review mode. When an exam is selected for DICOM store all images and structured reports (generally zero or one) will be queued. Structured reports can’t be selected individually for store, the entire exam must be stored.

**Transfer of images and structured reports to the storage server:**

Further, once images and/or structured reports are queued they may be immediately transferred or delayed till the end of study using the transfer storage configuration.

ACUSON Redwood systems support two storage configurations: “Store At End of Exam” and “Store During Exam”.

If the storage configuration is set to “Store At End of Exam” transfer attempts begin when the user selects “End Exam” or “New Patient”.

If the storage configuration is set to “Store during Exam”, transfer attempts to destination devices begin immediately after they are queued.

For both “Store At End of Exam” and “Store During Exam” settings, image and/or structured report transfer will be delayed if the ACUSON Redwood system is busy performing another DICOM Store operation.




**Figure 3. Store Model**

### 5.1.1.3 Storage Commitment

The user can exercise the Storage Commitment option by configuring and selecting a Storage Commitment server from the DICOM Presets menu. The ACUSON Redwood system requests commitment of images and structured reports (if any exist) and upon successful acknowledgment from the Storage server marks the study on the system hard drive as ‘Archived’.




**Figure 4. Storage Commitment Model**

### 5.1.1.4 Modality Worklist

Patient registration can be automated by using the 'Worklist' Real World Activity. Pressing the 'New Patient' key on the keyboard initiates the patient data registration process and closes the previous active study. Pressing the 'Worklist' button on the patient data display screen invokes the Worklist query screen. The Worklist query screen can also be initiated from the Study screen.

Pressing the 'Search' button will attempt to find all matching patient data using the information entered on the Worklist Query screen. Patient name fields that are partially filled or empty will be treated as though an implicit wildcard was appended at the end of each field. Patient ID, Requested Procedure ID and Accession number will be exact match only. If no matches are found, a message will be presented to the operator indicating so. If more that one matching patient is found, a pick list of patient procedures will be presented to the user to select from. Each of the fields will be sortable in ascending and descending order.

The pick list of patient procedures will be limited to a number of preset entries. If more than this number of matching records are found in the query, the search will terminate and the user will be notified. The search list criteria will contain:

- Patient name
- Patient ID
- Accession number
- Exam start date/time range
- Requested Procedure ID
- US/All modalities
- Scheduled station AE title




**Figure 5. Modality Worklist Model**

Once a Worklist query is initiated, a “Retrieving worklist, please wait ...” dialog will be presented to the user. The user will only have one option, “Cancel,” which will abort the query operation.

The following data fields in Modality Worklist Screen are initially populated from the New Patient Screen, if filled in, and can be used for query:

| Attribute Name | Tag |
|---|---|
| Patient’s Full Name | (0010,0010) |
| Patient ID | (0010,0020) |
| Accession Number | (0008,0050) |

The following data fields will be populated on the worklist screen for each return:

| Attribute Name | Tag |
|---|---|
| Patient’s Full Name | (0010,0010) |
| Patient ID | (0010,0020) |
| Accession Number | (0008,0050) |
| Exam Start Date/Time | (0040,0002), (0040,0003) |
| Scheduled Procedure Step Sequence | (0040,0100)* |
| >Scheduled Procedure Step Description | (0040,0007) |
| >Scheduled Protocol Code Sequence | (0040,0008) |
| >>Code Value | (0008,0100) |
| Requested Procedure Description | (0032,1060) |
| Exam Type | (0008,1030)** |
| *<code1>, …,<codeN>: <sched1>,…,<schedn><br>where:<br>code<i> = Sequence item code value(0008,0100) for a given sequence or value multiplicity<br>sched<i> = Scheduled procedure step(0040,0007) for a given sequence or value multiplicity | |
| **if a value exists for (0008,1030). Otherwise, Exam Type is set to value of Scheduled procedure step (0040,0007). If (0040,0007) is also empty, Exam Type is set to Requested procedure Description (0032,1060) if it exists. | |

The user will have the option to select a patient procedure step, or cancel the operation. Selection of a procedure step from the list will cause demographic information for the patient to be loaded in to the patient data fields.

The following data fields will be populated on the patient data screen:

| Attribute Name | Tag |
|---|---|
| Patient Name (first,middle,last) | (0010,0010) |
| Patient ID | (0010,0020) |
| Accession number | (0008,0050) |
| Exam start date/time | (0040,0002), (0040,0003) |
| DOB | (0010,0030) |
| Sex | (0010,0040) |
| Weight | (0010,1030) |
| Height | (0010,1020) |
| Physician | (0008,0090) |
| Indication | (0080,1080) |
| LMP | (0010,21D0) |

### 5.1.1.5 Modality Performed Procedure Step

The ACUSON Redwood system supports reporting of Modality Performed Procedure Step (MPPS) orders when the patient registration process utilizes the 'Worklist' Real World Activity. Procedure steps are presented to the operator after successful query of a server that supports the MPPS option. A detail window allows the operator access to individual scheduled procedure steps. Pressing the 'Procedures' push button on the Patient browser Screen actualizes the detail window when multiple procedure steps are listed for the patient.




**Figure 6. MPPS Model**

### 5.1.1.6 Query / Retrieve

The query/retrieve service class defines an application-level class of services which facilitates the management of images and patient data against the well-defined information model of DICOM and allows a DICOM AE to retrieve images from a remote DICOM node or to request a remote DICOM AE to initiate a transfer of images to another DICOM AE. The ACUSON Redwood system DICOM query/retrieve application supports the query/retrieve services to act as SCU.




**Figure 7. Query / Retrieve Model**

### 5.1.1.7 DICOM Print

ACUSON Redwood system is capable of grayscale (B/W) and color printing.

When requested, single frame images will be printed to a pre-configured DICOM network printer.

DICOM Print can be seen as two sub-operations:

- paging images for transfer
- transferring pages to printer

**Paging images for transfer:**

ACUSON Redwood systems can be configured to automatically queue up images to be printed on B/W Printer and/or Color printer as they are being created.

Alternatively, user can select exams or individual images and manually queue them up from Review mode for print.

Every image queued up is added into a page in the respective printer layout (DICOM B/W Printer Layout or DICOM Color Printer Layout).

**Transfer of pages to the Printer:**

Further, pages may be immediately transferred to the printer or delayed until the end of study based on the transfer configuration.

ACUSON Redwood systems support two configurations: “Print At End of Exam” and “Print When Page Full”.

If the configuration is set to “Print At End of Exam,” transfer attempts of all pages to the destination DICOM printer begin as a batch when the user ends the exam.

If the configuration is set to “Print When Page Full”, transfer attempt of a page to the destination DICOM printer begins as soon as it becomes full.

For both “Print At End of Exam” and “Print when page full” settings, page transfer will be delayed if the ACUSON Redwood system is busy performing another DICOM Print operation.




**Figure 8. Print Model**

#### 5.1.1.8 Removable Media Storage

The ACUSON Redwood system can perform DICOM operations to its standard on-board 120mm CD/DVD disk and USB drive.

The ACUSON Redwood system performs the File Set Creator and File Set Reader Roles for CD,DVD disks and USB drive. The File Set Reader functionality does not support import of DICOM Structured Reports or measurements of imported images. Both limitations are overcome when DICOM and TIFF/AVI format is exported to CD/DVD/USB. A DICOM conforming CD/DVD/USB media is created when the user saves studies in DICOM format to the CD/DVD/USB. A DICOM 3.0 conforming DICOMDIR file is created together with the directory structures, image files and structured reports (if any exist).

### 5.1.2 Functional Description of AEs

#### 5.1.2.1 Verification Real-World Activities

The ACUSON Redwood Verification AE performs Verification Service Class as an SCU and SCP allowing the operator to verify the ability of an application on a remote device to receive DICOM messages and allowing the operator of a remote DICOM device to verify the ACUSON Redwood system's ability to receive DICOM messages. (C-ECHO DIMSE)

#### 5.1.2.2 Store Real-World Activities

The ACUSON Redwood Store AE performs all of the functions to transmit ultrasound images, structured reports and associated data to network servers or workstations. The ACUSON Redwood Store AE supports the Ultrasound Image, Ultrasound Multi-Frame Image, Ultrasound Image (Retired), Ultrasound Multi-Frame (Retired), and Secondary Capture storage SOP classes as an SCU.

The ACUSON Redwood Store AE also supports Structured Reports, for Obstetric-GYN, Vascular, and Cardiac studies, using the Comprehensive SR SOP Class as an SCU.

The ACUSON Redwood Store AE initiates an association for C-STORE Requests to store providers when the user invokes "DICOM Store". The association may be used to store multiple images, clips, and structured reports and is closed when no images, clips, or structured reports are available to be stored to the remote device for five seconds.

#### 5.1.2.3 Storage Commitment – Push Model Real-World Activities

The ACUSON Redwood Storage Commitment AE supports Storage Commitment Push Model SOP class to inform servers when all the store operations for a study have been completed. The Storage Commitment SCU uses the N-ACTION primitive to request safekeeping of a set of SOP Instances. The Storage Commitment SCU also processes the N-EVENT-REPORT primitives that are received from the

SCP indicating ‘successful’ or ‘non-successful’ commitment status. The N-EVENT-REPORT information is used to mark a study as being successfully archived to a DICOM SCP.

The successful commit status and archival indication on the Redwood system does not ensure permanent archival of the images and Structured Reports. The operations performed by the SCP are dependent on its capabilities and configuration.

#### 5.1.2.4 Modality Worklist Real-World Activities

The ACUSON Redwood Modality Worklist AE supports the DICOM Basic Worklist Management Service as an SCU. The AE initiates an association to the active Worklist server when a Worklist query is selected (via the “Worklist” button). The association is closed upon the completion of each query. A preset maximum number of matching results is accepted, at which point, the ACUSON Redwood Modality Worklist AE issues a C-CANCEL-RQ request.

#### 5.1.2.5 Modality Performed Procedure Step Real-World Activities

The ACUSON Redwood Modality Performed Procedure Step AE supports Modality Performed Procedure Step (MPPS) in the role of SCU. The ACUSON Redwood system is capable of displaying scheduled procedure steps via the User Interface (UI) for Modality Performed Procedure Step. The operator can select a single PPS. The operator can notify the MPPS server that a MPPS is ‘In Progress’, ‘Discontinued’ or ‘Completed’. The user is also allowed to append procedure steps to existing or previously completed procedure steps.

#### 5.1.2.6 Query / Retrieve Real-World Activities

The query/retrieve service class defines an application-level class of services which facilitates the management of images and patient data against the well-defined information model of DICOM and allows a DICOM AE to retrieve images from a remote DICOM node or to request a remote DICOM AE to initiate a transfer of images to another DICOM AE. The ACUSON Redwood DICOM query/retrieve application supports the query/retrieve services as an SCU.

The Query SCU initiates a C-FIND request to the remote SCP and is invoked directly by the user, using the query parameters entered in the Data View UI. The remote SCP returns a list of responses with defined data, which are displayed to the user. The user can decide to start retrieval or to issue another query.

The ACUSON Redwood supports

- Study Root Query Model.

As the Move SCU, the system initiates a C-MOVE request to the remote Retrieve SCP. The remote Retrieve SCP in turn starts C-STORE sub-operations to the Storage SCP.

- Retrieve only <Product Name> images
- SR not supported

#### 5.1.2.7 Print Real-World Activities

The ACUSON Redwood Print AE provides all aspects of the Print Management SCU. The ACUSON Redwood AE initiates an association to the printer when the user invokes “DICOM Print”. The association may be used to print multiple pages and is closed when no pages are available to be printed to the remote device for five seconds.

#### 5.1.2.8 Removable Media Storage Real-World Activities

The ACUSON Redwood Store AE provides a standard implementation of DICOM Store to CD, DVD or USB.. The ACUSON Redwood Store AE selects one or more studies and exports the same to CD, DVD or USB. ACUSON Redwood Store AE creates a DICOM File Format Image File for every image, clip and structured report in each of the selected studies.

A DICOMDIR file is created along with the files.

Measurements are not supported on imported images unless TIFF/AVI format is exported.

The DICOM SR cannot be imported from media unless the TIFF/AVI format is exported along with the DICOM SR.

### 5.1.3 Sequencing of Real-World Activities

Print, Store, Echo, Worklist, Storage Commit and MPPS commands can be transmitted simultaneously within the limits described below.

**Storage Commit**

The Storage Commitment command (if enabled) is sent in the following situations:

a. On series close, when all images have previously stored successfully.

b. The series is closed before all images are stored successfully, all previous stores have succeeded and the last image stores successfully.

c. The series is closed before all images are stored successfully, at least one store has succeeded, at least one store has failed and the last store with non-zero retry count fails or succeeds.

d. A series has been partially committed as in c. Later, due to "Retry Job" button press on the Store Status UI screen the store jobs are retried. Another Storage Commit is sent when at least one store has succeeded and the last store with non-zero retry count fails or succeeds.

**MPPS**

The MPPS command (if enabled) is sent in the following situations:

a. N-CREATE command is sent whenever a new procedure step is selected or an unscheduled procedure is created on the system. The state of the MPPS command is set to “In-Progress”.

b. N-SET command is sent when the Procedure Step is closed by the user pressing either the Completed or Discontinued button on the Close Procedure dialog. The state of the MPPS command is set, according to the state (Completed or Discontinued) set by the user.




**Figure 9. Sequence Diagram for Real-World Activities**

## 5.2 AE Specifications

### 5.2.1 SOP Classes

The ACUSON Redwood AEs provides conformance to the following DICOM Service SOP Classes as an SCU.

**Table 4: Supported SOP Classes**

| Service SOP Class Name | SOP Class UID |
|---|---|
| Verification | 1.2.840.10008.1.1 |
| Ultrasound Image Storage | 1.2.840.10008.5.1.4.1.1.6.1 |
| Ultrasound Multi-Frame Image Storage | 1.2.840.10008.5.1.4.1.1.3.1 |
| Secondary Capture Image Storage | 1.2.840.10008.5.1.4.1.1.7 |
| Storage Commitment - Push Model | 1.2.840.10008.1.20.1 |
| Basic Grayscale Print Management Meta SOP Class | 1.2.840.10008.5.1.1.9 |
| Basic Color Print Management Meta SOP Class | 1.2.840.10008.5.1.1.18 |
| Basic Grayscale Image Box SOP Class | 1.2.840.10008.5.1.1.4 |
| Basic Color Image Box SOP Class | 1.2.840.10008.5.1.1.4.1 |
| Printer SOP Class | 1.2.840.10008.5.1.1.16 |
| Modality Worklist Information Model C- FIND | 1.2.840.10008.5.1.4.31 |
| Modality Performed Procedure Step | 1.2.840.10008.3.1.2.3.3 |
| Comprehensive SR | 1.2.840.10008.5.1.4.1.1.88.33 |

### 5.2.2 Association Establishment Policies

#### 5.2.2.1 General

The ACUSON Redwood system utilizes TCP/IP. The Maximum Length PDU negotiation is included in all association establishment requests. The maximum length PDU offered for an association initiated by an ACUSON Redwood system is:

- Maximum PDU Offered: 28672

#### 5.2.2.2 Association Establishment Order

An ACUSON Redwood system initiates each C-Store Request one at a time, one for each transfer request being processed.

Image format on an ACUSON Redwood system can be set to one of “Automatic”, “Old Ultrasound”, or “Secondary Capture”.

An ACUSON Redwood system proposes Ultrasound Multi-Frame Image, Ultrasound Image, and Comprehensive SR sequentially.

#### 5.2.2.3 Asynchronous Nature

All associations use the default synchronous mode of operation. Asynchronous Operations Window negotiations are not supported on the ACUSON Redwood system.

#### 5.2.2.4 Implementation Identifying Information

- Implementation Class UID: “1.3.12.2.1107.5.5.5” (See below).
- Implementation Version Name: “Siemens-Healthineers”

Siemens has provided registration for all Siemens Medical Solutions Groups. This unique Class UID is defined as:

“1.3.12.2.1107.5.5.product”

Where the interpretation is:

1. = International Standards Organization (ISO)

3. = International branch of ISO

12.2.1107.5. = Assigned to Siemens-UB MED

5. = Ultrasound Modality (SMS-UG)

Product = 5 - DICOM implementation for Redwood systems and older M3 systems

### 5.2.3 Association Initiation by Real-World Activities

#### 5.2.3.1 Real World Activity – Verification

The ACUSON Redwood system is capable of supporting Verification service class as SCU or SCP. Verification can be initiated as a singular event from the Systems Presets menu to any configured SCP that supports Verification.

**Proposed Presentation Contexts – Verification**

The ACUSON Redwood system will propose Presentation Contexts as shown in the table below.

**Table 5: VerificationPresentationContext**

| Abstract Syntax | | Transfer Syntax | | Role | Extended Negotiation |
|---|---|---|---|---|---|
| Name | UID | Name List | UID List | | |
| Verification | 1.2.840.10008.1.1 | Implicit VR Little Endian | 1.2.840.10008.1.2 | SCU/SCP | None |
| Verification | 1.2.840.10008.1.1 | Explicit VR Little Endian | 1.2.840.10008.1.2.1 | SCU/SCP | None |
| Verification | 1.2.840.10008.1.1 | Explicit VR Big Endian | 1.2.840.10008.1.2.2 | SCU/SCP | None |

#### 5.2.3.2 Real World Activity – Store

ACUSON Redwood system facilitates users to store images and structured reports as they are being created or later in review mode.

**Queuing images during acquisition**

“Autostore to DICOM” option in DICOM presets has to be set. One or more of “Image”, and “Clip” keys on the control panel can be configured for Store (Image, Clip). When the user presses one of the configured keys, an image or clip is acquired, stored on the hard disk and queued up to be transferred to the storage server. Structured reports, if any, will be stored automatically after the study is closed and each time the report is modified after study close.

**Queueing images and structured reports in Review mode**

User can select one or more closed studies and queue them up for Storage. The Send button with DICOM Store option is available in Patient browser for this operation. All images and structured reports (if any) are stored. The study must be closed to generate a structured report.

#### Transfer of images to the storage server

See section 5.1.1.2.

#### Consistent Presentation of Grayscale Images

The ACUSON Redwood supports the DICOM standard (PS 3-14) Grayscale Standard Display Function (GSDF) for Consistent Presentation of Displayed Images. The image Consistency is achieved through the support of the Presentation LUT (transformin the image pixels value in to the Standard Presentation P-value) and then transforming the Image pixel value from the standard Presentation (P-value) splace to the Optiocal Density space.

#### Associated Real World Activities

When images and/or structured reports are transferred from the hard disk to a DICOM Store SCP, the system establishes an association between the ACUSON Redwood AE and the configured DICOM device. The association may be used to store multiple images and/or structured reports and is closed when no images or structured reports are available to be stored to the remote device for five seconds.

#### Proposed Presentation Context

The following Presentation Contexts are presented to the SCP in an A-ASSOCIATE-RQ for DIMSE C-STORE storage services. The storage services utilize C-STORE services, as defined by the DICOM Standard. The table below represents all “Store” presentation contexts.

**Table 6: Store Presentation Context**

| Abstract Syntax | | Transfer Syntax | | Role | Extended Negotiation |
|---|---|---|---|---|---|
| Name | UID | Name List | UID List | | |
| Ultrasound Multi-Frame Image Storage | 1.2.840.10008.5.1.4.1.1.3.1 | Lossy JPEG 8 Bit Image Compression | 1.2.840.10008.1.2.4.50 | SCU | None |
| Ultrasound Multi-Frame Image Storage | 1.2.840.10008.5.1.4.1.1.3.1 | DICOM Explicit VR Little Endian | 1.2.840.10008.1.2.1 | SCU | None |
| Ultrasound Multi-Frame Image Storage | 1.2.840.10008.5.1.4.1.1.3.1 | DICOM Implicit VR Little Endian | 1.2.840.10008.1.2 | SCU | None |
| Ultrasound Image Storage | 1.2.840.10008.5.1.4.1.1.6.1 | DICOM Explicit VR Little Endian | 1.2.840.10008.1.2.1 | SCU | None |
| Ultrasound Image Storage | 1.2.840.10008.5.1.4.1.1.6.1 | DICOM Implicit VR Little Endian | 1.2.840.10008.1.2 | SCU | None |
| Comprehensive SR | 1.2.840.10008.5.1.4.1.1.88.33 | DICOM Explicit VR Little Endian | 1.2.840.10008.1.2.1 | SCU | None |

The ACUSON Redwood system always acts as an SCU for store and is the client in a client-server model.

Stress-Echo multi-frame images are only stored using Ultrasound Multi-Frame Image Storage with Lossy JPEG 8 Bit Image Compression. All other single and mullti-frame images can be stored using other SOP classes and transfer syntaxes as described above.

### SOP Specific Conformance to Storage Service SOP Classes

The Store Real World Activity provides standard extended conformance as an SCU for the following standard Storage Service Class SOP:

**Table 7: Supported SOP Classes**

| Service SOP Class Name | SOP Class UID | Conformance Level |
|---|---|---|
| Ultrasound Multi-Frame Image Storage | 1.2.840.10008.5.1.4.1.1.3.1 | Standard Extended |
| Ultrasound Image Storage | 1.2.840.10008.5.1.4.1.1.6.1 | Standard Extended |
| Secondary Capture Image Storage | 1.2.840.10008.5.1.4.1.1.7 | Standard Extended |
| Comprehensive SR | 1.2.840.10008.5.1.4.1.1.88.33 | Standard Extended |

This is accomplished using the DIMSE C-STORE Service. The SCU issues a service request with a SOP instance that meets the requirements of the desired ultrasound, secondary capture, or structured report IOD.

The following Structured Report Templates are supported by the ACUSON Redwood system:

- TID 5000 “OB-GYN Ultrasound Procedure Report”
- TID 5100 “Vascular Ultrasound Procedure Report”
- TID 5200 “Adult Echocardiography Ultrasound Procedure Report”

The following table denotes the attributes included in the Ultrasound Image Object as implemented on the ACUSON Redwood system. Attributes not listed are not used.

**Table 8: Ultrasound Image IOD Attributes**

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| Patient Identification | Patient's Name | (0010,0010) | Patient Data Screen – Last Name, First & Middle fields. Populated from Modality Worklist if used. |
| | Patient ID | (0010,0020) | Patient Data Screen –<br>ID field. Default is today’s date & time (e.g., 03_04_2015_17_54_43 = Apr. 3, 2015 at 5:54:43 PM). Populated from Modality Worklist if used. |
| Patient Demographic | Patient's Birth Date | (0010,0030) | Patient Data Screen –<br>DOB field. Default is a zero length attribute. Populated from Modality Worklist if used. |
| | Patient's Sex | (0010,0040) | Patient Data Screen –<br>Gender field. M = male<br>F = female. O = Other<br>Default is a zero length attribute. Populated from Modality Worklist if used. |
| | Patient’s Age | (0010,1010) | Calculated from Patient Data Screen DOB field. |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | Patient's Size | (0010,1020) | Patient Data Screen –<br>Height field. Populated from Modality Worklist if used. |
| | Patient's Weight | (0010,1030) | Patient Data Screen –<br>Weight field. Populated from Modality Worklist if used. |
| | Other Patient IDs | (0010,1000) | Populated from Worklist |
| Patient Medical Module | Additional Patient History | (0010, 21B0) | Additional information about the patient's medical history. |
| Patient Study | Admitting Diagnosis Description | (0008,1080) | Patient Data Screen – Indication field. Populated from Modality Worklist if used. |
| General Study | Study Instance UID | (0020,000D) | Populated from Modality Worklist if used; generated by Redwood system otherwise |
| | Image Type | (0008,0008) | Example value:<br>ORIGINAL\PRIMARY\OB\0001<br>Value 1:<br>ORIGINAL or DERIVED<br>Value 2:<br>PRIMARY or SECONDARY<br>Value 3:<br>Set to value by exam type<br>Value 4:<br>It is constructed as a modality bit map to allow for a description of multi-modality displays.<br>In using this bit map, the sum of the values of the various modalities will unambiguously<br>Determine the constituent modalities.<br>0001 = 2D Imaging<br>0002 = M-Mode<br>0004 = CW Doppler<br>0008 = PW Doppler<br>0010 = Color Doppler<br>0020 = Color M-Mode<br>0040 = 3D Rendering<br>0100 = Color Power Mode |
| | Study Date | (0008,0020) | Date the exam started. |
| | Study Time | (0008,0030) | Time the exam started. |
| | Referring Physician's Name | (0008,0090) | Patient Data Screen – Physician field. Populated from Modality Worklist if used. |
| | Study ID | (0020,0010) | Generated by Redwood system |
| | Accession Number | (0008,0050) | Patient Data Screen – Accession # field. Populated from Modality Worklist if used. |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | Study Description | (0008,1030) | Populated with the first attribute from Modality Worklist that contains a valid value from the following list of attributes: Study Description (0008,1030), Scheduled Procedure Step Description (0040,0007), Requested Procedure Description (0032,1060). If Modality Worklist was not used or none of the attributes contains a valid value. |
| General Series | Modality | (0008,0060) | Always set to “US” |
| | Series Instance UID | (0020,000E) | Generated by Redwood system |
| | Series Number | (0020,0011) | Series Number in study (1-n). |
| | Laterality | (0020,0060) | Always sent as 0 length attribute |
| | (b)Series Date | (0008,0021) | Date the series started. |
| | (b)Series Time | (0008,0031) | Time the series started. |
| | (b)Series Description | (0008,103E) | Populated with Scheduled Procedure Step Description if a value was provided by Modality Worklist. |
| | (b)Protocol Name | (0018,1030) | The exam type of the most recent image stored in a particular series. If no images are stored for a series then the value is set to “Ultrasound”. |
| | (b)Request Attributes Sequence | (0040,0275) | Populated with Scheduled Procedure Step Sequence (0040, 0100) if provided by Modality Worklist. |
| | >(b)Scheduled Procedure Step Description | (0040,0007) | Populated with Scheduled Procedure Step Description (0040, 0007) from Scheduled Procedure Step Sequence (0040, 0100) if provided by Modality Worklist. |
| | >(b)Scheduled Protocol Code Sequence | (0040,0008) | Populated with Scheduled Protocol Code Sequence (0040, 0008) from Scheduled Procedure Step Sequence (0040, 0100) if provided by Modality Worklist. |
| | >Requested Procedure Description | (0032,1060) | Populated from Requested Procedure Description in MWL query |
| | >(b)Scheduled Procedure Step ID | (0040,0009) | Populated with Scheduled Procedure Step ID (0040, 0009) from Scheduled Procedure Step Sequence (0040, 0100) if provided by Modality Worklist. |
| | >(b)Requested Procedure ID | (0040,1001) | Populated with Requested Procedure ID (0040, 1001) from Scheduled Procedure Step Sequence (0040, 0100) if provided by Modality Worklist. |
| | (b)Performed Procedure Step Start Date | (0040,0244) | Date the Performed Procedure Step was started. |
| | (b)Performed Procedure Step Start Time | (0040,0245) | Time the Performed Procedure Step was started. |
| | (b)Performed Procedure Step ID | (0040,0253) | Populated with Scheduled Procedure Step ID (0040, 0009) if provided by Modality Worklist. |
| | (b)Performed Procedure Step | (0040,0254) | Populated with Scheduled Procedure Step |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | Description | | Description (0040,0007) if provided by Modality Worklist. |
| | [b]Performed Procedure Protocol Code Sequence | (0040,0260) | Populated with Scheduled Protocol Code Sequence (0040,0008) if provided by Modality Worklist. |
| | [b]Comments on the Performed Procedure Step | (0040,0280) | Populated with Comments on the Scheduled Procedure Step (0040,0400) if provided by Modality Worklist. |
| | Referenced Performed Procedure Step Sequence | (0008,1111) | Populated with MPPS SOP Class UID and MPPS SOP instance UID of MPPS command sent for the procedure step(s) performed. |
| General Equipment | Manufacturer | (0008,0070) | Set to “SIEMENS Healthineers” |
| | Station Name | (0008, 1010) | Station AE title |
| | Institution Name | (0008,0080) | System Presets – Hospital Name field. |
| | Software Versions | (0018,1020) | Set to the DICOM Software Version |
| | Manufacturer’s Model Name | (0008,1090) | Set to “ACUSON <Product Name>” |
| General Image | Instance Number | (0020,0013) | Image number in study (1 – n) |
| | Patient Orientation | (0020,0020) | Always sent as 0 length attribute |
| | Presentation LUT Shape | (2050,0020) | When present, specifies an identity transformation for the Presentation LUT such that the output of all grayscale transformations, if any, are defined to be in P-Values. Enumerated Values are: IDENTITY - output is in P-Values - shall be used if Photometric Interpretation (0028,0004) is MONOCHROME2 or any color photometric interpretation. |
| Image Pixel | Samples per Pixel | (0028,0002) | Set to 1 for MONOCHROME2 images, 3 for RGB images. |
| | Photometric Interpretation | (0028,0004) | Set to “MONOCHROME2“or “RGB“ |
| | Planar Configuration | (0028,0006) | Color by plane. Color frame pixel order is configured as a planar image. Set to 0 (color by pixel) for RGB pixel-ordered image, 1 (color by plane) for planar image. Required when Samples per Pixel has a value greater than 1. |
| | Rows | (0028,0010) | This value may be from 240 and 864. |
| | Columns | (0028,0011) | This value may be from 320 and up to 1152. |
| | Bits Allocated | (0028,0100) | Set to 8. |
| | Bits Stored | (0028,0101) | Set to 8. |
| | High Bit | (0028,0102) | Set to 7. |
| | Pixel Representation | (0028,0103) | Set to 0 |
| | Pixel Data | (7FE0,0010) | |
| US Image | Heart Rate | (0018,1088) | Only provided if heart rate is > 0 |
| | Lossy Image Compression | (0028,2110) | “00” |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | Transducer Data | (0018,5010) | An array of values associated with transducer information, sequence of data is contained as <TransducerName>, <TransducerSerialNumber>, <TransducerVendor>. |
| | ContrastBolusAgent | (0108,0010) | Content is “APPLIED” if support Contrast/Bolus agent. |
| SOP Common | SOP Class UID | (0008,0016) | 1.2.840.10008.5.1.4.1.1.6.1 or 1.2.840.10008.5.1.4.1.1.6 |
| | SOP Instance UID | (0008,0018) | Generated by Redwood system |
| | Specific Character Set | (0008,0005) | Set to values as defined in Section 8.4 of this document. |
| Image Plane | Pixel Spacing | (0028,0030) | Pixel Spacing information is only provided for single, full screen, 2D image types (2D image types are B-mode, B-mode with color, B-mode with power). |
| Region Calibration | (c)Sequence of Ultrasound Regions | (0018,6011) | |
| | >(c)Region Spatial Format | (0018,6012) | B-Mode (Tissue or Color) = 0001H<br>M-Mode (Tissue or Color) = 0002H<br>Spectral (CW/PW) Doppler = 0003H |
| | >(c)Region Data Type | (0018,6014) | B-Mode, M-Mode = 0001H (Tissue)<br>Spectral Doppler = 0004H (CW Spectral Doppler)<br>Spectral Doppler = 0003H (PW Spectral Doppler) |
| | >(c)Region Flags | (0018,6016) | 1st Bit (LSB) = 1 (All images acquired are transparent)<br>2nd Bit = 1 (All images acquired are automatically scaled)<br>3rd Bit = 1 for frequency scale 3rd Bit = 0 for velocity scale.<br>The value of the 3rd bit is undefined for any mode other than Doppler. The value for 3rd bit is undefined if both frequency and velocity scales are selected on the Doppler image. 4th Bit is Reserved and value is always 0 |
| | >(c)Region Location Min X0 | (0018,6018) | |
| | >(c)Region Location Min Y0 | (0018,601A) | |
| | >(c)Region Location Max X1 | (0018,601C) | |
| | >(c)Region Location Max Y1 | (0018,601E) | |
| | >(c)Physical Units X direction | (0018,6024) | B-Mode (Tissue or Color) = 0003H (cm)<br>M-Mode (Tissue or Color) = 0004H (seconds)<br>Spectral (CW/PW) Doppler = 0004H (seconds) |
| | >(c)Physical Units Y direction | (0018,6026) | B-Mode (Tissue or Color) = 0003H (cm)<br>M-Mode (Tissue or Color) = 0003H (cm)<br>Spectral (CW/PW) Doppler = 0007H (cm/sec) |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | >(c)Physical Delta X | (0018,602C) | |
| | >(c)Physical Delta Y | (0018,602E) | |
| | >(c)Reference Pixel X0 | (0018,6020) | Attribute only set for Spectral Doppler Regions |
| | >(c)Reference Pixel Y0 | (0018,6022) | Attribute only set for Spectral Doppler Regions |
| | >(c)Reference Pixel Physical Value X | (0018,6028) | Attribute only set for Spectral Doppler Regions<br>When provided, value is always 0. |
| | >(c)Reference Pixel Physical Value Y | (0018,602A) | Attribute only set for Spectral Doppler Regions<br>When provided, value is always 0. |
| Private Attributes | (a)Private Creator | (0011,0010) | Reserves tags 0011,1000 through 0011,10FF for use as private tags. |
| | (a)Siemens Medical Solutions Model Name | (0011,1010) | Always set to “<Product Name>”. |
| | (a)PIMS Software Version | (0011,1011) | Set to version of PIMS software installed. |
| | (a)Private Data | (0011,1020) | For internal Redwood use only. |
| | (a)Private Data | (0011,1021) | For internal Redwood use only. |
| | (a)Private Creator | (0013,0010) | Reserves tags 0013, 1000 through 0013, 10FF for use as private tags. |
| | (a)Siemens Medical Solutions Model Name | (0013,1010) | Always set to “<Product Name>”. |
| | (a)PIMS Software Version | (0013,1011) | Set to version of PIMS software installed. |
| | (a)Private Data | (0013,1020) | For internal Redwood use only. |
| | (a)Private Creator | (0015,0010) | This group is populated only if data is available. Reserves tags 0015, 1000 through 0015, 10FF for use as private tags. |
| | (a)Siemens Medical Solutions Model Name | (0015,1010) | Always set to “<Product Name>”. |
| | (a)PIMS Software Version | (0015,1011) | Set to version of PIMS software installed. |
| | (a)Private Data | (0015,1020) | For internal Redwood use only. |
| Private Attributes | (a)Private Creator | (0017,0010) | This group is populated only if data is available. Reserves tags 0017, 1000 through 0017, 10FF for use as private tags. |
| | (a)Siemens Medical Solutions Model Name | (0017,1010) | Always set to “<Product Name>”. |
| | (a)PIMS Software Version | (0017,1011) | Set to version of PIMS software installed. |
| | (a)Private Data | (0017,1020) | For internal Redwood use only. |
| | Private Creator | (0019,0010) | Reserves tags 0019, 1000 through 0019, 10FF for use as private tags. |
| | Import Structured Reports | (0019,1020) | Set to “O” or “C” or “CO” if Obstetric or cardiac SR options was purchased and SR generation was configured. Otherwise set to “No”. Instructs SCP that it should attempt to import measurements from SR. |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | Common section | (0159,1001) | Acquisition geometric values of the first B mode region. (VR: LT) |
| | RegionB0Section | (0159,1002) | Acquisition geometric values of the first B mode region. (VR: LT) |
| | RegionB1Section | (0159,1003) | Acquisition geometric values of second B mode region. (VR: LT) |
| | RegionB2Section | (0159,1004) | Acquisition geometric values of third B mode region. (VR: LT) |
| | RegionB3Section | (0159,1005) | Acquisition geometric values of fourth B mode region. (VR: LT) |
| | RegionDSection | (0159,1010) | Acquisition geometric values of Spectral Doppler region. (VR: LT) |
| | RegionMSection | (0159,1020) | Acquisition geometric values of Motion region. (VR: LT) |
| | ReviewDataModelSection | (0159,1030) | Acquisition geometric values of all image regions. (VR: LT) |

(a) The Attribute is only provided if the image is written to media.

(b) The Attribute is only provided if the procedure step is queried from the MWL server.

(c) Region Calibration is provided only for 2D (B-Mode), M-Mode, and Spectral Doppler Regions. Region Calibration is not supported on Ultrasound RETIRED images, Screen Captures, and post-processed images. Region Calibration is not supported for M-Mode or Spectral Doppler still images taken from Live Imaging.

**Table 9: Ultrasound MultiFrame Image IOD Attributes**

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| Patient Identification | Patient's Name | (0010,0010) | Patient Data Screen – Last Name, First & Middle fields. Populated from Modality Worklist if used. |
| | Patient ID | (0010,0020) | Patient Data Screen –<br>ID field. Default is today's date & time (e.g., 03_04_2015_17_54_43 = Apr. 3, 2015 at 5:54:43 PM). Populated from Modality Worklist if used. |
| Patient Demographic | Patient's Birth Date | (0010,0030) | Patient Data Screen –<br>DOB field. Default is a zero length attribute. Populated from Modality Worklist if used. |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | Patient's Sex | (0010,0040) | Patient Data Screen –<br>Gender field. M = male<br>F = female. O= Other<br>Default is a zero length attribute.<br>Populated from Modality Worklist if used. |
| | Patient's Age | (0010,1010) | Calculated from Patient Data Screen DOB field. |
| | Patient's Size | (0010,1020) | Patient Data Screen –<br>Height field. Populated from Modality Worklist if used. |
| | Patient's Weight | (0010,1030) | Patient Data Screen –<br>Weight field. Populated from Modality Worklist if used. |
| | Other Patient IDs | (0010,1000) | Populated from Worklist |
| Patient Medical Module | Additional Patient History | (0010, 21B0) | Additional information about the patient's medical history. |
| Patient Study | Admitting Diagnosis Description | (0008,1080) | Patient Data Screen – Indication field.<br>Populated from Modality Worklist if used. |
| General Study | Study Instance UID | (0020,000D) | Populated from Modality Worklist if used; generated by Redwood system otherwise. |
| | Image Type | (0008,0008) | Example value:<br>ORIGINAL\PRIMARY\OB\0001<br>Value 1:<br>ORIGINAL or DERIVED<br>Value 2:<br>PRIMARY or SECONDARY<br>Value 3:<br>Set to value by exam type<br>Value 4:<br>It is constructed as a modality bit map to allow for a description of multi-modality displays.<br>In using this bit map, the sum of the values of the various modalities will unambiguously<br>determine the constituent modalities.<br>0001 = 2D Imaging<br>0002 = M-Mode<br>0004 = CW Doppler<br>0008 = PW Doppler<br>0010 = Color Doppler<br>0020 = Color M-Mode<br>0040 = 3D Rendering |
| | Study Date | (0008,0020) | Date the exam started. |
| | Study Time | (0008,0030) | Time the exam started. |
| | Referring Physician's Name | (0008,0090) | Patient Data Screen – Physician field.<br>Populated from Modality Worklist if used. |
| | Study ID | (0020,0010) | Generated by Redwood system |
| | Accession Number | (0008,0050) | Patient Data Screen – Accession # field. |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | | | Populated from Modality Worklist if used. |
| | Study Description | (0008,1030) | Populated with the first attribute from Modality Worklist that contains a valid value from the following list of attributes: Study Description (0008, 1030), Scheduled Procedure Step Description (0040, 0007), Requested Procedure Description (0032, 1060). If Modality Worklist was not used or none of the attributes contains a valid value. |
| General Series | Modality | (0008,0060) | Always set to “US” |
| | Series Instance UID | (0020,000E) | Generated by Redwood system |
| | Series Number | (0020,0011) | Series Number in study (1-n). |
| | Laterality | (0020,0060) | Always sent as 0 length attribute |
| | (b)Series Date | (0008,0021) | Date the series started. |
| | (b)Series Time | (0008,0031) | Time the series started. |
| | (b)Series Description | (0008,103E) | Populated with Scheduled Procedure Step Description if a value was provided by Modality Worklist. |
| | (b)Protocol Name | (0018,1030) | The exam type of the most recent image stored in a particular series. If no images are stored for a series then the value is set to “Ultrasound”. |
| | (b)Request Attributes Sequence | (0040,0275) | Populated with Scheduled Procedure Step Sequence (0040, 0100) if provided by Modality Worklist. |
| | >(b)Scheduled Procedure Step Description | (0040,0007) | Populated with Scheduled Procedure Step Description (0040, 0007) from Scheduled Procedure Step Sequence (0040, 0100) if provided by Modality Worklist. |
| | >(b)Scheduled Protocol Code Sequence | (0040,0008) | Populated with Scheduled Protocol Code Sequence (0040, 0008) from Scheduled Procedure Step Sequence (0040, 0100) if provided by Modality Worklist. |
| | >(b)Scheduled Procedure Step ID | (0040,0009) | Populated with Scheduled Procedure Step ID (0040, 0009) from Scheduled Procedure Step Sequence (0040, 0100) if provided by Modality Worklist. |
| | >(b)Requested Procedure ID | (0040,1001) | Populated with Requested Procedure ID (0040, 1001) from Scheduled Procedure Step Sequence (0040, 0100) if provided by Modality Worklist. |
| | >Requested Procedure Description | (0032,1060) | Populated from Requested Procedure Description in MWL query |
| | (b)Performed Procedure Step Start Date | (0040,0244) | Date the Performed Procedure Step was started. |
| | (b)Performed Procedure Step Start Time | (0040,0245) | Time the Performed Procedure Step was started. |
| | (b)Performed Procedure Step ID | (0040,0253) | Populated with Scheduled Procedure Step ID (0040,0009) if provided by Modality Worklist. |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | [b]Performed Procedure Step Description | (0040,0254) | Populated with Scheduled Procedure Step Description (0040,0007) if provided by Modality Worklist. |
| | [b]Performed Procedure Protocol Code Sequence | (0040,0260) | Populated with Scheduled Protocol Code Sequence (0040,0008) if provided by Modality Worklist. |
| | [b]Comments on the Performed Procedure Step | (0040,0280) | Populated with Comments on the Scheduled Procedure Step (0040,0400) if provided by Modality Worklist. |
| | Referenced Performed Procedure Step Sequence | (0008,1111) | Populated with MPPS SOP Class UID and MPPS SOP instance UID of MPPS command sent for the procedure step(s) performed. |
| General Equipment | Manufacturer | (0008,0070) | Set to “SIEMENS Healthineers” |
| | Station Name | (0008, 1010) | Station AE title |
| | Institution Name | (0008,0080) | System Presets – Hospital Name field. |
| | Software Versions | (0018,1020) | Set to the DICOM Software Version |
| | Manufacturer’s Model Name | (0008,1090) | Set to “ACUSON <Product Name>”. |
| General Image | Instance Number | (0020,0013) | Image number in study (1 - n) |
| | Patient Orientation | (0020,0020) | Always sent as 0 length attribute |
| | Presentation LUT Shape | (2050,0020) | When present, specifies an identity transformation for the Presentation LUT such that the output of all grayscale transformations, if any, are defined to be in P-Values. Enumerated Values are: IDENTITY - output is in P-Values - shall be used if Photometric Interpretation (0028,0004) is MONOCHROME2 or any color photometric interpretation. |
| Image Pixel | Samples per Pixel | (0028,0002) | Set to 1 for MONOCHROME2 images, 3 for RGB and YBR_FULL_422 images. |
| | Photometric Interpretation | (0028,0004) | “YBR_FULL_422” if sent compressed, “RGB” or “MONOCHROME2“ if sent uncompressed. |
| | Planar Configuration | (0028,0006) | Color by plane. Color frame pixel order is configured as a planar image. Set to 0 (color by pixel) for RBG pixel-ordered image, 1 (color by plane) for planar image. Required when Samples per Pixel has a value greater than 1. |
| | Rows | (0028,0010) | This value may be from 240 and 864. |
| | Columns | (0028,0011) | This value may be from 320 and up to 1152. |
| | Bits Allocated | (0028,0100) | Set to 8. |
| | Bits Stored | (0028,0101) | Set to 8. |
| | High Bit | (0028,0102) | Set to 7. |
| | Pixel Representation | (0028,0103) | Set to 0. |
| | Pixel Data | (7FE0, 0010) | |
| US Image | Image Type | (0008,0008) | Sent as a 0 length attribute. |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | Heart Rate | (0018,1088) | Only provided if heart rate is > 0 |
| | Lossy Image Compression | (0028,2110) | “01” if compressed, “00” if uncompressed. |
| | [(a)]Stage Name | (0008,2120) | |
| | [(a)]Stage Number | (0008,2122) | |
| | [(a)]Number of Stages | (0008,2124) | |
| | [(a)]View Names | (0008,2127) | |
| | [(a)]View Number | (0008,2128) | |
| | [(a)]Number of Views in Stage | (0008,212A) | |
| | [(a)]Transducer Type | (0018,6031) | |
| | [(a)]R Wave Time Vector | (0018,6060) | |
| | [(a)]Mechanical Index | (0018,5022) | |
| | [(a)]Depth Of Scan Field | (0018,5050) | 2D FOV depth in mm unit |
| | [(a)]Number Of Event Timers | (0018,2129) | The number of event timers used at the time of acquisition of a Multi-frame image. |
| | [(a)]Event Elapsed Time(s) | (0018,2130) | An array of values associated with each event timer. Units in milliseconds. |
| | [(a)]Event Timer Name(s) | (0018,2132) | Name that identifies the event timer. |
| | Transducer Data | (0018,5010) | An array of values associated with transducer information, sequence of data is contained as <TransducerName>, <TransducerSerialNumber>, <TransducerVendor>. |
| | ContrastBolusAgent | (0108,0010) | Content is “APPLIED” if support Contrast/Bolus agent. |
| WaveForm | [(a)]Waveform Sequence | (5400,0100) | |
| | >Acquisition DateTime | (0008,002A) | |
| | >Trigger Time Offset | (0018,1069) | |
| | >Waveform Originality | (003A,0004) | ORIGINAL |
| | >Number of Waveform Channels | (003A,0005) | 1 |
| | >Number of Waveform Samples | (003A,0010) | |
| | >Sampling Frequency | (003A,001A) | |
| | >Channel Definition Sequence | (003A,0200) | |
| | >>Channel Source Sequence | (003A,0208) | |
| | >>>Include ‘Code Sequence Macro’ | | |
| | >>Channel Sensitivity | (003A,0210) | |
| | >>Channel Sensitivity Units Sequence | (003A,0211) | |
| | >>>Include ‘Code Sequence Macro’ | | |
| | >>Waveform Bits Stored | (003A,021A) | |
| | >Waveform Bits Allocated | (5400,1004) | |
| | >Waveform Sample Interpretation | (5400,1006) | |
| | >Waveform Data | (5400,1010) | |
| SOP Common | SOP Class UID | (0008,0016) | 1.2.840.10008.5.1.4.1.1.3.1 or 1.2.840.10008.5.1.4.1.1.3 |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | SOP Instance UID | (0008,0018) | Generated by Redwood system |
| | Specific Character Set | (0008,0005) | Set to values as defined in Section 8.4 of this document |
| | [a]Instance Creation Date | (0008,0012) | Created |
| | [a]Instance Creation Time | (0008,0013) | Created |
| Image Plane | Pixel Spacing | (0028,0030) | Pixel Spacing information is only provided for single, full screen, 2D image types (2D image types are B-Mode, B-Mode Color, B-Mode with power). |
| Cine | Frame Time | (0018,1063) | |
| Multi-Frame | Number of Frames | (0028,0008) | |
| | Frame Increment Pointer | (0028,0009) | 00181063H |
| Region Calibration | [c]Sequence of Ultrasound Regions | (0018,6011) | |
| | >[c]Region Spatial Format | (0018,6012) | B-Mode (Tissue or Color) = 0001H<br>M-Mode (Tissue or Color) = 0002H<br>Spectral (CW/PW) Doppler = 0003H |
| | >[c]Region Data Type | (0018,6014) | B-Mode, M-Mode = 0001H (Tissue)<br>Spectral Doppler = 0004H (CW Spectral Doppler)<br>Spectral Doppler = 0003H (PW Spectral Doppler) |
| | >[c]Region Flags | (0018,6016) | 1st Bit (LSB) = 1 (All images acquired are transparent)<br>2nd Bit = 1 (All images acquired are automatically scaled)<br>3rd Bit = 1 for frequency scale 3rd Bit = 0 for velocity scale.<br>The value of the 3rd bit is undefined for any mode other than Doppler. The value for 3rd bit is undefined if both frequency and velocity scales are selected on the Doppler image. 4th Bit is Reserved and value is always 0 |
| | >[c]Region Location Min X0 | (0018,6018) | |
| | >[c]Region Location Min Y0 | (0018,601A) | |
| | >[c]Region Location Max X1 | (0018,601C) | |
| | >[c]Region Location Max Y1 | (0018,601E) | |
| | >[c]Physical Units X direction | (0018,6024) | B-Mode (Tissue or Color) = 0003H (cm)<br>M-Mode (Tissue or Color) = 0004H (seconds)<br>Spectral (CW/PW) Doppler = 0004H (seconds) |
| | >[c]Physical Units Y direction | (0018,6026) | B-Mode (Tissue or Color) = 0003H (cm)<br>M-Mode (Tissue or Color) = 0003H (cm)<br>Spectral (CW/PW) Doppler = 0007H (cm/sec) |
| | >[c]Physical Delta X | (0018,602C) | |
| | >[c]Physical Delta Y | (0018,602E) | |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | >[c]Reference Pixel X0 | (0018,6020) | Attribute only set for Spectral Doppler Regions |
| | >[c]Reference Pixel Y0 | (0018,6022) | Attribute only set for Spectral Doppler Regions |
| | >[c]Reference Pixel Physical Value X | (0018,6028) | Attribute only set for Spectral Doppler Regions<br>When provided, value is always 0. |
| | >[c]Reference Pixel Physical Value Y | (0018,602A) | Attribute only set for Spectral Doppler Regions<br>When provided, value is always 0. |
| Private Attributes | [d]Private Creator | (0011,0010) | Reserves tags 0011, 1000 through 0011, 10FF for use as private tags. |
| | [d]Siemens Medical Solutions Model Name | (0011,1010) | Always set to “<Product Name>”. |
| | [d]PIMS Software Version | (0011,1011) | Set to version of PIMS software installed. |
| | [d]Private Data | (0011,1020) | For internal Redwood use only. |
| | [d]Private Data | (0011,1021) | For internal Redwood use only. |
| | [d]Private Creator | (0013,0010) | Reserves tags 0013, 1000 through 0013, 10FF for use as private tags. |
| | [d]Siemens Medical Solutions Model Name | (0013,1010) | Always set to “<Product Name>”. |
| | [d]PIMS Software Version | (0013,1011) | Set to version of PIMS software installed. |
| | [d]Private Data | (0013,1020) | For internal Redwood use only. |
| | [d]Private Creator | (0015,0010) | This group is populated only if data is available. Reserves tags 0015, 1000 through 0015,10FF for use as private tags. |
| | [d]Siemens Medical Solutions Model Name | (0015,1010) | Always set to “<Product Name>”. |
| | [d]PIMS Software Version | (0015,1011) | Set to version of PIMS software installed. |
| | [d]Private Data | (0015,1020) | For internal Redwood use only. |
| | [d]Private Creator | (0017,0010) | This group is populated only if data is available. Reserves tags 0017, 1000 through 0017,10FF for use as private tags. |
| | [d]Siemens Medical Solutions Model Name | (0017,1010) | Always set to “<Product Name>”. |
| | [d]PIMS Software Version | (0017,1011) | Set to version of PIMS software installed. |
| | [d]Private Data | (0017,1020) | For internal Redwood use only. |
| | Private Creator | (0019,0010) | Reserves tags 0019, 1000 through 0019, 10FF for use as private tags. |
| Private Attributes | Import Structured Reports | (0019,1020) | Set to “O” or “C” or “CO” if SR options were purchased and SR generation was configured. Otherwise set to “No”. Instructs SCP that it should attempt to import measurements from SR. |
| | [a]B-mode Tint Index(used for routing the image to B&W or Color printer) | (0019,102D) | |
| | Private Creator | (7FDF,0010) | Reserved tags 7FDF,1000 through 7FDF,FE00 for use as private tags |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | Private Creator | (7FDF,0011) | |
| | Microseconds in unit timestamp | (7FDF,1083) | Set to 20 microsecond |
| | Acoustic Frame Timestamp | (7FDF,1085) | Time corresponding to the end of ultrasound data collection at the end of each acoustic frame. |
| | [(a)]Private Creator | (0119,0010) | Set to “SIEMENS Ultrasound Redwood” |
| | [(a)]Stage Timer Time | (0119,1011) | |
| | [(a)]Stop Watch Time | (0119,1012), | |
| | Common section | (0159,1001) | Acquisition geometric values of the first B mode region. (VR: LT) |
| | RegionB0Section | (0159,1002) | Acquisition geometric values of the first B mode region. (VR: LT) |
| | RegionB1Section | (0159,1003) | Acquisition geometric values of second B mode region. (VR: LT) |
| | RegionB2Section | (0159,1004) | Acquisition geometric values of third B mode region. (VR: LT) |
| | RegionB3Section | (0159,1005) | Acquisition geometric values of fourth B mode region. (VR: LT) |
| | RegionDSection | (0159,1010) | Acquisition geometric values of Spectral Doppler region. (VR: LT) |
| | RegionMSection | (0159,1020) | Acquisition geometric values of Motion region. (VR: LT) |
| | ReviewDataModelSection | (0159,1030) | Acquisition geometric values of all image regions. (VR: LT) |
| | [(e)]VueBox Header Info – Private Creator | (8FF1,0060) | Siemens Contrast Quantification |
| | [(e)]Private Creator Version | (8FF1,6001) | 1.0 |
| | [(e)]Log-compression dynamic range | (8FF1,6030) | Unit: dB<br>VR = DS, VM = 1 |
| | [(e)]Total Gain | (8FF1,6031) | Overall contrast gain Unit: dB<br>VR = DS, VM = 1 |
| | [(e)]Anti-log law vector | (8FF1,6032) | Inverse log-compression law for data linearization<br>VR = DS, VM = 256 |
| | [(e)]TGC contrast gain vector | (8FF1,6034) | Will be present if transducer type is “LINEAR", otherwise will be omitted.<br>Unit: dB<br>VR = DS, VM = 256 |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| | [e]Palette name | (8FF1,6035) | VR = LO, VM = 1 |
| | [e]Contrast Red Palette Data | (8FF1,6036) | Contrast palette RGB Values<br>VR = IS, VM = 256 |
| | [e]Contrast Green Palette Data | (8FF1,6037) | |
| | [e]Contrast Blue Palette Data | (8FF1,6038) | |
| | [e]Transducer name | (8FF1,6040) | VR = LO, VM = 1 |
| | [e]Transducer frequency | (8FF1,6041) | Unit: MHz<br>VR = DS, VM = 1 |
| | [e]Vector of destruction-frame numbers | (8FF1,6050) | VR = IS, VM = 1-n |
| | [e]Number of destruction frames (n) | (8FF1,6051) | VR = IS, VM = 1 |
| | [e]Nonlinear Contrast Mode | (8FF1,6052) | VR = CS, VM = 1 |
| | [e]Allow Quantification | (8FF1,6053) | Set to “False” if gain, TGC, or dynamic range is changed during the course of the acquisition. “True” otherwise.<br>VR = LO, VM = 1 |

[a] The Attribute is only provided for Stress Echo Images.

[b] The Attribute is only provided if the procedure step is queried from the MWL server.

[c] Region Calibration is provided only for 2D (B-Mode), M-Mode and Spectral Doppler Regions. Region Calibration is not supported on Ultrasound Retired images, Screen Captures and post-processed images. Region Calibration is not supported for M-Mode or Spectral Doppler still images taken from Live Imaging.

[d] The Attribute is only provided if the image is written to media.

[e] VueBox Contrast Quantification Private Attributes.

The following table denotes the attributes included in the Comprehensive SR Object as implemented on the ACUSON Redwood system. Attributes not listed are not used.

**Table 10: Comprehensive SR IOD Attributes**

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| Patient | Patient's Name | (0010,0010) | Patient Data Screen – Last Name, First & Middle fields. Populated from Modality Worklist if used. |
| | Patient ID | (0010,0020) | Patient Data Screen –<br>ID field. Default is today's date & time (e.g., 03_04_2015_17_54_43 = Apr. 3, 2015 at 5:54:43 PM). Populated from Modality Worklist if used. |
| | Patient's Birth Date | (0010,0030) | Patient Data Screen –<br>DOB field. Default is a zero length attribute. Populated from Modality Worklist if used. |
| | Patient's Sex | (0010,0040) | Patient Data Screen –<br>Gender field. M = male<br>F = female. O = Other<br>Default is a zero length attribute. Populated from Modality Worklist if used. |
| | Patient's Size | (0010,1020) | Patient Data Screen –<br>Height field. Populated from Modality Worklist if used. |
| | Patient's Weight | (0010,1030) | Patient Data Screen –<br>Weight field. Populated from Modality Worklist if used. |
| Patient Medical Module | Additional Patient History | (0010, 21B0) | Additional information about the patient's medical history. |
| Patient Study | Admitting Diagnosis Description | (0008,1080) | Patient Data Screen – Indication field. Populated from Modality Worklist if used. |
| General Study | Study Instance UID | (0020,000D) | Populated from Modality Worklist if used; generated by Redwood system otherwise |
| | Study Date | (0008,0020) | Date the exam started. |
| | Study Time | (0008,0030) | Time the exam started. |
| | Referring Physician's Name | (0008,0090) | Patient Data Screen – Physician field. Populated from Modality Worklist if used. |
| | Study ID | (0020,0010) | Generated by Redwood system |
| | Accession Number | (0008,0050) | Patient Data Screen – Accession # field. Populated from Modality Worklist if used. |
| | Study Description | (0008,1030) | Populated with the first attribute from Modality Worklist that contains a valid value from the following list of attributes:<br>Study Description (0008,1030), Scheduled Procedure Step Description (0040,0007), Requested Procedure Description (0032,1060). If Modality Worklist was not used or none of the attributes contains a valid value. |
| SR | Modality | (0008,0060) | Always set to "SR" |

| Module | Attribute | Tag | Notes |
|---|---|---|---|
| Document Series | Series Instance UID | (0020,000E) | Generated by Redwood system |
| | Series Number | (0020,0011) | Series Number in study (2-n). |
| | Series Date | (0008,0021) | Date the series started. |
| | Series Time | (0008,0031) | Time the series started. |
| | Referenced Performed Procedure Step Sequence | (0008,1111) | Populated with MPPS SOP Class UID and MPPS SOP instance UID of MPPS command sent for the procedure step(s) performed. |
| General Equipment | Manufacturer | (0008,0070) | Set to “SIEMENS Healthineers” |
| | Institution Name | (0008,0080) | System Presets – Hospital Name field. |
| | Software Versions | (0018,1020) | Set to “SR1.0_<DICOM Software Version>_<Product Name>” where <Product Name> and <DICOM Software Version> are specific to each Redwood Ultrasound System release. |
| | Manufacturer’s Model Name | (0008,1090) | Set to “ACUSON Redwood” |
| SR Document General | Content Date | (0008,0023) | Date the report was created |
| | Content Time | (0008,0033) | Time the report was created |
| | Instance Number | (0020,0013) | Always set to 0. |
| | Completion Flag | (0040,A491) | Always set to “PARTIAL” |
| | Verification Flag | (0040,A493) | Always set to “UNVERIFIED” |
| | Predecessor Documents Sequence | (0040,A360) | Supplied if a previous SR was generated for the study. Populated with SOP Class UID and SOP Instance UID of the previous Obstetric SRs for the study, if any. See table C17-2 in PS 3.3-2011 for sequence definition. |
| | Performed Procedure Code Sequence | (0040,A372) | Populated with contents of Procedure Code Sequence from Modality Worklist if available, empty otherwise. See table C17-2 in PS 3.3-2011 for sequence definition. |
| | Current Requested Procedure Evidence Sequence | (0040,A375) | Lists all images and clips in the study. See table C17-2 in PS 3.3-2011for sequence definition. |
| SOP Common | SOP Class UID | (0008,0016) | 1.2.840.10008.5.1.4.1.1.88.33 |
| | SOP Instance UID | (0008,0018) | Generated by Redwood system. |
| | Specific Character Set | (0008,0005) | Set to values as defined in Section 8.4 of this document. |
| | Instance Creation Date | (0008,0012) | Date the SOP Instance was created. |
| | Instance Creation Time | (0008,0013) | Time the SOP Instance was created. |
| | Instance Creator UID | (0008,0014) | |
| Private Attributes | Private Creator | (0019,0010) | Reserves tags 0019,1000 through 0019,10FF for use as private tags. |
| | Import Structured Reports | (0019,1020) | Set to “O” or “C” or “CO” if SR options were purchased and SR generation was configured. Otherwise set to “No”. Instructs SCP that it should attempt to import measurements from SR. |

**Error Handling**

The following table indicates the response status codes that are handled by the ACUSON Redwood AE, which a SCP may return following the SCU's C-STORE-RSP command.

A successful C-STORE operation will allow the ACUSON Redwood AE to continue to the next action desired by the user.

**Table 11: C-STORE Status Responses**

| Service Status | Further Meaning | Protocol Codes | Related Fields |
|---|---|---|---|
| Refused | Out of resources. | A7xx | None |
| Error | Data set does not match SOP Class.<br>Cannot understand. | A9xx<br>Cxxx | None |
| Warning | Coercion of data Elements.<br>Data set does not match SOP Class.<br>Elements discarded. | B000<br>B007<br>B006 | None |
| Success | | 0000 | None |

If the C-STORE operation is not successful, the image(s) and Structured Report(s), if any, are spooled on the ACUSON Redwood system hard drive. A user-configured number of additional attempts are made to store the image(s) and Structured Report(s). If these attempts fail, the user must select the job and press "Retry Job" on the DICOM Screen to complete the C-STORE operation.

All image and Structured Report storage on the ACUSON Redwood system hard drive is temporary in nature. If an attempt is made to store images on a full ACUSON Redwood system hard drive, the system will attempt to delete studies archived to CD/DVD/USB or DICOM. If no delete able data exists, a "DISK FULL" message is displayed on the ACUSON Redwood system display. The user must then delete studies not archived in order to store additional images.

### 5.2.3.3 Real-World Activity – Storage Commitment

This operation allows the AE to create an instance of the Storage Commitment SOP Class and to provide information about a specific Real World Activity that is under the control of the SCU. The AE invokes a request for safekeeping of images by the N-ACTION REQUEST. Referenced in the N-ACTION Request are the SOP class UID(s) and SOP instance UID(s) for all STORE Class objects requesting commitment by the SCU.

**Storage Commit**

The Storage Commitment (if enabled) command is sent in the following situations:

a. On series close, when all images and Structured Reports have previously stored successfully.

b. The series was previously closed, all previous stores have succeeded and the last image or Structured Report stores successfully.

c. The series was previously closed, at least one store has succeeded, at least one store has failed and the last store with non-zero retry count fails or succeeds.

d. A series has been partially committed as in c. Later, due to "Retry Job" button press on the DICOM screen the store jobs are retried. Another Storage Commit is sent when at least one store has succeeded and the last store with non-zero retry count fails or succeeds.

The ACUSON Redwood system waits for the return of a successful N-ACTION RESPONSE Status Code applicable for the associated request indicating whether the commitment request was successful or a failure. The ACUSON Redwood system waits for the N-EVENT REPORT from the SCP for at most 48 hours. The ACUSON Redwood system is capable of accepting the N-EVENT REPORT on the

association it initiates for the N-ACTION or one initiated by the SCP. Studies with all SOP instances marked as 'successful' in the N-EVENT REPORT will be eligible for deletion from the system hard drive.

The ACUSON Redwood system allows the user to configure a Storage Commitment Server which may be different from the Storage Server. Thus, the Storage Commitment SCP must wait for an appropriate time for the stored images to arrive from the Storage server.

Image-By-Image and Batch Storage Commitment are supported as specified in "Vista DICOM Conformance Requirements for Image Modalities in radiology, Cardiology, Dental, Ophthalmology and other specialities" (Version 2.3).

Storage Commitment of Structured Reports is supported.

**Proposed Presentation Context**

**Table 12: Storage Commitment Presentation Context**

| Abstract Syntax | | Transfer Syntax | | Role | Extended Negotiation |
|---|---|---|---|---|---|
| Name | UID | Name List | UID List | | |
| Storage Commitment Push Model | 1.2.840.10008.1.20.1 | Implicit VR Little Endian | 1.2.840.10008.1.2 | SCU | None |

The ACUSON Redwood system will act as an SCU in the 'Push Model" Storage Commitment SOP Class.

**SOP Specific Conformance to Storage Commitment SOP Class**

The Storage Commitment AE provides conformance to the following DICOM Service SOP Class as an SCU at a standard level of conformance.

**Table 13: Supported SOP Class**

| Supported SOP Class Name | SOP Class UID | Conformance Level |
|---|---|---|
| Storage Commitment Push Model | 1.2.840.10008.1.20.1 | Standard |

Storage Commitment to Storage Media (External media like CD/DVD or USB) is not supported.

The following table provides the list of attributes supported by the AE in the implementation of Storage Commitment SOP Class:

**Table 14: Storage Commitment Request Attributes in N-ACTION REQUEST**

| Attribute | Tag | Notes |
|---|---|---|
| Transaction UID | (0008,1195) | Generated by Redwood system |
| Referenced SOP Sequence | (0008,1199) | |
| >Referenced SOP Class UID | (0008,1150) | |
| >Referenced SOP Instance UID | (0008,1155) | |

**Error Handling**

If the storage commitment operation is not successful, a user-configured number of additional attempts are made. If these attempts fail, the user must select the job and press "Retry Job" on the DICOM Screen to complete the storage commitment operation

### 5.2.3.4 Real World Activity – Modality Worklist

A separate Network association is established by the AE for each Worklist query operation, with only one active query at a time. The association is closed at completion of the query.

**Proposed Presentation Context**

**Table 15: Worklist Presentation Context**

| Abstract Syntax | | Transfer Syntax | | Role | Extended Negotiation |
|---|---|---|---|---|---|
| Name | UID | Name List | UID List | | |
| Modality Worklist Information Model - FIND | 1.2.840.10008.5.1.4.31 | Implicit VR Little Endian | 1.2.840.10008.1.2 | SCU | None |

The ACUSON Redwood system will always act as an SCU and as the client in a client-server model.

**SOP Specific Conformance to Modality Worklist Service SOP Classes**

The Worklist AE provides conformance to the following DICOM Service SOP Classes as an SCU all at a standard extended level of conformance:

**Table 16: Worklist Supported SOP Classes**

| Supported SOP Class Name | SOP Class UID | Conformance Level |
|---|---|---|
| Modality Worklist Information Model - FIND | 1.2.840.10008.5.1.4.31 | Standard Extended |

The following table provides the list of attributes requested in the Modality Worklist Query.

**Table 17: Modality Worklist Information Model Attributes**

| Attribute Name | Tag |
|---|---|
| Specific Character Set | (0008,0005) |
| Accession number | (0008,0050)* |
| Referring Physician's Name | (0008,0090) |
| Study Description | (0008,1030) |
| Admitting Diagnoses Description | (0008,1030) |
| Referenced Study Sequence | (0008,1110) |
| >Referenced SOP Class UID | (0008,1150) |
| >Referenced SOP Instance UID | (0008,1155) |
| Patient's Name | (0010,0010)* |
| Patient ID | (0010,0020)* |
| Patient's Birth Date | (0010,0030) |
| Patient's Sex | (0010,0040) |
| Patient's Size | (0010,1020) |
| Patient's Weight | (0010,1030) |
| Medical Alerts | (0010,2000) |
| Contrast Allergies | (0010,2110) |
| Pregnancy Status | (0010,21C0) |
| Last Menstrual Date | (0010,21D0) |
| Patient Comments | (0010,4000) |
| Study Instance UID | (0020,000D) |
| Requesting Physician | (0032,1032) |
| Requested Procedure Description | (0032,1060) |

| Attribute Name | Tag |
|---|---|
| Requested Procedure Code Sequence | (0040,0008) |
| >Code Value | (0008,0100) |
| >Coding Scheme Designator | (0008,0102) |
| >Coding Scheme Version | (0008,0103) |
| >Code Meaning | (0008,0104) |
| Special Needs | (0038,0050) |
| Patient State | (0038,0500) |
| Scheduled Procedure Step Sequence | (0040,0100) |
| >Modality | (0008,0060) |
| >Scheduled Station AE Title | (0040,0001)* |
| >Scheduled Procedure Step Start Date | (0040,0002) |
| >Scheduled Procedure Step Start Time | (0040,0003) |
| >Scheduled Performing Physician's Name | (0040,0006) |
| >Scheduled Procedure Step Description | (0040,0007) |
| >Scheduled Protocol Code Sequence | (0040,0008) |
| >>Code Value | (0008,0100) |
| >>Coding Scheme Designator | (0008,0102) |
| >>Coding Scheme Version | (0008,0103) |
| >>Code Meaning | (0008,0104) |
| >Scheduled Procedure Step ID | (0040,0009) |
| >Comments on the Scheduled Procedure Step | (0040,0400) |
| Requested Procedure ID | (0040,1001)* |
| Reason for the Requested Procedure | (0040,1002) |

*Indicates parameter may be populated for query.

#### 5.2.3.5 Real World Activity – Modality Performed Procedure Step

This operation allows the AE to create an instance of the Modality Performed Procedure Step SOP Class (MPPS) and provide information about a specific real world Performed Procedure Step that is under control of the SCU. This operation is invoked through the DIMSE N-CREATE and N-SET services.

The ACUSON Redwood system conforms to the IHE Scheduled Workflow use case.

A list of scheduled procedures and procedure steps will be accessible from the Worklist and Procedure screens. The Performed Procedure Step User Interface allows the operator to set the status of the performed procedure step. The system shall establish an association for N-CREATE and N-SET, if another N-CREATE or N-SET is available within 5 seconds, it will be sent using the same association.

**Starting a Performed Procedure Step**

When the user depresses the 'OK' button on the New Patient Screen a performed procedure SOP Class instance will be created using the N-CREATE DIMSE service for the selected scheduled procedure.

**Ending a Performed Procedure Step**

When the user selects 'Completed' or 'Discontinued' from the MPPS User Interface, the performed procedure step will be closed using the N-SET DIMSE service.

### New Patient Request

If the 'Patient' button is selected and there are opened performed procedure steps, the user shall be prompted for a closure status for the opened procedure step by the MPPS User Interface. Any opened procedure steps must be closed before any 'new patient' data can be entered.

### System Shutdown

If the user requests 'System Shutdown' and there is an open performed procedure step, the user will be prompted for a closure status for the open procedure step. All procedure steps should be closed before the system can be shutdown. Failure to close a procedure step will result in the procedure step being set to Discontinued.

### Error Handling

If the MPPS operation is not successful, the MPPS command is spooled on the ACUSON Redwood system hard drive. A user-configured number of additional attempts are made to complete the MPPS Commands. If these attempts fail, the user must select this job and press "Retry Job" on the DICOM Screen to complete the MPPS operation.

### Proposed Presentation Context

**Table 18: MPPS Presentation Context**

| Abstract Syntax | | Transfer Syntax | | Role | Extended Negotiation |
|---|---|---|---|---|---|
| Name | UID | Name List | UID List | | |
| Modality Performed Procedure Step | 1.2.840.10008.3.1.2.3.3 | Implicit VR Little Endian | 1.2.840.10008.1.2 | SCU | None |

The ACUSON Redwood system will always act as an SCU and be the client in a client – server model.

### SOP Specific Conformance to Modality Performed Procedure Step SOP Classes

The Modality Performed Procedure Step AE provides a conforming implementation of the following DICOM Service SOP Class as an SCU at a standard extended level of conformance.

**Table 19: Supported SOP Class**

| Supported SOP Class Name | SOP Class UID | Conformance Level |
|---|---|---|
| Modality Performed Procedure Step | 1.2.840.10008.3.1.2.3.3 | Standard Extended |

The following tables provide the list of attributes supported by the AE in the implementation of MPPS SOP Class including N-CREATE, N-SET and Final State attributes. The ACUSON Redwood system sends N-SET only at final state.

**Table 20: Modality Performed Procedure Step Attributes in N-CREATE**

| Attribute | Tag | Notes |
|---|---|---|
| Specific Character Set | (0008,0005) | Created from values as defined in Section 8.4 of this document or as received from MWL |
| Scheduled Step Attribute Sequence | (0040,0270) | |
| >Study Instance UID | (0020,000D) | Value obtained from Modality WorkList; generated by Redwood system in some cases |

| Attribute | Tag | Notes |
|---|---|---|
| >Referenced Study Sequence | (0008,1110) | Populated with contents of Referenced Study Sequence from Modality Worklist if used, created otherwise. See table F.7.2-1 in PS 3.4-2011 for sequence definition. |
| >>Referenced SOP Class UID | (0008,1150) | Populated with contents of Referenced Study Sequence from Modality Worklist if used, created otherwise. See table F.7.2-1 in PS 3.4-2011 for sequence definition. |
| >>Referenced SOP Instance UID | (0008,1155) | Populated with contents of Referenced Study Sequence from Modality Worklist if used, created otherwise. See table F.7.2-1 in PS 3.4-2011 for sequence definition. |
| >Accession Number | (0008,0050) | Value obtained from Modality WorkList or user input |
| >Requested Procedure ID | (0040,1001) | Value obtained from Modality WorkList or created |
| >Requested Procedure Description | (0032,1060) | From Modality WorkList or zero length |
| >Scheduled Procedure Step ID | (0040,0009) | From Modality WorkList or zero length |
| >Scheduled Procedure Step Description | (0040,0007) | From Modality WorkList or zero length |
| >Scheduled Protocol Code Sequence | (0040,0008) | From Modality WorkList or zero length |
| >>Code Value | (0008,0100) | |
| >>Coding Scheme Designator | (0008,0102) | |
| >>Coding Scheme Version | (0008,0103) | |
| >>Code Meaning | (0008,0104) | Value obtained from Modality WorkList |
| Patient's Name | (0010,0010) | Value obtained from Modality WorkList or user input |
| Patient ID | (0010,0020) | Value obtained from Modality WorkList or user input |
| Patient's Birth Date | (0010,0030) | Value obtained from Modality WorkList or user input |
| Patient's Sex | (0010,0040) | Value obtained from Modality WorkList or user input |
| Referenced Patient Sequence | (0008,1120) | Zero length |
| >Referenced SOP Class UID | (0008,1150) | |
| >Referenced Instance UID | (0008,1155) | |
| Performed Station Name | (0040,0242) | Own hostname |
| Performed Location | (0040,0243) | From institution name |
| Performed Procedure Step Start Date | (0040,0244) | The start date of the performed procedure step. |
| Performed Procedure Step Start Time | (0040,0245) | The start time of the performed procedure step. |
| Performed Procedure Step Status | (0040,0252) | Always set to "In-Progress". |
| Performed Procedure Step Description | (0040,0254) | Value obtained from Modality WorkList or sent as zero length |

| Attribute | Tag | Notes |
|---|---|---|
| Performed Procedure Type Description | (0040,0255) | sent as zero length |
| Procedure Code Sequence | (0008,1032) | Populated with contents of Requested Procedure Code Sequence from Modality Worklist if used, empty otherwise. See table F.7.2-1 in PS 3.4-2011 for sequence definition. |
| >Code Value | (0008,0100) | - |
| >Coding Scheme Designator | (0008,0102) | - |
| >Coding Scheme Version | (0008,0103) | - |
| >Code Meaning | (0008,0104) | - |
| Performed Procedure Step End Date | (0040,0250) | Always sent as 0 length attribute |
| Performed Procedure Step End Time | (0040,0251) | Always sent as 0 length attribute |
| Modality | (0008,0060) | Always set to US |
| Study ID | (0020,0010) | Populated from Requested Procedure ID (0040,1001) if Modality Worklist is used; created by Redwood system otherwise |
| Performed Protocol Code Sequence | (0040,0260) | Obtained from Scheduled Action Item Code Sequence (MWL query) or sent as zero length |
| Performed Series Sequence | (0040,0340) | Always empty |
| Performed Series Sequence | (0040,0340) | |
| >Performing Physician's Name | (0008,1050) | From MWL or user input |
| >Protocol Name | (0018,1030) | Set to exam type |
| >Operators' Name | (0008,1070) | Zero length |
| >Series Instance UID | (0020,000E) | Created |
| >Series Description | (0008,103E) | Zero length |
| >Retrieve AE Title | (0008,0054) | Zero length |
| >Referenced Image Sequence | (0008,1140) | Zero length |
| >>Referenced SOP Class UID | (0008,1150) | - |
| >>Referenced SOP Instance UID | (0008,1155) | - |
| >Referenced Standalone SOP Instance Sequence | (0040,0220) | Zero length |

**Table 21: Modality Performed Procedure Step Attributes in N-SET**

| Attribute | Tag | Notes |
|---|---|---|
| Performed Procedure Step Status | (0040,0252) | Set to "Discontinued" or "Completed" based on user selection. |
| Performed Procedure Step End Date | (0040,0250) | Date the procedure step was completed |
| Performed Procedure Step End Time | (0040,0251) | Time the procedure step was completed |
| Performed Action Item Code | (0040,0260) | From Scheduled Action Item Code |

| Attribute | Tag | Notes |
|---|---|---|
| Sequence | | Sequence |
| >Code Value | (0008,0100) | |
| >Coding Scheme Designator | (0008,0102) | |
| >Coding Scheme Version | (0008,0103) | |
| >Code Meaning | (0008,0104) | |
| Performed Series Sequence | (0040,0340) | Shall contain only one series |
| >Performing Physician's Name | (0008,1050) | Zero length |
| >Protocol Name | (0008,1030) | Exam type specified by the operator. |
| >Operator's Name | (0008,1070) | Zero length |
| >Series Instance UID | (0020,000E) | The Instance UID of the series to which the procedure belongs. |
| >Series Description | (0008,103E) | Always sent as 0 length attribute |
| >Retrieve AE Title | (0008,0054) | Always sent as 0 length attribute |
| >Referenced Image Sequence | (0008,1140) | List of all the images in the series. |
| >>Referenced SOP Class UID | (0008,1150) | The SOP class UID can be one of:<br>Ultrasound Multi-Frame Image Storage 1.2.840.10008.5.1.4.1.1.3.1<br>Ultrasound Image Storage 1.2.840.10008.5.1.4.1.1.6.1<br>Secondary Capture Image Storage 1.2.840.10008.5.1.4.1.1.7 |
| >>Referenced SOP Instance UID | (0008,1155) | The SOP instance UID of the image. |
| > Referenced Standalone SOP Instance Sequence | (0040,0220) | Always empty |

### 5.2.3.6 Real World Activity – Query / Retrieve

The query user interface will request the query-data from user and triggers one C-FIND request to the selected remote node. The response data will be displayed in the query UI for further data navigation.

When requesting Import of related items the browser requests the retrieve application to send a C-MOVE request to the related remote node. Images will then be received by the Storage SCP as described in the related section.

- Display of multiframes is imported only possible in 'JPEG Baseline (Process 1)' transfer syntax. (because of photometric interpretation YBR_FULL_422 is only available in compressed images)

#### 5.2.3.6.1 Real World Activity - Find SCU

**Associated Real-World Activity - Find SCU "Search"**

The associated Real-World activity is to fill out a query form with search data and pass it as query to the network application which issues a C-FIND over a previously built association. The remote SCP will respond with related data-entries that will be passed to a browser application. When data transfer is finished the association is closed.

### Proposed Presentation Contexts - Find SCU

The ACUSON Redwood system DICOM application will propose Presentation Contexts as shown in the following table.

**Table 22: Query C-FIND Presentation Context**

| Abstract Syntax | | Transfer Syntax | | Role | Extended Negotiation |
|---|---|---|---|---|---|
| Name | UID | Name | UID | | |
| Study Root Query/Retrieve Model – FIND | 1.2.840.10008.5.1.4.1.2.2.1 | Implicit VR Little Endian<br>Explicit VR Little Endian<br>Explicit VR Big Endian | 1.2.840.10008.1.2<br>1.2.840.10008.1.2.1<br>1.2.840.10008.1.2.2 | SCU | None |

The C-FIND SCU will use the Study Root Model for all C-FIND requests.

### SOP Specific Conformance - Find SCU

The ACUSON Redwood system DICOM Query/Retrieve SCU supports hierarchical queries with all mandatory search keys. The interactive querying of attributes on IMAGE level is not supported by the Query SCU. Though, retrieval of individual Objects is possible. The following table describes the search keys for the different query models that the SCU supports. Matching is either wildcard, which means that the user can supply a string containing wildcards, or universal, which means that the attribute is requested as return value.

**Table 23: Query C-FIND Search Keys**

| Attribute Name | Tag | Type | Matching | User Input | Return Value Display |
|---|---|---|---|---|---|
| **Study Level** | | | | | |
| Patient Name | (0010,0010) | R | Wildcard[(a)] | enter value | yes |
| Patient ID | (0010,0020) | R | Wildcard[(a)] | enter value | yes |
| Patient's Birth date | (0010,0030) | O | universal (Null) | | yes |
| Patient's Sex | (0010,0040) | O | universal (Null) | enter value | yes |
| Study Instance UID | (0020,000D) | U | universal (Null) | | no |
| Study ID | (0020,0010) | R | universal (Null) | | yes |
| Study Date | (0008,0020) | R | universal (Null) | enter value | yes |
| Study Time | (0008,0030) | R | universal (Null) | - | yes |
| Accession Number | (0008,0050) | R | universal (Null) | enter value | yes |
| Study Description | (0008,1030) | O | universal (Null) | | yes |
| Referring Physician's Name | (0008,0090) | O | universal (Null) | enter value | yes |
| Name of Physician Reading Study | (0008,1060) | O | universal (Null) | | yes |
| Modalities in Study | (0008,0061) | O | universal (Null) | enter value | yes |
| Storage Media File-Set ID | (0008,0130) | O | universal (Null) | | no |
| Retrieve AE Title | (0008,0054) | O | universal (Null) | | no |
| Number of Study related Series | (0020,1206) | O | universal (Null) | | yes[a] |
| Number of Study related Instances | (0020,1208) | O | universal (Null) | | no |

| Attribute Name | Tag | Type | Matching | User Input | Return Value Display |
|---|---|---|---|---|---|
| **Series Level** | | | | | |
| Series Instance UID | (0020,000E) | U | universal (Null) | | no |
| Series Number | (0020,0011) | R | universal (Null) | | yes |
| Modality | (0008,0060) | R | universal (Null) | enter value | yes |
| Series Description | (0008,103E) | O | universal (Null) | enter value | yes |
| Body Part Examined | (0018,0015) | O | universal (Null) | enter value | yes |
| Performing Physician | (0008,1050) | O | universal (Null) | enter value | yes |
| Storage Media File-Set ID | (0008,0130) | O | universal (Null) | | yes |
| Retrieve AE Title | (0008,0054) | O | universal (Null) | | yes |
| Protocol Name | (0018,1030) | O | universal (Null) | | no |
| Perf. Procedure Step Start Date | (0040,0244) | O | universal (Null) | | yes |
| Perf. Procedure Step Start Time | (0040,0245) | O | universal (Null) | | yes |
| Requested Attribute Sequence | (0040,0275) | O | universal (Null) | | yes |
| > Requested Procedure ID | (0040,1001) | O | universal (Null) | | yes |
| > Scheduled Procedure ID | (0040,0009) | O | universal (Null) | | yes |
| Number of Series related Instances | (0020,1209) | O | universal (Null) | | yes |
| **Image Level** | | | | | |
| SOP Instance UID | (0008,0018) | U | single value | | no |
| Image Number | (0020,0013) | R | universal (Null) | | yes |
| Storage Media File-Set ID | (0008,0130) | O | universal (Null) | | no |
| Retrieve AE Title | (0008,0054) | O | universal (Null) | | no |
| Instance Date | (0008,0023) | O | universal (Null) | | no |
| Instance Time | (0008,0033) | O | universal (Null) | | no |
| Number of Frames | (0028,0008) | O | universal (Null) | | yes |
| Content Date | (0008,0023) | O | single value, range matching, universal | enter value | yes |
| Content Time | (0008,0033) | O | single value, range matching, universal | enter value | yes |
| Referenced Request Sequence | (0040,A370) | O | sequence matching | | yes |
| >Accession Number | 0008,0050) | O | single value, universal | | yes |
| >Requested Procedure ID | (0040,1000) | O | single value, universal | | yes |
| Concept Name Code Sequence | (0040,A043) | O | sequence matching | enter value | yes |

| Attribute Name | Tag | Type | Matching | User Input | Return Value Display |
|---|---|---|---|---|---|
| >Code Value | (0008,0100) | O | single value, universal, wildcard | | yes |
| >Coding Scheme Designator | (0008,0102) | O | single value, universal, wildcard | | yes |
| >Coding Scheme Version | (0008,0103) | O | single value, universal, wildcard | | yes |
| >Code Meaning | (0008,0104) | O | single value, universal, wildcard | | yes |
| Template Identifier | (0040,DB00) | O | single value, universal, wildcard | | yes |
| Completion Flag | (0040,A491) | O | single value, universal, wildcard | enter value | yes |
| Verification Flag | (0040,A493) | O | single value, universal, wildcard | enter value | yes |
| Verifying Observer Sequence | (0040,A073) | O | sequence matching | enter value | yes |
| >Verifying Organization | (0040,A027) | O | single value, universal, wildcard | | yes |
| >Verifying DateTime | (0040,A030) | O | single value, range matching, universal | enter value | yes |
| >Verifying Observer Name | (0040,A075) | O | single value, universal, wildcard | enter value | yes |
| >Verifying Observer Identification Code Sequence | (0040,A088) | O | sequence matching | | yes |
| >>Code Value | (0008,0100) | O | single value, universal, wildcard | | yes |
| >>Coding Scheme Designator | (0008,0102) | O | single value, universal, wildcard | | yes |
| >>Coding Scheme Version | (0008,0103) | O | single value, universal, wildcard | | yes |
| >>Code Meaning | (0008,0104) | O | single value, universal, wildcard | | yes |

**Error Handling**

**Table 24: Query C-FIND Status Responses**

| Service Status | Meaning | Protocol Codes | Related Fields |
|---|---|---|---|
| Refused | Out of Resources | A700 | (0000,0902) |
| Failed | Identifier does not match SOP Class | A900 | (0000,0901)<br>(0000,0902) |
| | Unable to process | CXX | (0000,0901)<br>(0000,0902) |
| Cancel | Matching terminated due to Cancel request | FE00 | None |
| Success | Matching is complete - No final Identifier is supplied | 0000 | None |
| Pending | Matches are continuing - Current Match is supplied and any Optional Keys were supported in the same manner as Required Keys | FF00 | Identifier |
| | Matches are continuing - Warning that one or more Optional Keys were not supported for existence and/or matching for this identifier | FF01 | Identifier |

### 5.2.3.6.2 Real-World Activity – Move SCU

**Associated Real-World Activity - Move SCU "Import"**

When an entry is selected in the Query UI and activate the "Import" function, a retrieval request is passed via a C-MOVE service according to the Patient Root or Study Root query model.

C-MOVE operation on Patient Level is not supported by the Query UI.

**Proposed Presentation Contexts - Move SCU**

The ACUSON Redwood system DICOM application will propose Presentation Contexts as shown in the following table.

**Table 25: Retrieve C-MOVE Presentation Context**

| Abstract Syntax | | Transfer Syntax | | Role | Extended Negotiation |
|---|---|---|---|---|---|
| Name | UID | Name | UID | | |
| Study Root Query/Retrieve Model – MOVE | 1.2.840.10008.5.1.4.1.2.2.2 | Implicit VR Little Endian<br>Explicit VR Little Endian<br>Explicit VR Big Endian | 1.2.840.10008.1.2<br>1.2.840.10008.1.2.1<br>1.2.840.10008.1.2.2 | SCU | None |

**SOP Specific Conformance - Move SCU "Import"**

At association establishment the C-MOVE presentation context shall be negotiated. The C-STORE sub-operations must be done on a different association to transfer images to the Storage Service Class SCP.

The Move SCU interprets following status codes.

**Table 26: Retrieve C-MOVE Status Responses**

| Service Status | Meaning | Protocol Codes | Related Fields |
|---|---|---|---|
| Failed | Identifier does not match SOP Class | A900 | (0000,0901)<br>(0000,0902) |
| | Unable to process | CXX | (0000,0901)<br>(0000,0902) |

| Service Status | Meaning | Protocol Codes | Related Fields |
|---|---|---|---|
| Success | Matching is complete - No final Identifier is supplied | 0000 | None |
| Pending | Matches are continuing - Current Match is supplied and any Optional Keys were supported in the same manner as Required Keys | FF00 | Identifier |

### 5.2.3.7 Real World Activity – Print

ACUSON Redwood system facilitates user to print images as they are being created or later in review mode.

**Paging images during acquisition**

One or more of “Print” keys on the control panel can be configured for Print (DICOM B/W Print and/or DICOM Color Print). When the user presses one of the configured keys on the control panel, the image is acquired, stored on the hard disk and placed in a page under the respective printer layout (DICOM B/W Printer Layout or DICOM Color Printer Layout).

**Paging images in Review mode**

User can select either individual images from open or closed studies, or one or more closed studies and queue them up for print. DICOM B/W Printer and DICOM Color Printer buttons are available in Patient browser for this operation. When a study is selected for print, all single-frame images belonging to the study will be printed.

**Transfer of pages to the Printer**

Pages may be immediately transferred or delayed till the end of study using the transfer configuration.

ACUSON Redwood system supports two configurations: “Print At End of Exam” and “Print When Page Is Full”.

If the configuration is set to “Print At End of Exam”, all pages queued to destination devices will be transferred as a batch when the user selects “Close Study” or “New Patient”.

If the configuration is set to “Print When Page Is Full”, a page is transferred to destination devices immediately after it is full.

For both “Print At End of Exam”, and “Print When Page Is Full” settings, image transfer will be delayed if the ACUSON Redwood system is busy performing another DICOM Command (Store/Print/Echo).

**Associated Real World Activities**

An association is established when the user initiates a “B/W Print” or “Color Print” operation from the Patient browser. Individual images or entire exams can be transferred to the selected DICOM Print device. The association is closed no pages are available to be printed for five seconds. An association may also be opened after a network outage or when the system is powered-on if images are queued to be printed.

**Proposed Presentation Context to a Grayscale Print Server**

**Table 27: Grayscale Print Presentation Context**

| Abstract Syntax | | Transfer Syntax | | Role | Extended Negotiation |
|---|---|---|---|---|---|
| Name | UID | Name List | UID List | | |
| Basic Grayscale Print Management Meta SOP Class | 1.2.840.10008.5.1.1.9 | DICOM Explicit VR Little Endian | 1.2.840.10008.1.2.1 | SCU | None |
| Basic Grayscale Print Management Meta SOP Class | 1.2.840.10008.5.1.1.9 | DICOM Implicit VR Little Endian | 1.2.840.10008.1.2 | SCU | None |

**SOP Specific Conformance to Basic Grayscale Print Management Meta SOP Class**

The ACUSON Redwood AE provides standard conformance of the Grayscale Meta SOP classes as an SCU. Specifically, with respect to the Basic Grayscale Print Management Meta SOP Class this means conformance to the underlying SOP classes:

**Table 28: Conformance to Grayscale Print Meta SOP Class**

| SOP Class Name | SOP Class UID | Conformance Level |
|---|---|---|
| Basic Film Session SOP Class | 1.2.840.10008.5.1.1.1 | Standard |
| Basic Film Box SOP Class | 1.2.840.10008.5.1.1.2 | Standard |
| Basic Grayscale Image Box SOP Class | 1.2.840.10008.5.1.1.4 | Standard |
| Printer SOP Class | 1.2.840.10008.5.1.1.16 | Standard |

All mandatory elements of these classes are supported.

**Specific Conformance to Basic Film Session SOP Class**

DICOM specified usage - M = Mandatory; U = User Option

**Table 29: Supported DIMSE Services for Basic Film Session SOP Class**

| Name | Usage | Description |
|---|---|---|
| N-Create | M | Creates the Film Session. |
| N-Set | U | Not used. |
| N-Delete | U | Deletes the Film Session. |
| N-Action | U | Not used. |

**SOP Specific Conformance to Basic Film Box SOP Class**

**Table 30: Supported DIMSE Services for Basic Film Box SOP Class**

| Name | Usage | Description |
|---|---|---|
| N-Create | M | Creates the Film Box. |
| N-Set | U | Not used. |
| N-Delete | U | Deletes the Film Box. Issued after each film is printed. |
| N-Action | M | PRINT. Sent after each Film Box is filled, and at the end of the exam to force a print of partially filled Film Box. |

**Table 31: Attributes set for the Basic Film Box SOP Class**

| Attribute Name | Attribute Tag | Usage | Range | Description |
|---|---|---|---|---|
| Image Display Format | (2010,0010) | M | STANDARD\ X,Y | Where X, Y can be configured/ selected as 1*1, 1*2, 2*2, 2*3, 3*2, 3*3, 3*5, 4*5, 4*6, 5*6 |
| Film Orientation | (2010,0040) | U | PORTRAIT<br>LANDSCAPE | Range may be limited by print server/printer. |
| Film Size ID | (2010,0050) | U | 8INX10IN<br>8.5INX11IN<br>10INX12IN<br>10INX14IN<br>11INX14IN<br>11INX17IN<br>14INX14IN<br>14INX17IN<br>24CMX24CM<br>24CMX30CM<br>A3<br>A4 | Range may be limited by print server/printer. |
| Magnification Type | (2010,0060) | U | REPLICATE<br>BILINEAR<br>CUBIC<br>NONE | |
| Min. Density | (2010,0120) | U | 0-99,999,999 | Printer specific |
| Max Density | (2010,0130) | U | 0-99,999,999 | Printer specific |
| Configuration Information | (2010,0150) | U | | Printer specific |
| Smoothing Type | (2010,0080) | U | | Printer specific |
| Border Density | (2010,0100) | U | BLACK<br>WHITE | |
| Empty Image Density | (2010,0110) | U | BLACK<br>WHITE | |
| Trim | (2010,0140) | U | YES<br>NO | |

### SOP Specific Conformance to Basic Grayscale Image Box SOP Class

**Table 32: Supported DIMSE Services for the Basic Grayscale Image Box SOP**

| Name | Usage | Description |
|---|---|---|
| N-Set | M | The SCP for each potential image of the film box creates an image box instance. Only those instances, which actually contain images, will be updated with the N-SET message. |

**Table 33:**

**Table 34: Attributes set for the Basic Grayscale Image Box SOP Class**

| Name | Attribute | Range | Description |
|---|---|---|---|
| Image Position | (2020,0010) | 1-30 | Value according to Image Display Format |
| Polarity | (2020,0020) | NORMAL, REVERSE | Intensity mapping between display and print |

**Table 35: Supported DIMSE Services for the Printer SOP**

| Name | Usage | Description |
|---|---|---|
| N-Event-Report | M | Ignored and not handled. |
| N-Get | U | May be issued by this device at any time to get printer status. |

**Table 36: Supported Printer SOP Class Element**

| Name | Usage | Range | Description |
|---|---|---|---|
| Printer Status | U | WARNING<br>FAILURE | During a “Failure”, the Print job will be displayed as “Failed”. |
| Printer Status Information | U | Vendor specific | Reported to user if printer status = WARNING or FAILURE. |

### Proposed Presentation Context to a Color Print Server

**Table 37: Color Print Server Presentation Context**

| Abstract Syntax | | Transfer Syntax | | Role | Extended Negotiation |
|---|---|---|---|---|---|
| Name | UID | Name List | UID List | | |
| Basic Color Print Management Meta SOP Class | 1.2.840.10008.5.1.1.18 | DICOM Explicit VR Little Endian | 1.2.840.10008.1.2.1 | SCU | None |
| Basic Color Print Management Meta SOP Class | 1.2.840.10008.5.1.1.18 | DICOM Implicit VR Little Endian | 1.2.840.10008.1.2 | SCU | None |

### SOP Specific Conformance to Basic Color Print Management Meta SOP Class

The ACUSON Redwood Print AE provides standard conformance to the color printing Meta SOP classes as an SCU. Specifically, with respect to the Basic Color Print Management Meta SOP Class this means conformance to the underlying SOP classes:

**Table 38: Conformance to Color Print Meta SOP Class**

| SOP Class Name | SOP Class UID | Conformance Level |
|---|---|---|
| Basic Film Session SOP Class | 1.2.840.10008.5.1.1.1 | Standard |
| Basic Film Box SOP Class | 1.2.840.10008.5.1.1.2 | Standard |
| Basic Color Image Box SOP Class | 1.2.840.10008.5.1.1.4.1 | Standard |
| Printer SOP Class | 1.2.840.10008.5.1.1.16 | Standard |

### SOP Specific Conformance to Basic Color Image Box SOP Class

The Basic Color Print Management Meta SOP Class makes identical use of the *Basic Film Session SOP Class, Basic Film Box SOP Class* and *Printer SOP Class* elements, which have been previously described for grayscale image printing. Therefore, these will not be described again in this section on color printing. However, it should be noted that certain attributes, such as Medium Type which is defined in the Basic Film Session SOP Class, are highly likely to require printer/print server specific media.

**Table 39: Supported DIMSE Services for the Basic Color Image Box SOP Class**

| Name | Usage | Description |
|---|---|---|
| N-Set | M | The SCP for each potential image of the film box creates an image box instance. Only those instances, which actually contain images, will be updated with the N-SET message. |

**Table 40: Attributes set for the Basic Color Image Box SOP Class**

| Name | Attribute | Range | Description |
|---|---|---|---|
| Planar Configuration | (0028,0006) | 0 – color by pixel<br>1 – color by plane | Color by plane. Color frame pixel order is configured as a planar image. Set to 0 (color by pixel) for RBG pixel-ordered image, 1 (color by plane) for planar image. Required when Samples per Pixel has a value greater than 1. |

The Printer SOP Class behavior is identical to that used for grayscale printing.

### Error Handling

The ACUSON Redwood Print AE supports the following error codes and reports failures to the user.

**Table 41: Supported Error Codes for Printer Classes**

| Service Status | Further Meaning | Protocol Codes |
|---|---|---|
| Success | Film accepted for Printing | 0000 |
| Warning | Film accepted for Printing, one or more settings ignored. | 107,116,B600,B605 |
| Failure | Printing not successful | C602, C603, C613 |

If the print operation is not successful, the image(s) are spooled on the ACUSON Redwood system hard drive. A user-configured number of additional attempts are made to print the image(s). If these attempts fail, the user must select the job and press “Retry Job” on the DICOM Screen to complete the print operation.

# 6 REMOVABLE MEDIA INTERCHANGE SPECIFICATIONS

This implementation supports 120mm CD and DVD medium.

## 6.1 Supported Application Profiles

ACUSON Redwood system provides standard conformance to the following four Ultrasound Application Profiles. A DICOM 3.0 conformant DICOMDIR file is created together with the directory structures and image files.

**Table 42: Application Profiles, Real-World Activities, and Roles**

| Supported AP | Real-World Activity | Roles | SC Option |
|---|---|---|---|
| STD-US-ID-SF-CDR | Create CD-R | FSC, FSR | Interchange |
| STD-US-ID-MF-CDR | Create CD-R | FSC, FSR | Interchange |
| STD-US-SC-SF-CDR | Create CD-R | FSC | Interchange |
| STS-US-SC-MF-CDR | Create CD-R | FSC | Interchange |
| STD-US-ID-SF-DVD | Create DVD | FSC, FSR | Interchange |
| STD-US-ID-MF-DVD | Create DVD | FSC, FSR | Interchange |
| STD-US-SC-SF-DVD | Create DVD | FSC | Interchange |
| STS-US-SC-MF-DVD | Create DVD | FSC | Interchange |
| STD-GEN-USB | Export to USB | FSC, FSU | Interchange |
| STD-GEN-USB | Import from USB | FSR | Interchange |

## 6.2 Supported SOP Classes

### 6.2.1 Supported SOP Classes and Transfer Syntaxes

This implementation provides standard conformance to the following DICOM 3.0 SOP Classes.

**Table 43: Transfer Syntaxes for Media Interchange**

| Service SOP Class Name | SOP Class UID | Transfer Syntax Name | Transfer Syntax UID List |
|---|---|---|---|
| Ultrasound Image Storage | 1.2.840.10008.5.1.4.1.1.6.1 | DICOM Explicit VR Little Endian | 1.2.840.10008.1.2.1 |
| Ultrasound Multi-Frame Image Storage | 1.2.840.10008.5.1.4.1.1.3.1 | Lossy JPEG 8 Bit Image Compression | 1.2.840.10008.1.2.4.50 |
| Comprehensive SR | 1.2.840.10008.5.1.4.1.1.88.33 | DICOM Explicit VR Little Endian | 1.2.840.10008.1.2.1 |

## 6.3 Information Object Definition and DICOMDIR Keys

### 6.3.1 DICOM File Meta Information

The following table denotes the attributes included in the Ultrasound Image Object as implemented on the ACUSON Redwood system in addition to the attributes listed in Table 8: .

**Table 44: US Image Attributes Used**
**(Refer to Table 8: for additional attributes used)**

| Attribute Name | Tag | Notes |
|---|---|---|
| File Preamble | No Tag or Length fields | All bytes are set to 00H |
| DICOM Prefix | No Tag or Length fields | Set to DICOM Prefix “DICM” |
| Group length | (0002,0000) | |
| File Meta Information Version | (0002,0001) | Always set to 0001H |
| Media Storage SOP Class UID | (0002,0002) | Always Ultrasound Image 1.2.840.10008.5.1.4.1.1.6.1 |
| Media Storage SOP Instance UID | (0002,0003) | |
| Transfer Syntax UID | (0002,0010) | Always Explicit VR Little Endian 1.2.840.10008.1.2.1 |
| Implementation Class UID | (0002,0012) | Always set to 1.3.12.2.1107.5.5.5 |
| Implementation Version Name | (0002,0013) | Always set to MergeCOM3_370 |

The following table denotes the attributes included in the Ultrasound Multi-Frame Image Object as implemented on the ACUSON Redwood system in addition to the attributes listed in Table 9: .

**Table 45: USMF Image Attributes Used**
**(Refer to Table 9: for additional attributes used)**

| Attribute | Tag | Notes |
|---|---|---|
| File Preamble | No Tag or Length fields | All bytes are set to 0 |
| DICOM Prefix | No Tag or Length fields | Set to “DICM” |
| Group length | (0002,0000) | |
| File Meta Information Version | (0002,0001) | Always set to 0001H |
| Media Storage SOP Class UID | (0002,0002) | Always Ultrasound Multi-Frame Image 1.2.840.10008.5.1.4.1.1.3.1 |
| Media Storage SOP Instance UID | (0002,0003) | |
| Transfer Syntax UID | (0002,0010) | Always Lossy JPEG 8 Bit Compression 1.2.840.10008.1.2.4.50 |
| Implementation Class UID | (0002,0012) | Always set to 1.3.12.2.1107.5.5.5 |
| Implementation Version Name | (0002,0013) | Always set to MergeCOM3_370 |

The following table denotes the attributes included in the Comprehensive SR Object as implemented on the ACUSON Redwood system in addition to the attributes listed in Table 10: .

**Table 46: Comprehensive SR Attributes Used**
**(Refer to Table 10: for additional attributes used)**

| Attribute | Tag | Notes |
|---|---|---|
| File Preamble | No Tag or Length fields | All bytes are set to 0 |
| DICOM Prefix | No Tag or Length fields | Set to “DICM” |
| Group length | (0002,0000) | |
| File Meta Information Version | (0002,0001) | Always set to 0001H |
| Media Storage SOP Class UID | (0002,0002) | Always Comprehensive SR 1.2.840.10008.5.1.4.1.1.88.33 |

| Attribute | Tag | Notes |
|---|---|---|
| Media Storage SOP Instance UID | (0002,0003) | |
| Transfer Syntax UID | (0002,0010) | Always Explicit VR Little Endian 1.2.840.10008.1.2.1 |
| Implementation Class UID | (0002,0012) | Always set to 1.3.12.2.1107.5.5.5 |
| Implementation Version Name | (0002,0013) | Always set to MergeCOM3_370 |

### 6.3.2 Basic Directory Information Object Definitions – File-set Identification Module

| Attribute | Tag | Notes |
|---|---|---|
| File-Set ID | (0004,1130) | Set to serial number + YYMMDD + 3 digit counter. Volume Label has this same value. |

### 6.3.3 Basic Directory Information Object Definitions – Directory Identification Module

| Attribute | Tag | Notes |
|---|---|---|
| Offset of the First Directory Record of the Root Directory Entry | (0004,1200) | |
| Offset of the Last Directory Record of the Root Directory Entry | (0004,1202) | |
| File-set Consistency Flag | (0004,1212) | |
| Directory Record Sequence | (0004,1220) | |
| >Offset of the Next Directory Record | (0004,1400) | |
| >Record In-use Flag | (0004,1410) | |
| >Offset of Referenced Lower-Level Directory Entity | (0004,1420) | |
| >Directory Record Type | (0004,1430) | |
| >Referenced File ID | (0004,1500) | |
| >Referenced SOP Class UID in File | (0004,1510) | |
| >Referenced SOP Instance UID in File | (0004,1511) | |

### 6.3.4 Physical Storage Media and Media Formats

The physical storage media supported are 120mm CD-R, CD-RW, DVD-R, DVD+R, DVD-RW, and DVD+RW medium.

# 7 COMMUNICATION PROFILES

ACUSON Redwood system application entities utilize the DICOM 3.0 TCP/IP communication support as defined in PS3.8 (Part 8) of the DICOM 3.0 Standard.

## 7.1 TCP/IP Stack Supported

Each process inherits its TCP/IP stack from the ACUSON Redwood system's operating systems TCP/IP stack. The local AE Port number is always set to 104 for dicom connection.

The local AE Port number is always set to 2762 for secure dicom connection.

## 7.2 Physical Media Supported

Standard representations of IEEE 802.3 10BaseT/100BaseT/1000BaseT ("twisted pair") is supported

## 7.3 Chapter Extensions/Specializations/Privatizations

Pixel Spacing information is only provided for single, full screen, and 2D image types (B-mode, B-mode with color, and B-mode with power).

The private attributes listed in the following table are used by the ACUSON Redwood AE with Stress Echo images.

**Table 47: Private Attributes**

| Attribute Name | Tag | VR | Description |
|---|---|---|---|
| View List | (0009,212A) | SQ | Names of all views represented in the study |
| >View Name | (0009,2120) | SH | Name of a view |

Appendix A lists the DICOM SR mappings used by the ACUSON Redwood AE in Obstetric and Gynecology Structured Reports. All private concept names use the Coding Scheme Designator "99SIEMENS".

Appendix B lists the DICOM SR mappings used by the ACUSON Redwood AE in Vascular Structured Reports. All private concept names use the Coding Scheme Designator "99SIEMENS".

Appendix C lists the DICOM SR mappings used by the ACUSON Redwood AE in Adult Echocardiography Structured Reports. All private concept names use the Coding Scheme Designator "99SIEMENSUS".

# 8 CONFIGURATION

ACUSON Redwood system Networking and DICOM parameters can be configured through the ACUSON Redwood System Configuration Menu screens. The following configurations are supported:

- General system
- Network (local)
- DICOM Store
- DICOM Storage Commitment
- DICOM Modality Worklist
- DICOM Modality Performed Procedure Step
- DICOM Query/Retrieve
- DICOM Print

## 8.1 General System Configuration

The following system parameter can be configured via the ACUSON Redwood System Configuration - General Menu screens. This parameter is mapped to a DICOM image attribute:

- Hospital Name

### 8.1.1 Hospital Name

The user can enter the organization (i.e. hospital, clinic, etc.) as a text string in the Hospital Name field of the System Presets - General 1 menu. The Organization Name field is transferred to DICOM devices as Institution Name - DICOM data element (0008,0080).

## 8.2 DICOM Network Configuration

DICOM and networking parameters can be configured for both the local ACUSON Redwood device and remote DICOM service class providers through the System Presets DICOM Menu.

### 8.2.1 Local

The ACUSON Redwood local network parameters are configurable. The following network parameters can be configured for an ACUSON Redwood device:

- Host Name
- DICOM Application Entity Title

### 8.2.2 Remote

Multiple DICOM service class providers can be configured through the system presets. The following network parameters can be configured for each remote device:

- Alias
- DICOM Device Application Entity Title
- IP Address
- Port Number
- Timeout in seconds
- Number of times to retry failure
- Seconds between each retry

- Write timeout in seconds
- Connect timeout in seconds

#### 8.2.2.1 DICOM Store Configuration

Several configuration settings are provided in addition to those described in Section 8.2.2.

The Image Format setting provides control over the Presentation Contexts proposed during Association negotiation. This is documented in Section 5.2.2.2 Association Establishment Order.

Configuration options are provided to control the Photometric Interpretation of grayscale images stored to a DICOM Store SCP. Grayscale images can be stored as RGB, YBR-FULL-422 or MONOCHROME2.

Many ACUSON Redwood B-Mode and M-Mode images contain no significant color, the only color is in the Acuson 'a' transducer position marker and the ECG trace, if used. When "Store grayscale images as Monochrome" is selected, single-frame images with no significant color content will be stored as MONOCHROME2. When "Store grayscale images as Monochrome" is selected, all multi-frame images are stored as RGB or YBR-FULL-422. When "Store grayscale images and clips as Monochrome" is selected, B-Mode and M-Mode single- and multi-frame images with no significant color content will be stored as MONOCHROME2.

#### 8.2.2.2 DICOM Storage Commitment Configuration

Configuration of DICOM Storage Commitment remote devices must be performed with DICOM Store Configuration. The ACUSON Redwood system supports Storage Commitment to the same remote device as Store.

#### 8.2.2.3 DICOM Modality Worklist Configuration

Configuration of DICOM Modality Worklist remote devices must be performed from the DICOM Modality Worklist configuration. The ACUSON Redwood system supports Modality Worklist to the remote device as Modality Worklist.

When the "Auto Query" option is enabled, the system automatically query on background.

The user can enter the "Maximum number of Worklist items" which specifies the number of search results to display on the worklist screen.

#### 8.2.2.4 DICOM Modality Performed Procedure Step Configuration

Configuration of DICOM Modality Performed Procedure Step remote devices must be performed separately from DICOM Modality Worklist Configuration. The ACUSON Redwood system supports MPPS to the same remote device as Modality Worklist or to a different device.

#### 8.2.2.5 DICOM Query / Retrieve

There are no specific Query/Retrieve configurable parameters.

#### 8.2.2.6 DICOM Print Configuration

For each DICOM Print server, the following data is configurable by the user using the System Presets DICOM Print User Interface. The effect of changing parameters of the DICOM Print server will be seen at the next created film sheet. The current film sheet is not affected by changing these parameters.

**Table 48: User-Configurable Printer Parameters**

| Parameter | Description |
|---|---|
| Printer Type | Color or Black and White - depends on printer |

| Parameter | Description |
|---|---|
| Film Size | Select the size of the film - 8x10 inches, 8.5x11 inches, 10x12 inches, 10x14 inches, 11x14 inches, 11x17 inches, 14x14 inches, 14x17 inches, 24x24 centimeters, 24x30 centimeters, A3, or A4. |
| Film Orientation | Select from Portrait:<br> <br>or Landscape:<br> |
| Display Format | You must supply the number of rows and columns of images on the printed sheet.<br>For example, a 6 on 1 print with Landscape mode should have 3 columns and 2 rows:<br>  |
| | A 6 on 1 with Portrait mode would have 2 columns and 3 rows:<br>  |
| Print Priority | HIGH, MEDIUM or LOW |
| Medium Type | PAPER, CLEAR FILM, BLUE FILM, TRANSPARENCY or CURRENT (to use the currently loaded media) |
| Film Destination | MAGAZINE, PROCESSOR or CURRENT |
| Max. Density | Used to define the Black value - printer specific |
| Min. Density | Used to define the White value - printer specific |
| Smoothing Type | Printer specific value |

| Parameter | Description |
|---|---|
| Border Density | BLACK or WHITE |
| Empty Image Density | BLACK or WHITE |
| Trim | YES/NO to having a border around each image |
| Polarity | Normal/reverse. Normal means black is printed as black. Reverse means the grayscale is inverted so that black comes out as white and white as black. |
| Magnification | Replicate, Bilinear, Cubic, None |
| Configuration Information | Printer Specific values |

## 8.3 External Equipment Configuration

The ACUSON Redwood user can configure “Hard Key” to “Output Device” mapping through the System Presets - Customize Keys. Print images are acquired and sent to the assigned device when the user presses the associated key. The following key assignments are supported:

- **Clip**– This key can be assigned to Clip Store or Image Store.
- **Print** – This key can be assigned to any configured DICOM Printer, DICOM Store, OEM printer, Clip Store, or Image Store.
- **Foot Switch** – The foot switch can be assigned to any configured OEM printer, Clip Store, or Image Store.

## 8.4 Support of Extended Character Sets

The “ISO-IR 100”, "GB18030", "ISO_IR 144" character sets are supported by the ACUSON Redwood system based on the following language selections:

English, French, Italian, German, Spanish: "ISO_IR 100"

Chinese: "GB18030"

Russian: "ISO_IR 144"

# 9 SECURITY

## 9.1 Security Profiles

The ACUSON Redwood conforms to IHE Basic Security Integration Profile that is used for the DICOM Communication.

The ACUSON Redwood allows the use of either a conventional (non-secure) DICOM communication or a secure DICOM communication. For secure DICOM communication the ACUSON Redwood application uses the Transport Layer Protocol (TLS v1.2, TLS v1.1 or TLS v1.0). Following features are supported for the secure DICOM communication. The port in which ACUSON Redwood act as SCP for secure DICOM communication is 2762 (fixed). The port in which ACUCON Redwood act as SCP for unsecure DICOM communication is 104 (fixed). The secure mode can be changed by configuration for each remote node.

### 9.1.1 Secure Transport Connection Profiles

The ACUSON Redwood conforms to the Basic TLS Secure Transport Connection Profile.

The ACUSON Redwood provides a Certificate Management panel that allows to configure the certificate that is used for the DICOM communication. Secure communication is a “mode of operation” of ACUSON Redwood supported by the implementation of the DICOM Basic Secure Transport Connection Profile. This functionality is used by the local and remote node to authenticate each other before they exchange DICOM information. For secure communication the TLS protocol (v1.2, v1.1 or v1.0) is used which providers message authentication, integrity and confidentiality.

The ACUSON Redwood supports X.509 certificates. The type of X.509 certificates that are supported are:

1. Self Signed certificate
2. Certificate for which chain building (Trusted chain building, Trusted CA) is possible.

The following TLS certification checks will be done (TLS Handshake). The system (either server or client) that sends its certificate will:

- The serial number of the certificate is used for choosing the certificate.

The server verifies:

- That the client certificate is X.509 certificate which is not tampered with
- That the client certificate is in the list of trusted certificates (Trust Chain Building)
- That the client certificate is not in the revoked list
- That the client certificate is not expired (present time is between “Valid From” and “Valid To” fields of the X.509 certificate)
- That the client certificate has the correct purpose (at least the client authentication purpose).

The Client verifies:

- That the server certificate is a X.509 certificate which is not tampered with
- That the server certificate is in the list of trusted certificates (Trust Chain Building)
- That the server certificate is not in the revoked list
- That the server certificate is not expired (present time is between “Valid From” and “Valid To” fields of the X.509 certificate)
- That the server certificate has the correct purpose (at least the server authentication purpose).

The X.509 certificate imported and used for DICOM communication must have the possibility:

1. Must provode the purpose set for Client and Server Authentication
2. Must be exportable to generate the certificate file and the private key file.

If intermediate and root X.509 certificates are present then the intermediate certificate must be imported to Intermediate Certificate Authorities->Certificates. The root certificate must be imported to the Trusted Root Certificates->Certificates.

The ACUSON Redwood communicates with either of the following Cipher suites for encrypting the data send across the network:

- TLS_ECDHE_RSA_WITH_AES_128_CBS_SHA
- TLS_ECDHE_RSA_WITH_AES_256_CBS_SHA
- TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
- TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
- TLS_RSA_WITH_AES_128_CBC_SHA
- TLS_RSA_WITH_AES_128_CBC_SHA256
- TLS_RSA_WITH_AES_256_CBC_SHA
- TLS_RSA_WITH_AES_256_CBC_SHA256
- TLS_RSA_WITH_AES_128_GCM_SHA256
- TLS_RSA_WITH_AES_256_GCM_SHA384

## 9.2 Association Level Security

None supported.

## 9.3 Application Level Security

None supported.

## 9.4 Virus Protection

The ACUSON Redwood computer system's networking has been configured to significantly reduce the possibility of virus and hacking vulnerabilities. On the Redwood computer system, all ingress TCP and UDP ports are closed and/or absent of any type of server. The only exception to this is due to the necessity of a DICOM server available at ingress TCP port 104 or 2762(for Secure Connection). Additionally, all non-essential computer services and components are disabled to minimize Redwood egress network footprint.

Outside of some minimal network exchanges required by the Redwood's commercial computer operating system, the only network connections initiated by the Redwood system are for DICOM connectivity function.

# 10 APPENDICES

## 10.1 Appendix A: OB-GYN Structured Report Measurements

This appendix lists the DICOM Structured Report (SR) mappings used in the Obstetric and Gynecologic Structured Reports of Redwood DICOM SR files.

The mappings are organized in a manner similar to the DICOM SR Templates as described in PS 3.16-2011 of the DICOM Standard. The “Label” column identifies the on-screen Report label associated with a Concept Name. All private code values use the Coding Scheme Designator “99SIEMENS”.

The OB-GYN Report mappings follow the DICOM SR Template TID 5000: OB-GYN Ultrasound Procedure Report. Individual measurement values are shown on the Worksheet pages. Mean values are shown on the Report pages.

When a Concept Name has associated authors, the authors are listed in the next rows with

- the Label column as the author name on the Report page,
- the Code Meaning column as the author reference code, and
- the Modifiers column as the Normal Range Limits for Fetal Biometry Ratios or Population Statistical Descriptors, if available.

Notation:

< … > indicates that the description is not the actual text displayed
[ … ] is additional information

### 10.1.1 Patient Characteristics

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Patient Characteristics** | Container : Patient Characteristics (DCM, 121118) | | |
| Age | Subject Age (DCM, 121033) | | year |
| BP | Systolic Blood Pressure (SRT, F-008EC) | | mmHg |
| BP | Diastolic Blood Pressure (SRT, F-008ED) | | mmHg |
| Height | Patient Height (LN, 8302-2) | | cm |
| Weight | Patient Weight (LN, 29463-7) | | kg |
| Gravida | Gravida (LN, 11996-6) | | unitless |
| Para | Para (LN, 11977-6) | | unitless |
| Aborta | Aborta (LN, 11612-9) | | unitless |
| Ectopics | Ectopic Pregnancies (LN, 33065-4) | | unitless |

### 10.1.2 Summary

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Summary** | Container : Summary (DCM, 121111) | | |
| EDD | EDD (LN, 11778-8) | | |
| LMP | LMP (LN, 11955-2) | | |

### 10.1.3 Fetus Summary

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Fetus Summary** | Container : Fetus Summary (DCM, 125008) | | |
| EFW<1,2> Age JSUM 2003 | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): Gestational Age by EFW, JSUM 2003 (99SIEMENS, GA101-12-01) | day |
| EFW<1,2> Age Osaka | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): Gestational Age by EFW, Osaka 1983 (99SIEMENS, GA101-18-01) | day |
| EFW<1,2> Age Tokyo | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): Gestational Age by EFW, Tokyo 1987 (99SIEMENS, GA101-20-01) | day |
| USMA | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Average Ultrasound Age (LN, 11884-4) | day |
| USMA Hadlock6 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (AC, FL) (99SIEMENS, CA100-08-01) | day |
| USMA (SD) Hadlock6 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock2 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, AC) (99SIEMENS, CA100-08-02) | day |
| USMA (SD) Hadlock2 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock9 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, AC, FL) (99SIEMENS, CA100-08-03) | day |
| USMA (SD) Hadlock9 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock3 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, FL) (99SIEMENS, CA100-08-04) | day |
| USMA (SD) Hadlock3 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock1 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, HC) (99SIEMENS, CA100-08-05) | day |
| USMA (SD) Hadlock1 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock7 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock | day |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (BPD, HC, AC) (99SIEMENS, CA100-08-06) | |
| USMA (SD) Hadlock7 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock11 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, HC, AC, FL) (99SIEMENS, CA100-08-07) | day |
| USMA (SD) Hadlock11 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock8 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, HC, FL) (99SIEMENS, CA100-08-08) | day |
| USMA (SD) Hadlock8 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock4 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (HC, AC) (99SIEMENS, CA100-08-09) | day |
| USMA (SD) Hadlock4 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock10 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (HC, AC, FL) (99SIEMENS, CA100-08-10) | day |
| USMA (SD) Hadlock10 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock5 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (HC, FL) (99SIEMENS, CA100-08-11) | day |
| USMA (SD) Hadlock5 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| EFW<1,2> Hansmann | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by BPD, TTD, Hansmann 1986 (LN, 33139-7) | g |
| SD (EFW<1,2>) Hansmann | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> Hadlock1 | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by AC, FL, Hadlock 1985 (LN, 11751-5) | g |
| SD (EFW<1,2>) Hadlock1 | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> Hadlock2 | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by AC, BPD, FL, Hadlock 1985 (LN, 11735-8) | g |
| SD (EFW<1,2>) Hadlock2 | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> Hadlock4 | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by AC, BPD, FL, HC, Hadlock 1985 (LN, 11732-5) | g |
| SD (EFW<1,2>) Hadlock4 | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> Hadlock3 | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by AC, FL, HC, Hadlock 1985 (LN, 11746-5) | g |
| SD (EFW<1,2>) Hadlock3 | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> JSUM 2003 | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW2 by Shinozuka 1996 (LN, 33142-1) | g |
| EFW<1,2> JSUM(APTDxTTD) | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by BPD, APTD, TTD, FL, JSUM 2003 (99SIEMENS, EFW101-12-01) | g |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| EFW<1,2> Osaka | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by BPD, FTA, FL, Osaka 1990 (LN, 33140-5) | g |
| EFW<1,2> Shepard | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by AC and BPD, Shepard 1982 (LN, 11739-0) | g |
| SD (EFW<1,2>) Shepard | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> Tokyo | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by BPD, APTD, TTD, FL, Tokyo 1987 (99SIEMENS, EFW101-20-01) | g |
| EFW<1,2> Merz | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by BPD, AC, Merz 2005 (99SIEMENS, EFW101-16-01) | g |
| SD (EFW<1,2>) Merz | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> Brenner | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Brenner 1976 (LN, 33189-2) | % |
| EFW<1,2> Hadlock | EFW percentile rank (LN, 11767-1) | Equation (DCM, 121420): EFW by GA, Hadlock 1991 (LN, 33162-9) | % |
| William EFW<1,2> Williams Male | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Williams 1982 (male) (LN, 33184-3) | % |
| EFW<1,2> Doubilet | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Doubilet 1996 (99SIEMENS, GR101-26-01) | % |
| EFW<1,2> Jeanty | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Jeanty 1994 (99SIEMENS, GR101-11-01) | % |
| EFW<1,2> JSUM 2003 | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, JSUM 2003 (99SIEMENS, GR101-12-01) | unitless |
| EFW<1,2> Osaka | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Osaka 1983 (99SIEMENS, GR101-18-01) | unitless |
| EFW<1,2> Tokyo | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Tokyo (99SIEMENS, GR101-20-01) | unitless |
| EFW<1,2> Yarkoni | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Yarkoni 1987 (99SIEMENS, GR101-24-01) | % |
| William EFW<1,2> Williams Female | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Williams 1982 (female) (LN, 33184-3) | % |
| Fetal HR HR | Fetal Heart Rate (LN, 11948-7) | | bpm |
| Fetal HR HR | Fetal Heart Rate (LN, 11948-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | bpm |

### 10.1.4 Fetal Biometry Ratios

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Fetal Biometry Ratios** | Container : Fetal Biometry Ratios (DCM, 125001) | | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| HC/AC Campbell | HC/AC (LN, 11947-9) | | unitless |
| SD-L (HC/AC) Campbell | HC/AC (LN, 11947-9) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (HC/AC) Campbell | HC/AC (LN, 11947-9) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| HC/AC Growth%: Campbell | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC/AC by GA, Campbell 1977 (LN, 33182-7) | unitless |
| FL/AC Hadlock | FL/AC (LN, 11871-1) | | unitless |
| SD-L (FL/AC) Hadlock | FL/AC (LN, 11871-1) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (FL/AC) Hadlock | FL/AC (LN, 11871-1) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| FL/BPD Hohler | FL/BPD (LN, 11872-9) | | unitless |
| SD-L (FL/BPD) Hohler | FL/BPD (LN, 11872-9) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (FL/BPD) Hohler | FL/BPD (LN, 11872-9) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| CI Hadlock | Cephalic Index (LN, 11823-2) | | unitless |
| SD-L (CI) Hadlock | Cephalic Index (LN, 11823-2) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (CI) Hadlock | Cephalic Index (LN, 11823-2) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| FL/HC Hadlock | FL/HC (LN, 11873-7) | | unitless |
| SD-L (FL/HC) Hadlock | FL/HC (LN, 11873-7) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (FL/HC) Hadlock | FL/HC (LN, 11873-7) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| TCD/AC Meyer | TCD/AC (99SIEMENS, TCDOverAC) | | unitless |
| SD-L (Cerebellum/AC) Meyer | TCD/AC (99SIEMENS, TCDOverAC) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (Cerebellum/AC) Meyer | TCD/AC (99SIEMENS, TCDOverAC) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| LVW/HW Johnson | LVW/HW (99SIEMENS, LVWOverHW) | | unitless |
| SD-L (Lat Vent/HW) Johnson | LVW/HW (99SIEMENS, LVWOverHW) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (Lat Vent/HW) Johnson | LVW/HW (99SIEMENS, LVWOverHW) | Normal Range Upper Limit (SRT, R-0038B) | unitless |

### 10.1.5 Fetal Biometry

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Fetal Biometry** | Container : Fetal Biometry (DCM, 125002) | | |
| | Container: Biometry Group (DCM, 125005) | | |
| AC C | Abdominal Circumference (LN, 11979-2) | | mm |
| AC C | Abdominal Circumference (LN, 11979-2) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| AC Hadlock | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): AC, Hadlock 1984 (LN, 11892-7) | day |
| SD (AC) Hadlock | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| AC ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): AC, ASUM 2003 (99SIEMENS, GA102-01-01) | day |
| AC JSUM 2003 | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): AC, JSUM 2003 (99SIEMENS, GA102-12-01) | day |
| SD (AC) JSUM 2003 | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| AC Lasser | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): AC, Lasser 1993 (99SIEMENS, GA102-14-01) | day |
| SD (AC) Lasser | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| AC Merz | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): AC, Merz 1991 (99SIEMENS, GA102-16-01) | day |
| SD (AC) Merz | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| AC Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): AC (measured) by GA, Chitty 1994 (LN, 33147-0) | % |
| AC Growth%: Hadlock | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): AC by GA, Hadlock 1984 (LN, 33146-2) | % |
| AC Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, ASUM 2003 (99SIEMENS, GR102-01-01) | % |
| AC Growth%: CFEF | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, CFEF 2000 (99SIEMENS, GR102-03-01) | % |
| AC Growth%: DETER | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): AC by GA, Deter 1982 (99SIEMENS, GR102-06-01) | % |
| AC Growth%: Grumbach (twins) | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, Grumbach 1986 (twin) (99SIEMENS, GR102-07-01) | % |
| AC Growth%: Jeanty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, Jeanty 1984 (99SIEMENS, GR102-11-01) | % |
| AC Growth%: JSUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, JSUM 2003 (99SIEMENS, GR102-12-01) | unitless |
| AC Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, Merz 1996 (99SIEMENS, GR102-16-01) | % |
| AC Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, Nicolaides 1994 (99SIEMENS, GR102-17-01) | % |
| AC Growth%: Verburg | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, Verburg 2008 (99SIEMENS, GR102-22-01) | unitless |
| AC Growth%: INTERGROWTH-21st | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, INTERGROWTH-21st 2014 (99SIEMENS, GR102-29-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| BPD D | Biparietal Diameter (LN, 11820-8) | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| BPD D | Biparietal Diameter (LN, 11820-8) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| BPD Hadlock | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): BPD, Hadlock 1984 (LN, 11902-4) | day |
| SD (BPD) Hadlock | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Hansmann | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, Hansmann 1986 (LN, 33538-0) | day |
| SD (BPD) Hansmann | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Jeanty | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, Jeanty 1984 (LN, 11905-7) | day |
| SD (BPD) Jeanty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Chitty (outer-inner) | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD-oi, Chitty 1997 (LN, 33086-0) | day |
| SD (BPD) Chitty (outer-inner) | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Chitty (outer-outer) | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD-oo, Chitty 1997 (LN, 33087-8) | day |
| SD (BPD) Chitty (outer-outer) | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): BPD, ASUM 2003 (99SIEMENS, GA107-01-01) | day |
| BPD JSUM 2003 | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, JSUM 2003 (99SIEMENS, GA107-12-01) | day |
| SD (BPD) JSUM 2003 | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Lasser | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD (outer-inner), Lasser 1993 (99SIEMENS, GA107-14-01) | day |
| SD (BPD) Lasser | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Merz | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, Merz 1991 (99SIEMENS, GA107-16-01) | day |
| SD (BPD) Merz | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Osaka | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, Osaka 1983 (99SIEMENS, GA107-18-01) | day |
| BPD Rempen | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, Rempen 2001 (99SIEMENS, GA107-25-01) | day |
| SD (BPD) Rempen | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Verburg (outer-outer) | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD (outer-outer), Verburg 2008 (99SIEMENS, GA107-22-01) | day |
| SD (BPD) Verburg (outer-outer) | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Growth%: Chitty(O-I) | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): BPD outer-inner by GA, Chitty | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 1994 (LN, 33556-2) | |
| BPD Growth%: Chitty(O-O) | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): BPD outer-outer by GA, Chitty 1994 (LN, 33152-0) | % |
| BPD Growth%: Hadlock | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): BPD by GA, Hadlock 1984 (LN, 33198-3) | % |
| BPD Growth%: Rempen | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Rempen 1991 (LN, 33155-3) | % |
| BPD Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, ASUM 2003 (99SIEMENS, GR107-01-01) | % |
| BPD Growth%: CFEF | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, CFEF 2000 (99SIEMENS, GR107-03-01) | % |
| BPD Growth%: Grumbach (twins) | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Grumbach 1986 (twin) (99SIEMENS, GR107-07-01) | % |
| BPD Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Hansmann 1986 (99SIEMENS, GR107-09-01) | % |
| BPD Growth%: JSUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, JSUM 2003 (99SIEMENS, GR107-12-01) | unitless |
| BPD Growth%: Lasser | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): BPD by GA, Lasser 1993 (99SIEMENS, GR107-14-01) | % |
| BPD Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Merz 1996 (99SIEMENS, GR107-16-01) | % |
| BPD Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Nicolaides 1994 (99SIEMENS, GR107-17-01) | % |
| BPD Growth%: Osaka | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Osaka 1983 (99SIEMENS, GR107-18-01) | unitless |
| BPD Growth%: Verburg | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Verburg 2008 (99SIEMENS, GR107-22-01) | unitless |
| BPD Growth%: INTERGROWTH-21st | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, INTERGROWTH-21st 2014 (99SIEMENS, GR107-29-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| FL D | Femur Length (LN, 11963-6) | | mm |
| FL D | Femur Length (LN, 11963-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| FL Chitty | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): FL, Chitty 1997 (LN, 33098-5) | day |
| SD (FL) Chitty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Hadlock | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): FL, Hadlock 1984 (LN, 11920-6) | day |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| SD (FL) Hadlock | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Jeanty | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): FL, Jeanty 1984 (LN, 11923-0) | day |
| SD (FL) Jeanty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Tokyo | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): FL, Tokyo 1986 (LN, 33103-3) | day |
| FL ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): FL, ASUM 2003 (99SIEMENS, GA112-01-01) | day |
| FL JSUM 2003 | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): FL, JSUM 2003 (99SIEMENS, GA112-12-01) | day |
| SD (FL) JSUM 2003 | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Merz | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): FL, Merz 1991 (99SIEMENS, GA112-16-01) | day |
| SD (FL) Merz | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Osaka | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): FL, Osaka 1983 (99SIEMENS, GA112-18-01) | day |
| FL WARDA | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): FL, Warda (99SIEMENS, GA112-23-01) | day |
| SD (FL) WARDA | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): FL by GA, Chitty 1994 (LN, 33167-8) | unitless |
| FL Growth%: Hadlock | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): FL by GA, Hadlock 1984 (LN, 33166-0) | % |
| FL Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, ASUM 2003 (99SIEMENS, GR112-01-01) | % |
| FL Growth%: CFEF | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, CFEF 2000 (99SIEMENS, GR112-03-01) | unitless |
| FL Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Hansmann 1986 (99SIEMENS, GR112-09-01) | % |
| FL Growth%: Jeanty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Jeanty 1984 (99SIEMENS, GR112-11-01) | % |
| FL Growth%: JSUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, JSUM 2003 (99SIEMENS, GR112-12-01) | unitless |
| FL Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Merz 1991 (99SIEMENS, GR112-16-01) | % |
| FL Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Nicolaides 1994 (99SIEMENS, GR112-17-01) | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| FL Growth%: Tokyo | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Tokyo (99SIEMENS, GR112-20-01) | unitless |
| FL Growth%: Verburg | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Verburg 2008 (99SIEMENS, GR112-22-01) | unitless |
| FL Growth%: WARDA | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): FL by GA, Warda 1985 (99SIEMENS, GR112-23-01) | unitless |
| FL Growth%: Osaka | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): FL by GA, Osaka 1983 (99SIEMENS, GR112-18-01) | unitless |
| FL Growth%: INTERGROWTH-21st | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, INTERGROWTH-21st 2014 (99SIEMENS, GR112-29-01) | unitless |
| | Container: Biometry Group (DCM, 125005) | | |
| Foot D | Foot length (LN, 11965-1) | | mm |
| Foot D | Foot length (LN, 11965-1) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Foot Mercer | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): Foot Length, Mercer 1987 (LN, 11926-3) | day |
| SD (Foot) Mercer | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| Foot Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Foot by GA, Chitty 2002 (99SIEMENS, GR113-05-01) | unitless |
| Foot Growth%: Mercer | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Foot by GA, Mercer 1987 (99SIEMENS, GR113-15-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| HC C | Head Circumference (LN, 11984-2) | | mm |
| HC C | Head Circumference (LN, 11984-2) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| HC Chitty | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): HC measured, Chitty 1997 (LN, 33110-8) | day |
| SD (HC) Chitty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HC Hadlock | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): HC, Hadlock 1984 (LN, 11932-1) | day |
| SD (HC) Hadlock | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HC Hansmann | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): HC, Hansmann 1986 (LN, 33543-0) | day |
| SD (HC) Hansmann | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HC ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): HC, ASUM 2003 (99SIEMENS, GA116-01-01) | day |
| HC Lasser | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): HC, Lasser 1993 (99SIEMENS, GA116-14-01) | day |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| SD (HC) Lasser | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HC Merz | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): HC, Merz 1991 (99SIEMENS, GA116-16-01) | day |
| SD (HC) Merz | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HC Growth%: Hadlock | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): HC by GA, Hadlock 1984 (LN, 33173-6) | % |
| HC Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, ASUM 2003 (99SIEMENS, GR116-01-01) | % |
| HC Growth%: CFEF | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, CFEF 2000 (99SIEMENS, GR116-03-01) | % |
| HC Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): HC by GA, Chitty 1994 (99SIEMENS, GR116-05-01) | % |
| HC Growth%: Deter | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): HC by GA, Deter 1982 (99SIEMENS, GR116-06-01) | % |
| HC Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, Hansmann 1986 (99SIEMENS, GR116-09-01) | % |
| HC Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, Merz 1996 (99SIEMENS, GR116-16-01) | % |
| HC Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, Nicolaides 1994 (99SIEMENS, GR116-17-01) | % |
| HC Growth%: Verburg | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, Verburg 2008 (99SIEMENS, GR116-22-01) | unitless |
| HC Growth%: INTERGROWTH-21st | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, INTERGROWTH-21st 2014 (99SIEMENS, GR116-29-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| OFD D | Occipital-Frontal Diameter (LN, 11851-3) | | mm |
| OFD D | Occipital-Frontal Diameter (LN, 11851-3) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| OFD ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): OFD, ASUM 2003 (99SIEMENS, GA119-01-01) | day |
| OFD Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): OFD by GA, Chitty 1994 (LN, 33179-3) | % |
| OFD Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): OFD by GA, ASUM 2003 (99SIEMENS, GR119-01-01) | % |
| OFD Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): OFD by GA, Hansmann 1986 (99SIEMENS, GR119-09-01) | % |
| OFD Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): OFD by GA, Nicolaides 1994 (99SIEMENS, GR119-17-01) | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| OFD Growth%: INTERGROWTH-21st | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): OFD by GA, INTERGROWTH-21st 2014 (99SIEMENS, GR119-29-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| APTDxTTD | APTD x TTD (99SIEMENS, APTDxTTD) | | cm2 |
| APTDxTTD Growth%: Tokyo | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): APTDxTTD by GA, Tokyo (99SIEMENS, GR105-20-01) | unitless |
| APTDxTTD Tokyo | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): APTDxTTD, Tokyo (99SIEMENS, GA105-20-01) | day |
| | Container: Biometry Group (DCM, 125005) | | |
| FTA A | Fetal Trunk Area (99SIEMENS, FetalTrunkArea) | | cm2 |
| FTA A | Fetal Trunk Area (99SIEMENS, FetalTrunkArea) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm2 |
| FTA Growth%: Osaka | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FTA by GA, Osaka 1983 (99SIEMENS, GR114-18-01) | unitless |
| FTA Osaka | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): FTA, Osaka 1983 (99SIEMENS, GA114-18-01) | day |
| | Container: Biometry Group (DCM, 125005) | | |
| TC C | Thoracic Circumference (LN, 11988-3) | | mm |
| TC C | Thoracic Circumference (LN, 11988-3) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| TC Growth%: Chitkara | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): TC by GA, Chitkara 1987 (99SIEMENS, GR122-04-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| TAD D | Transverse Abdominal Diameter (LN, 11862-0) | | mm |
| TAD D | Transverse Abdominal Diameter (LN, 11862-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| TAD Growth%: CFEF | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): TAD by GA, CFEF 2000 (99SIEMENS, GR121-03-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| Lt Fetal Kidney Vol | Left Fetal Kidney Volume (99SIEMENS, LtFetalKidneyVol) | | cm3 |
| | Container: Biometry Group (DCM, 125005) | | |
| Lt Fetal Kidney AP D | Left Kidney thickness (LN, 11853-9) | | mm |
| Lt Fetal Kidney AP D | Left Kidney thickness (LN, 11853-9) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Fetal Kidney AP Growth%: Bertagnoli | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Left Kidney AP by GA, Bertagnoli 1983 (99SIEMENS, GR125-02-01) | % |
| Lt Fetal Kidney AP Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Left Kidney AP by GA, Hansmann 1986 (99SIEMENS, GR125-09-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Fetal Kidney Length D | Left Kidney length (LN, 11834-9) | | mm |
| Lt Fetal Kidney Length D | Left Kidney length (LN, 11834-9) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Kidney Fetal Length Growth%: Bertagnoli | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Left Kidney Length by GA, Bertagnoli 1983 (99SIEMENS, GR126-02-01) | % |
| Lt Kidney Fetal Length Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Left Kidney Length by GA, Hansmann 1986 (99SIEMENS, GR126-09-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| Lt Fetal Kidney Width D | Left Kidney width (LN, 11825-7) | | mm |
| Lt Fetal Kidney Width D | Left Kidney width (LN, 11825-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| Rt Fetal Kidney Vol | Right Fetal Kidney Volume (99SIEMENS, RtFetalKidneyVol) | | cm3 |
| | Container: Biometry Group (DCM, 125005) | | |
| Rt Fetal Kidney AP D | Right Kidney thickness (LN, 11855-4) | | mm |
| Rt Fetal Kidney AP D | Right Kidney thickness (LN, 11855-4) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Fetal Kidney AP Growth%: Bertagnoli | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Right Kidney AP by GA, Bertagnoli 1983 (99SIEMENS, GR127-02-01) | % |
| Rt Fetal Kidney AP Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Right Kidney AP by GA, Hansmann 1986 (99SIEMENS, GR127-09-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| Rt Fetal Kidney Length D | Right Kidney length (LN, 11836-4) | | mm |
| Rt Fetal Kidney Length D | Right Kidney length (LN, 11836-4) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Kidney Fetal Length Growth%: Bertagnoli | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Right Kidney Length by GA, Bertagnoli 1983 (99SIEMENS, GR128-02-01) | % |
| Rt Kidney Fetal Length Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Right Kidney Length by GA, Hansmann 1986 (99SIEMENS, GR128-09-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| Rt Fetal Kidney Width D | Right Kidney width (LN, 11827-3) | | mm |
| Rt Fetal Kidney Width D | Right Kidney width (LN, 11827-3) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| MAD | Mean Abdominal Diameter (99SIEMENS, MeanAbdDiam) | | cm |
| MAD Growth%: Kurmanavicius | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): MAD by GA, Kurmanavicius 1997 (99SIEMENS, GR118-13-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| APAD D | Anterior-Posterior Abdominal Diameter (LN, 11818-2) | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| APAD D | Anterior-Posterior Abdominal Diameter (LN, 11818-2) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| APTD D | Anterior-Posterior Trunk Diameter (LN, 11819-0) | | mm |
| APTD D | Anterior-Posterior Trunk Diameter (LN, 11819-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| BPDa | BPD area corrected (LN, 11824-0) | | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| TA A | Thoracic Area (LN, 33068-8) | | cm2 |
| TA A | Thoracic Area (LN, 33068-8) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm2 |
| | Container: Biometry Group (DCM, 125005) | | |
| TTD D | Transverse Thoracic Diameter (LN, 11864-6) | | mm |
| TTD D | Transverse Thoracic Diameter (LN, 11864-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| APADxTAD | APAD * TAD (LN, 33191-8) | | cm2 |
| | Container: Biometry Group (DCM, 125005) | | |
| Facial Angle Angle | Facial Angle (99SIEMENS, FacialAngle) | | deg |
| Facial Angle Angle | Facial Angle (99SIEMENS, FacialAngle) | Derivation (DCM, 121401): Mean (SRT, R-00317) | deg |
| | Container: Biometry Group (DCM, 125005) | | |
| Nasal Bone D | Fetal Nasal bone length (LN, 53697-9) | | mm |
| Nasal Bone D | Fetal Nasal bone length (LN, 53697-9) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.1.6 Fetal Long Bones

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Fetal Long Bones** | Container : Fetal Long Bones (DCM, 125003) | | |
| | Container: Biometry Group (DCM, 125005) | | |
| HL D | Humerus length (LN, 11966-9) | | mm |
| HL D | Humerus length (LN, 11966-9) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| HL Jeanty | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): Humerus, Jeanty 1984 (LN, 11936-2) | day |
| SD (HL) Jeanty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HL ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): HL, ASUM 2003 (99SIEMENS, GA117-01-01) | day |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| HL Osaka | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): HL, Osaka 1983 (99SIEMENS, GA117-18-01) | day |
| HL Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, ASUM 2003 (99SIEMENS, GR117-01-01) | % |
| HL Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, Chitty 2002 (99SIEMENS, GR117-05-01) | unitless |
| HL Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, Hansmann 1986 (99SIEMENS, GR117-09-01) | % |
| HL Growth%: Jeanty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, Jeanty 1984 (99SIEMENS, GR117-11-01) | % |
| HL Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, Merz 1996 (99SIEMENS, GR117-16-01) | % |
| HL Growth%: Osaka | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, Osaka 1983 (99SIEMENS, GR117-18-01) | unitless |
| | Container: Biometry Group (DCM, 125005) | | |
| Ulna D | Ulna length (LN, 11969-3) | | mm |
| Ulna D | Ulna length (LN, 11969-3) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ulna Jeanty | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): Ulna, Jeanty 1984 (LN, 11944-6) | day |
| SD (Ulna) Jeanty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| Ulna Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Ulna by GA, Chitty 2002 (99SIEMENS, GR124-05-01) | unitless |
| Ulna Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Ulna by GA, Hansmann 1986 (99SIEMENS, GR124-09-01) | % |
| Ulna Growth%: Jeanty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Ulna by GA, Jeanty 1984 (99SIEMENS, GR124-11-01) | % |
| Ulna Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Ulna by GA, Merz 1996 (99SIEMENS, GR124-16-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| Tibia D | Tibia length (LN, 11968-5) | | mm |
| Tibia D | Tibia length (LN, 11968-5) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Tibia Jeanty | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): Tibia, Jeanty 1984 (LN, 11941-2) | day |
| SD (Tibia) Jeanty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| Tibia Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Tibia by GA, Chitty 2002 (99SIEMENS, GR123-05-01) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Tibia Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Tibia by GA, Hansmann 1986 (99SIEMENS, GR123-09-01) | % |
| Tibia Growth%: Jeanty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Tibia by GA, Jeanty 1984 (99SIEMENS, GR123-11-01) | % |
| Tibia Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Tibia by GA, Merz 1996 (99SIEMENS, GR123-16-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| Clavicle D | Clavicle length (LN, 11962-8) | | mm |
| Clavicle D | Clavicle length (LN, 11962-8) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Clavicle Yarkoni | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): Clavicle length,Yarkoni 1985 (LN, 33088-6) | day |
| SD (Clavicle) Yarkoni | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| Clavicle Growth%: Yarkoni | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Clavicle by GA, Yarkoni 1985 (99SIEMENS, GR110-24-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| Radius D | Radius length (LN, 11967-7) | | mm |
| Radius D | Radius length (LN, 11967-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| Fibula D | Fibula length (LN, 11964-4) | | mm |
| Fibula D | Fibula length (LN, 11964-4) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.1.7 Fetal Cranium

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Fetal Cranium** | Container : Fetal Cranium (DCM, 125004) | | |
| | Container: Biometry Group (DCM, 125005) | | |
| Lat Vent D | Lateral Ventricle width (LN, 12171-5) | | mm |
| Lat Vent D | Lateral Ventricle width (LN, 12171-5) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| Cist Magna D | Cisterna Magna length (LN, 11860-4) | | mm |
| Cist Magna D | Cisterna Magna length (LN, 11860-4) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Cist Magna Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Cisterna Magna by GA, Nicolaides 1994 (99SIEMENS, GR109-17-01) | % |
| Cerebellum Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): TCD by GA, Nicolaides 1994 (99SIEMENS, GR108-17-01) | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Cerebellum Growth%: Verburg | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): TCD by GA, Verburg 2008 (99SIEMENS, GR108-22-01) | unitless |
| | Container: Biometry Group (DCM, 125005) | | |
| LV-A D | Anterior Horn Lateral ventricular width (LN, 33197-5) | | mm |
| LV-A D | Anterior Horn Lateral ventricular width (LN, 33197-5) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| LV-A Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Ant CV by GA, Nicolaides 1994 (99SIEMENS, GR103-17-01) | % |
| LV-P Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): Post CV by GA, Nicolaides 1994 (99SIEMENS, GR120-17-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| Nuchal Thickness D | Nuchal Fold thickness (LN, 12146-7) | | mm |
| Nuchal Thickness D | Nuchal Fold thickness (LN, 12146-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| IOD D | Inner Orbital Diameter (LN, 33070-4) | | mm |
| IOD D | Inner Orbital Diameter (LN, 33070-4) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| Binoc D D | Outer Orbital Diameter (LN, 11629-3) | | mm |
| Binoc D D | Outer Orbital Diameter (LN, 11629-3) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| BinocD Jeanty | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): Binocular Distance, Jeanty 1984 (LN, 11896-8) | day |
| SD (Binoc D) Jeanty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BinocD Tongsong | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): Binocular Distance, Tongsong 1992 (99SIEMENS, GA106-21-01) | day |
| SD (Binoc D) Tongsong | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| | Container: Biometry Group (DCM, 125005) | | |
| Cerebellum Hill | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): TCD, Hill 1990 (LN, 33134-8) | day |
| SD (TCD) Hill | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| Cerebellum D | Trans Cerebellar Diameter (LN, 11863-8) | | mm |
| Cerebellum D | Trans Cerebellar Diameter (LN, 11863-8) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| LV-P D | Posterior Horn Lateral ventricular width (LN, 33196-7) | | mm |
| LV-P D | Posterior Horn Lateral ventricular width (LN, 33196-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| HW D | Width of Hemisphere (LN, 12170-7) | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| HW D | Width of Hemisphere (LN, 12170-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| CSP D | Cavum septi pellucidi (SRT, T-A1630) | | mm |
| CSP D | Cavum septi pellucidi (SRT, T-A1630) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.1.8 Early Gestation

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Early Gestation** | Container : Early Gestation (DCM, 125009) | | |
| | Container: Biometry Group (DCM, 125005) | | |
| CRL D | Crown Rump Length (LN, 11957-8) | | mm |
| CRL D | Crown Rump Length (LN, 11957-8) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| CRL Hadlock | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): CRL, Hadlock 1992 (LN, 11910-7) | day |
| SD (CRL) Hadlock | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| CRL Hansmann | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): CRL, Hansmann 1986 (LN, 33540-6) | day |
| SD (CRL) Hansmann | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| CRL Robinson | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): CRL, Robinson 1975 (LN, 11914-9) | day |
| SD (CRL) Robinson | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| CRL Tokyo | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): CRL, Tokyo 1986 (LN, 33096-9) | day |
| CRL ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): CRL, ASUM 2003 (99SIEMENS, GA111-01-01) | day |
| CRL JSUM 2003 | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): CRL, JSUM 2003 (99SIEMENS, GA111-12-01) | day |
| SD (CRL) JSUM 2003 | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| CRL Lasser | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): CRL, Lasser 1993 (99SIEMENS, GA111-14-01) | day |
| SD (CRL) Lasser | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| CRL Osaka | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): CRL, Osaka 1983 (99SIEMENS, GA111-18-01) | day |
| CRL Rempen | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): CRL, Rempen 2001 (99SIEMENS, GA111-25-01) | day |
| SD (CRL) Rempen | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| CRL Verburg | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): CRL, Verburg 2008 (99SIEMENS, GA111-22-01) | day |
| SD (CRL) Verburg | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| CRL INTERGROWTH21 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): CRL, INTERGROWTH-21st 2014 (99SIEMENS, GA111-29-01) | day |
| SD (CRL) INTERGROWTH21 | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| CRL Growth%: Rempen | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): CRL by GA, Rempen 1991 (LN, 33160-3) | % |
| CRL Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): CRL by GA, ASUM 2003 (99SIEMENS, GR111-01-01) | unitless |
| CRL Growth%: Hadlock | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): CRL by GA, Hadlock 1982 (99SIEMENS, GR111-08-01) | % |
| CRL Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): CRL by GA, Hansmann 1986 (99SIEMENS, GR111-09-01) | % |
| CRL Growth%: JSUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): CRL by GA, JSUM 2003 (99SIEMENS, GR111-12-01) | unitless |
| CRL Growth%: Osaka | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): CRL by GA, Osaka 1983 (99SIEMENS, GR111-18-01) | unitless |
| CRL Growth%: Robinson | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): CRL by GA, Robinson 1975 (99SIEMENS, GR111-19-01) | % |
| CRL Growth%: Tokyo | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): CRL by GA, Tokyo (99SIEMENS, GR111-20-01) | unitless |
| CRL Growth%: Pexsters | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): CRL by GA, Pexsters 2010 (99SIEMENS, GR111-28-01) | unitless |
| CRL Growth%: INTERGROWTH-21st | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): CRL by GA, INTERGROWTH-21st 2014 (99SIEMENS, GR111-29-01) | unitless |
| | Container: Biometry Group (DCM, 125005) | | |
| GSD D | Gestational Sac Diameter (LN, 11850-5) | | mm |
| GSD D | Gestational Sac Diameter (LN, 11850-5) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| GSD Rempen | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): GS, Rempen 1991 (LN, 11929-7) | day |
| SD (GSD) Rempen | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| GSD Tokyo | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): GS, Tokyo 1986 (LN, 33108-2) | day |
| GSD Growth%: Rempen | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): GS by GA, Rempen 1991 (LN, 33171-0) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| GSD Growth%: Hellman | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): GS by GA, Hellman 1969 (99SIEMENS, GR115-10-01) | unitless |
| GSD Growth%: Tokyo | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): GS by GA, Tokyo (99SIEMENS, GR115-20-01) | unitless |
| | Container: Biometry Group (DCM, 125005) | | |
| Mean Sac Diam D | Mean Sac Diameter (99SIEMENS, MeanSacDiam) | | mm |
| Mean Sac Diam D1<br>Mean Sac Diam D2<br>Mean Sac Diam D3 | Gestational Sac Diameter (LN, 11850-5) | | mm |
| MSD Rempen | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): MSD, Rempen 1991 (99SIEMENS, GA136-25-01) | day |
| SD (Mean Sac Diam) Rempen | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| MSD Growth%: Rempen | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): MSD by GA, Rempen 1991 (99SIEMENS, GR136-25-01) | % |
| MSD Growth%: Hellman | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): MSD by GA, Hellman 1969 (99SIEMENS, GR136-10-01) | % |
| | Container: Biometry Group (DCM, 125005) | | |
| Yolk Sac D | Yolk Sac length (LN, 11816-6) | | mm |
| Yolk Sac D | Yolk Sac length (LN, 11816-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| | Container: Biometry Group (DCM, 125005) | | |
| Nuchal Translucency D | Nuchal Translucency (LN, 33069-6) | | mm |
| Nuchal Translucency D | Nuchal Translucency (LN, 33069-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.1.9 Amniotic Sac

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Amniotic Sac** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Amniotic Sac (SRT, T-F1300) | |
| AFI | Amniotic Fluid Index (LN, 11627-7) | | mm |
| AFI | Amniotic Fluid Index (LN, 11627-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| AFI Mean Growth%: Moore | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AFI by GA, Moore 1990 (99SIEMENS, GR135-27-01) | % |
| AFI - Q1 D | First Quadrant Diameter (LN, 11624-4) | | mm |
| AFI - Q2 D | Second Quadrant Diameter (LN, 11626-9) | | mm |
| AFI - Q3 D | Third Quadrant Diameter (LN, 11625-1) | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| AFI - Q4 D | Fourth Quadrant Diameter (LN, 11623-6) | | mm |

### 10.1.10 Pelvis and Uterus

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Pelvis and Uterus** | Container : Pelvis and Uterus (DCM, 125011) | | |
| **Uterus** | Container : Uterus (SRT, T-83000) | | |
| Uterus (TA) Vol | Uterus Volume (LN, 33192-6) | | cm3 |
| Uterus (EV) Vol | Uterus Volume (LN, 33192-6) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | cm3 |
| Uterus (TA) Length D | Uterus Length (LN, 11842-2) | | mm |
| Uterus (EV) Length D | Uterus Length (LN, 11842-2) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Uterus (TA) Length D | Uterus Length (LN, 11842-2) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Uterus (EV) Length D | Uterus Length (LN, 11842-2) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Uterus (TA) Width D | Uterus Width (LN, 11865-3) | | mm |
| Uterus (EV) Width D | Uterus Width (LN, 11865-3) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Uterus (TA) Width D | Uterus Width (LN, 11865-3) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Uterus (EV) Width D | Uterus Width (LN, 11865-3) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Uterus (TA) AP D | Uterus Height (LN, 11859-6) | | mm |
| Uterus (EV) AP D | Uterus Height (LN, 11859-6) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Uterus (TA) AP D | Uterus Height (LN, 11859-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Uterus (EV) AP D | Uterus Height (LN, 11859-6) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Cervix (TA) D | Cervix Length (LN, 11961-0) | | mm |
| Cervix (TA) D | Cervix Length (LN, 11961-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Cervix (EV) D | Cervix Length (LN, 11961-0) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Cervix (EV) D | Cervix Length (LN, 11961-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Endo Thick (TA) D | Endometrium Thickness (LN, 12145-9) | | mm |
| Endo Thick (TA) D | Endometrium Thickness (LN, 12145-9) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Endo Thick (EV) D | Endometrium Thickness (LN, 12145-9) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Endo Thick (EV) D | Endometrium Thickness (LN, 12145-9) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |

### 10.1.11 Ovary

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Ovary** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Ovary (SRT, T-87000) | |
| Ovary | Container : Ovary (SRT, T-87000) | | |
| Lt Ovary (TA) Vol | Left Ovary Volume (LN, 12164-0) | | cm3 |
| Lt Ovary (EV) Vol | Left Ovary Volume (LN, 12164-0) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | cm3 |
| Lt Ovary (TA) Length D | Left Ovary Length (LN, 11840-6) | | mm |
| Lt Ovary (EV) Length D | Left Ovary Length (LN, 11840-6) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Lt Ovary (TA) Length D | Left Ovary Length (LN, 11840-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Ovary (EV) Length D | Left Ovary Length (LN, 11840-6) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Lt Ovary (TA) Width D | Left Ovary Width (LN, 11829-9) | | mm |
| Lt Ovary (EV) Width D | Left Ovary Width (LN, 11829-9) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Lt Ovary (TA) Width D | Left Ovary Width (LN, 11829-9) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Ovary (EV) Width D | Left Ovary Width (LN, 11829-9) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Lt Ovary (TA) AP D | Left Ovary Height (LN, 11857-0) | | mm |
| Lt Ovary (EV) AP D | Left Ovary Height (LN, 11857-0) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Ovary (TA) AP D | Left Ovary Height (LN, 11857-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Ovary (EV) AP D | Left Ovary Height (LN, 11857-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Rt Ovary (TA) Vol | Right Ovary Volume (LN, 12165-7) | | cm3 |
| Rt Ovary (EV) Vol | Right Ovary Volume (LN, 12165-7) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | cm3 |
| Rt Ovary (TA) Length D | Right Ovary Length (LN, 11841-4) | | mm |
| Rt Ovary (EV) Length D | Right Ovary Length (LN, 11841-4) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Rt Ovary (TA) Length D | Right Ovary Length (LN, 11841-4) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Ovary (EV) Length D | Right Ovary Length (LN, 11841-4) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Rt Ovary (TA) Width D | Right Ovary Width (LN, 11830-7) | | mm |
| Rt Ovary (EV) Width D | Right Ovary Width (LN, 11830-7) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Rt Ovary (TA) Width D | Right Ovary Width (LN, 11830-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Ovary (EV) Width D | Right Ovary Width (LN, 11830-7) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Rt Ovary (TA) AP D | Right Ovary Height (LN, 11858-8) | | mm |
| Rt Ovary (EV) AP D | Right Ovary Height (LN, 11858-8) | Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |
| Rt Ovary (TA) AP D | Right Ovary Height (LN, 11858-8) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Ovary (EV) AP D | Right Ovary Height (LN, 11858-8) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Imaging procedure (SRT, P0-0099A): Transvaginal echography (SRT, P5-B8012) | mm |

### 10.1.12 Left Ovarian Follicle

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Left Ovarian Follicle** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Ovarian Follicle (SRT, T-87600)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | Identifier (DCM, 125010): <n>, where <n> is 1..20 | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Follicle <n> V | Volume (SRT, G-D705) | | cm3 |
| Lt Follicle <n> V | Volume (SRT, G-D705) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm3 |
| Lt Follicle <n> D | Follicle Diameter (LN, 11793-7) | | mm |
| Lt Follicle <n> D | Follicle Diameter (LN, 11793-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Follicle <n> D1 | Distance 1 of Volume (99SIEMENS, VolumeD1) | | mm |
| Lt Follicle <n> D2 | Distance 2 of Volume (99SIEMENS, VolumeD2) | | mm |
| Lt Follicle <n> D3 | Distance 3 of Volume (99SIEMENS, VolumeD3) | | mm |

### 10.1.13 Right Ovarian Follicle

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Right Ovarian Follicle** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Ovarian Follicle (SRT, T-87600)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | Identifier (DCM, 125010): <n>, where <n> is 1..20 | |
| Rt Follicle <n> V | Volume (SRT, G-D705) | | cm3 |
| Rt Follicle <n> V | Volume (SRT, G-D705) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm3 |
| Rt Follicle <n> D | Follicle Diameter (LN, 11793-7) | | mm |
| Rt Follicle <n> D | Follicle Diameter (LN, 11793-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Follicle <n> D1 | Distance 1 of Volume (99SIEMENS, VolumeD1) | | mm |
| Rt Follicle <n> D2 | Distance 2 of Volume (99SIEMENS, VolumeD2) | | mm |
| Rt Follicle <n> D3 | Distance 3 of Volume (99SIEMENS, VolumeD3) | | mm |

### 10.1.14 Embryonic Vascular Structure

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Embryonic Vascular Structure** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Embryonic Vascular Structure (SRT, T-F6800) | |
| Aorta | Container : Aorta (SRT, T-42000) | | |
| Aorta ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Aorta PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Aorta PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Aorta RI | Resistivity Index (LN, 12023-8) | | unitless |
| Aorta SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Aorta D | Diameter (SRT, M-02550) | | mm |
| Aorta D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Middle Cerebral Artery | Container : Middle Cerebral Artery (SRT, T-45600) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt MCA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt MCA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt MCA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt MCA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt MCA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt MCA D | Diameter (SRT, M-02550) | | mm |
| Lt MCA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt MCA Vel | Flow Velocity (DCM, 110828) | | cm/s |
| Lt MCA Vel | Flow Velocity (DCM, 110828) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt MCA Growth%: JSUM 2003 PI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Left MCA PI by GA JSUM 2003 (99SIEMENS, GR129-12-01) | unitless |
| Lt MCA Growth%: JSUM 2003 RI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Left MCA RI by GA JSUM 2003 (99SIEMENS, GR130-12-01) | unitless |
| Middle Cerebral Artery | Container : Middle Cerebral Artery (SRT, T-45600) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt MCA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt MCA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt MCA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt MCA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt MCA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt MCA D | Diameter (SRT, M-02550) | | mm |
| Rt MCA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt MCA Vel | Flow Velocity (DCM, 110828) | | cm/s |
| Rt MCA Vel | Flow Velocity (DCM, 110828) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt MCA Growth%: JSUM 2003 PI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Right MCA PI by GA JSUM 2003 (99SIEMENS, GR131-12-01) | unitless |
| Rt MCA Growth%: JSUM 2003 RI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Right MCA RI by GA JSUM 2003 (99SIEMENS, GR132-12-01) | unitless |
| Umbilical Artery | Container : Umbilical Artery (SRT, T-F1810) | | |
| Umb A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Umb A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Umb A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Umb A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Umb A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Umb A D | Diameter (SRT, M-02550) | | mm |
| Umb A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Umb A Vel | Flow Velocity (DCM, 110828) | | cm/s |
| Umb A Vel | Flow Velocity (DCM, 110828) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Umb A (PI) Growth%: JSUM 2003 PI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Umbilical Artery PI by GA JSUM 2003 (99SIEMENS, GR133-12-01) | unitless |
| Umb A (RI) Growth%: JSUM 2003 RI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Umbilical Artery RI by GA JSUM 2003 (99SIEMENS, GR134-12-01) | unitless |
| Ductus venosus | Container : Ductus venosus (SRT, T-F6806) | | |
| Ductus V S/D Vmax | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Ductus V A Vmax Vel | A-Wave Peak Velocity (LN, 59081-0) | | cm/s |
| Ductus V A Vmax Vel | A-Wave Peak Velocity (LN, 59081-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Ductus V D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | | cm/s |
| Ductus V D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Ductus V S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | | cm/s |
| Ductus V S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Fetal Vascular Ratios | Container : Fetal Vascular Ratios (99SIEMENS, FetalVascRatios) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt MCA/Umb A | MCA/Umb A velocity ratio (99SIEMENS, McaUmbAVelRatio) | | unitless |
| Fetal Vascular Ratios | Container : Fetal Vascular Ratios (99SIEMENS, FetalVascRatios) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt MCA/Umb A | MCA/Umb A velocity ratio (99SIEMENS, McaUmbAVelRatio) | | unitless |

### 10.1.15 Pelvic Vascular Structure

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Pelvic Vascular Structure** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Pelvic Vascular Structure (SRT, T-D6007) | |
| **Ovarian Artery** | Container : Ovarian Artery (SRT, T-46980) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Ovarian A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Ovarian A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Ovarian A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Ovarian A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Ovarian A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Ovarian A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Ovarian A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Ovarian A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Ovarian A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Ovarian A FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Ovarian A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Ovarian A D | Diameter (SRT, M-02550) | | mm |
| Lt Ovarian A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Ovarian A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Ovarian A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Ovarian A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Ovarian Artery | Container : Ovarian Artery (SRT, T-46980) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Ovarian A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Ovarian A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Ovarian A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Ovarian A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Ovarian A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Ovarian A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Ovarian A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Ovarian A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Ovarian A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Ovarian A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Ovarian A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Ovarian A D | Diameter (SRT, M-02550) | | mm |
| Rt Ovarian A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Ovarian A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Ovarian A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Ovarian A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Ovarian Vein | Container : Ovarian Vein (SRT, T-48780) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Ovarian V Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Ovarian V Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Ovarian V Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Lt Ovarian V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Ovarian V D | Diameter (SRT, M-02550) | | mm |
| Lt Ovarian V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ovarian Vein | Container : Ovarian Vein (SRT, T-48780) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Ovarian V Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Ovarian V Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Ovarian V Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Rt Ovarian V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Ovarian V D | Diameter (SRT, M-02550) | | mm |
| Rt Ovarian V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Uterine Artery | Container : Uterine Artery (SRT, T-46820) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Uterine A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Uterine A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Uterine A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Uterine A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Uterine A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Uterine A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Uterine A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Uterine A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Uterine A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Uterine A FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Uterine A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Uterine A D | Diameter (SRT, M-02550) | | mm |
| Lt Uterine A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Uterine A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Uterine A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Uterine A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Uterine Artery | Container : Uterine Artery (SRT, T-46820) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Uterine A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Uterine A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Uterine A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Uterine A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Uterine A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Uterine A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Uterine A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Uterine A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Uterine A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Uterine A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Uterine A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Uterine A D | Diameter (SRT, M-02550) | | mm |
| Rt Uterine A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Uterine A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Uterine A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Uterine A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

### 10.1.16 Bladder

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Bladder** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Bladder (SRT, T-74000) | |
| Micturated Vol | Micturated Volume (99SIEMENS, MicturatedVol) | | cm3 |
| Prior to voiding | Container : Prior to voiding (DCM, 109134) | | |
| Pre-Void Bladder AP D | Height (DCM, 121207) | | mm |
| Pre-Void Bladder AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Pre-Void Bladder Length D | Length (SRT, G-A22A) | | mm |
| Pre-Void Bladder Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Pre-Void Bladder Width D | Width (SRT, G-A220) | | mm |
| Pre-Void Bladder Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| PreVoid Bladder Vol | Volume (SRT, G-D705) | | cm3 |
| Post voiding | Container : Post voiding (DCM, 109135) | | |
| Post-Void Bladder AP D | Height (DCM, 121207) | | mm |
| Post-Void Bladder AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Post-Void Bladder Length D | Length (SRT, G-A22A) | | mm |
| Post-Void Bladder Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Post-Void Bladder Width D | Width (SRT, G-A220) | | mm |
| Post-Void Bladder Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| PostVoid Bladder Vol | Volume (SRT, G-D705) | | cm3 |
| Ureter | Container : Ureter (SRT, T-73000) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Ureter D | Distance (DCM, 121206) | | mm |
| Lt Ureter D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ureter | Container : Ureter (SRT, T-73000) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Ureter D | Distance (DCM, 121206) | | mm |
| Rt Ureter D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.1.17 Left Kidney

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Left Kidney** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Kidney (SRT, T-71000)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Kidney AP D | Height (DCM, 121207) | | mm |
| Lt Kidney AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Kidney Length D | Length (SRT, G-A22A) | | mm |
| Lt Kidney Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Kidney Width D | Width (SRT, G-A220) | | mm |
| Lt Kidney Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Kidney Vol | Volume (SRT, G-D705) | | cm3 |

### 10.1.18 Right Kidney

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Right Kidney** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Kidney (SRT, T-71000)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Kidney AP D | Height (DCM, 121207) | | mm |
| Rt Kidney AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Kidney Length D | Length (SRT, G-A22A) | | mm |
| Rt Kidney Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Kidney Width D | Width (SRT, G-A220) | | mm |
| Rt Kidney Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Kidney Vol | Volume (SRT, G-D705) | | cm3 |

### 10.1.19 Left Cyst

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Left Cyst** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Cyst (SRT, M-3340A)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Lt Cyst <n> Length D | Length (SRT, G-A22A) | | mm |
| Lt Cyst <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Cyst <n> Width D | Width (SRT, G-A220) | | mm |
| Lt Cyst <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Cyst <n> AP D | Height (DCM, 121207) | | mm |
| Lt Cyst <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Cyst <n> Vol | Volume (SRT, G-D705) | | cm3 |

### 10.1.20 Right Cyst

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Right Cyst** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Cyst (SRT, M-3340A)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Rt Cyst <n> Length D | Length (SRT, G-A22A) | | mm |
| Rt Cyst <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Cyst <n> Width D | Width (SRT, G-A220) | | mm |
| Rt Cyst <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Cyst <n> AP D | Height (DCM, 121207) | | mm |
| Rt Cyst <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Cyst <n> Vol | Volume (SRT, G-D705) | | cm3 |

### 10.1.21 Left Mass

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Left Mass** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Mass (SRT, M-03000)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Lt Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Lt Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Lt Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mass <n> AP D | Height (DCM, 121207) | | mm |
| Lt Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |

### 10.1.22 Right Mass

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Right Mass** | Container : Findings (DCM, 121070) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Finding Site (SRT, G-C0E3): Mass (SRT, M-03000) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Rt Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Rt Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Rt Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mass <n> AP D | Height (DCM, 121207) | | mm |
| Rt Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |

### 10.1.23 Left Breast

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Left Breast** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Breast (SRT, T-04000)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Internal Mammary Artery | Container : Internal Mammary Artery (SRT, T-46200) | | |
| Lt Int Mammary A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Int Mammary A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Int Mammary A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Int Mammary A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Int Mammary A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Int Mammary A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Int Mammary A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Int Mammary A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Int Mammary A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Int Mammary A FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Int Mammary A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Int Mammary A D | Diameter (SRT, M-02550) | | mm |
| Lt Int Mammary A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Int Mammary A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Int Mammary A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Int Mammary A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Mass | Container : Mass (SRT, M-03000) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Lt Breast Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Lt Breast Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Breast Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Lt Breast Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Breast Mass <n> AP D | Height (DCM, 121207) | | mm |
| Lt Breast Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Breast Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |
| Lt Mass <n> C | Circumference (SRT, M-02560) | | mm |
| Lt Mass <n> A | Area (SRT, G-A166) | | cm2 |
| Lt Mass <n> A | Area (SRT, G-A166) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm2 |
| Lt Mass <n> EI/B_Area | EI/B Area Ratio (99SIEMENS, EBARatio) | | unitless |
| Lt Mass <n> EI/B_Area | EI/B Area Ratio (99SIEMENS, EBARatio) | Derivation (DCM, 121401): Mean (SRT, R-00317) | unitless |
| Lt Mass <n> E_Area | E-mode Area of EI/B Area Ratio (99SIEMENS, EBARatioEArea) | | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mass <n> B_Area | B-mode Area of EI/B Area Ratio (99SIEMENS, EBARatioBArea) | | cm2 |
| Lt Mass <n> EI/B_Dist | EI/B Distance Ratio (99SIEMENS, EBDRatio) | | unitless |
| Lt Mass <n> EI/B_Dist | EI/B Distance Ratio (99SIEMENS, EBDRatio) | Derivation (DCM, 121401): Mean (SRT, R-00317) | unitless |
| Lt Mass <n> E_Dist | E-mode Distance of EI/B Distance Ratio (99SIEMENS, EBDRatioEDist) | | mm |
| Lt Mass <n> B_Dist | B-mode Distance of EI/B Distance Ratio (99SIEMENS, EBDRatioBDist) | | mm |
| (SWE: E) Lt Mass <n> Depth | Shear Wave Velocity ROI Depth (99SIEMENS, VsROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| (SWE: E) Lt Mass <n> Depth | Elasticity ROI Depth (99SIEMENS, ElastROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| (SWE: E) Lt Mass <n> Vs Median | Shear Wave Velocity Median (99SIEMENS, VsMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Lt Mass <n> Vs Std Dev | Standard Deviation of Shear Wave Velocity Median (99SIEMENS, VsMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Lt Mass <n> Mean | Shear Wave Velocity Median: Mean (99SIEMENS, VsMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Lt Mass <n> Median | Shear Wave Velocity Median: Maximum (99SIEMENS, VsmdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Lt Mass <n> Diam | Shear Wave Velocity ROI Diameter (99SIEMENS, VsROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| (SWE: E) Lt Mass <n> Median | Elasticity Median (99SIEMENS, ElasticityMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Lt Mass <n> Std Dev | Standard Deviation of Elasticity Median (99SIEMENS, EMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Lt Mass <n> Mean | Elasticity Median: Mean (99SIEMENS, EMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Lt Mass <n> Maximum | Elasticity Median: Maximum (99SIEMENS, EMdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Lt Mass <n> Diam | Elasticity ROI Diameter (99SIEMENS, ElastROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| (SWE: E) Lt Mass <n> Mean | Mean of Shear Wave Velocity Medians (99SIEMENS, MeanVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Lt Mass <n> Std Dev | Standard Deviation of Shear Wave Velocity Medians (99SIEMENS, StdDevVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Lt Mass <n> Median | Median of Shear Wave Velocity Medians (99SIEMENS, | Measurement Method (SRT, G-C036): Shear Wave | m/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | MedianVsMedians) | Elastography (99SIEMENS, SWE) | |
| (SWE: E) Lt Mass <n> IQR | Interquartile Range of Shear Wave Velocity Medians (99SIEMENS, IQRVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Lt Mass <n> IQR/Median | IQR/Median Ratio of Shear Wave Velocity Medians (99SIEMENS, IQRMdVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Lt Mass <n> Mean | Mean of Elasticity Medians (99SIEMENS, MeanEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Lt Mass <n> Std Dev | Standard Deviation of Elasticity Medians (99SIEMENS, StdDevEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Lt Mass <n> Std Dev | Median of Elasticity Medians (99SIEMENS, MedianEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Lt Mass <n> IQR | Interquartile Range of Elasticity Medians (99SIEMENS, IQREMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Lt Mass <n> IQR/Median | IQR/Median Ratio of Elasticity Medians (99SIEMENS, IQRMdEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Cyst | Container : Cyst (SRT, M-3340A) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Lt Breast Cyst <n> Length D | Length (SRT, G-A22A) | | mm |
| Lt Breast Cyst <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Breast Cyst <n> Width D | Width (SRT, G-A220) | | mm |
| Lt Breast Cyst <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Breast Cyst <n> AP D | Height (DCM, 121207) | | mm |
| Lt Breast Cyst <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Breast Cyst <n> Vol | Volume (SRT, G-D705) | | cm3 |
| Axillary Lymph Node | Container : Axillary Lymph Node (SRT, T-C4710) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Lt Axillary LN <n> Length D | Length (SRT, G-A22A) | | mm |
| Lt Axillary LN <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Axillary LN <n> Width D | Width (SRT, G-A220) | | mm |
| Lt Axillary LN <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Axillary LN <n> AP D | Height (DCM, 121207) | | mm |
| Lt Axillary LN <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Axillary LN <n> | Volume (SRT, G-D705) | | cm3 |
| Site | Container : Site (SRT, G-A165) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Lt Site <n> | Shear Wave Velocity ROI Depth (99SIEMENS, VsROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| Lt Site <n> | Elasticity ROI Depth (99SIEMENS, ElastROIDepth) | Measurement Method (SRT, G-C036): Shear Wave | cm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Elastography (99SIEMENS, SWE) | |
| Lt Site <n> | Shear Wave Velocity Median (99SIEMENS, VsMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Standard Deviation of Shear Wave Velocity Median (99SIEMENS, VsMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Shear Wave Velocity Median: Mean (99SIEMENS, VsMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Shear Wave Velocity Median: Maximum (99SIEMENS, VsmdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Shear Wave Velocity ROI Diameter (99SIEMENS, VsROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Lt Site <n> | Elasticity Median (99SIEMENS, ElasticityMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Standard Deviation of Elasticity Median (99SIEMENS, EMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Elasticity Median: Mean (99SIEMENS, EMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Elasticity Median: Maximum (99SIEMENS, EMdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Elasticity ROI Diameter (99SIEMENS, ElastROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Lt Site <n> | Mean of Shear Wave Velocity Medians (99SIEMENS, MeanVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Standard Deviation of Shear Wave Velocity Medians (99SIEMENS, StdDevVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Median of Shear Wave Velocity Medians (99SIEMENS, MedianVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Interquartile Range of Shear Wave Velocity Medians (99SIEMENS, IQRVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | IQR/Median Ratio of Shear Wave Velocity Medians (99SIEMENS, IQRMdVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Mean of Elasticity Medians (99SIEMENS, MeanEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Standard Deviation of Elasticity Medians (99SIEMENS, StdDevEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Median of Elasticity Medians (99SIEMENS, MedianEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Site <n> | Interquartile Range of Elasticity Medians (99SIEMENS, IQREMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | IQR/Median Ratio of Elasticity Medians (99SIEMENS, IQRMdEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |

### 10.1.24 Right Breast

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Right Breast** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Breast (SRT, T-04000)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Internal Mammary Artery | Container : Internal Mammary Artery (SRT, T-46200) | | |
| Rt Int Mammary A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Int Mammary A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Int Mammary A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Int Mammary A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Int Mammary A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Int Mammary A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Int Mammary A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Int Mammary A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Int Mammary A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Int Mammary A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Int Mammary A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Int Mammary A D | Diameter (SRT, M-02550) | | mm |
| Rt Int Mammary A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Int Mammary A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Int Mammary A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Int Mammary A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Mass | Container : Mass (SRT, M-03000) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Rt Breast Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Rt Breast Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Breast Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Rt Breast Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Breast Mass <n> AP D | Height (DCM, 121207) | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Breast Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Breast Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |
| Rt Mass <n> C | Circumference (SRT, M-02560) | | mm |
| Rt Mass <n> A | Area (SRT, G-A166) | | cm2 |
| Rt Mass <n> A | Area (SRT, G-A166) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm2 |
| Rt Mass <n> EI/B_Area | EI/B Area Ratio (99SIEMENS, EBARatio) | | unitless |
| Rt Mass <n> EI/B_Area | EI/B Area Ratio (99SIEMENS, EBARatio) | Derivation (DCM, 121401): Mean (SRT, R-00317) | unitless |
| Rt Mass <n> E_Area | E-mode Area of EI/B Area Ratio (99SIEMENS, EBARatioEArea) | | cm2 |
| Rt Mass <n> B_Area | B-mode Area of EI/B Area Ratio (99SIEMENS, EBARatioBArea) | | cm2 |
| Rt Mass <n> EI/B_Dist | EI/B Distance Ratio (99SIEMENS, EBDRatio) | | unitless |
| Rt Mass <n> EI/B_Dist | EI/B Distance Ratio (99SIEMENS, EBDRatio) | Derivation (DCM, 121401): Mean (SRT, R-00317) | unitless |
| Rt Mass <n> E_Dist | E-mode Distance of EI/B Distance Ratio (99SIEMENS, EBDRatioEDist) | | mm |
| Rt Mass <n> B_Dist | B-mode Distance of EI/B Distance Ratio (99SIEMENS, EBDRatioBDist) | | mm |
| (SWE: E) Rt Mass <n> Depth | Shear Wave Velocity ROI Depth (99SIEMENS, VsROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| (SWE: E) Rt Mass <n> Depth | Elasticity ROI Depth (99SIEMENS, ElastROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| (SWE: E) Rt Mass <n> Vs Median | Shear Wave Velocity Median (99SIEMENS, VsMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Rt Mass <n> Vs Std Dev | Standard Deviation of Shear Wave Velocity Median (99SIEMENS, VsMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Rt Mass <n> Mean | Shear Wave Velocity Median: Mean (99SIEMENS, VsMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Rt Mass <n> Median | Shear Wave Velocity Median: Maximum (99SIEMENS, VsmdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Rt Mass <n> Diam | Shear Wave Velocity ROI Diameter (99SIEMENS, VsROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| (SWE: E) Rt Mass <n> Median | Elasticity Median (99SIEMENS, ElasticityMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Rt Mass <n> Std Dev | Standard Deviation of Elasticity Median (99SIEMENS, EMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Rt Mass <n> Mean | Elasticity Median: Mean (99SIEMENS, EMdMean) | Measurement Method (SRT, G-C036): Shear Wave | kPa |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Elastography (99SIEMENS, SWE) | |
| (SWE: E) Rt Mass <n> Maximum | Elasticity Median: Maximum (99SIEMENS, EMdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Rt Mass <n> Diam | Elasticity ROI Diameter (99SIEMENS, ElastROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| (SWE: E) Rt Mass <n> Mean | Mean of Shear Wave Velocity Medians (99SIEMENS, MeanVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Rt Mass <n> Std Dev | Standard Deviation of Shear Wave Velocity Medians (99SIEMENS, StdDevVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Rt Mass <n> Median | Median of Shear Wave Velocity Medians (99SIEMENS, MedianVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Rt Mass <n> IQR | Interquartile Range of Shear Wave Velocity Medians (99SIEMENS, IQRVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Rt Mass <n> IQR/Median | IQR/Median Ratio of Shear Wave Velocity Medians (99SIEMENS, IQRMdVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: E) Rt Mass <n> Mean | Mean of Elasticity Medians (99SIEMENS, MeanEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Rt Mass <n> Std Dev | Standard Deviation of Elasticity Medians (99SIEMENS, StdDevEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Rt Mass <n> Std Dev | Median of Elasticity Medians (99SIEMENS, MedianEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Rt Mass <n> IQR | Interquartile Range of Elasticity Medians (99SIEMENS, IQREMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Rt Mass <n> IQR/Median | IQR/Median Ratio of Elasticity Medians (99SIEMENS, IQRMdEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Cyst | Container : Cyst (SRT, M-3340A) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Rt Breast Cyst <n> Length D | Length (SRT, G-A22A) | | mm |
| Rt Breast Cyst <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Breast Cyst <n> Width D | Width (SRT, G-A220) | | mm |
| Rt Breast Cyst <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Breast Cyst <n> AP D | Height (DCM, 121207) | | mm |
| Rt Breast Cyst <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Breast Cyst <n> Vol | Volume (SRT, G-D705) | | cm3 |
| Axillary Lymph Node | Container : Axillary Lymph Node (SRT, T-C4710) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Rt Axillary LN <n> Length D | Length (SRT, G-A22A) | | mm |
| Rt Axillary LN <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Axillary LN <n> Width D | Width (SRT, G-A220) | | mm |
| Rt Axillary LN <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Axillary LN <n> AP D | Height (DCM, 121207) | | mm |
| Rt Axillary LN <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Axillary LN <n> | Volume (SRT, G-D705) | | cm3 |
| Site | Container : Site (SRT, G-A165) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Rt Site <n> | Shear Wave Velocity ROI Depth (99SIEMENS, VsROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| Rt Site <n> | Elasticity ROI Depth (99SIEMENS, ElastROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| Rt Site <n> | Shear Wave Velocity Median (99SIEMENS, VsMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Standard Deviation of Shear Wave Velocity Median (99SIEMENS, VsMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Shear Wave Velocity Median: Mean (99SIEMENS, VsMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Shear Wave Velocity Median: Maximum (99SIEMENS, VsmdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Shear Wave Velocity ROI Diameter (99SIEMENS, VsROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Rt Site <n> | Elasticity Median (99SIEMENS, ElasticityMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Standard Deviation of Elasticity Median (99SIEMENS, EMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Elasticity Median: Mean (99SIEMENS, EMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Elasticity Median: Maximum (99SIEMENS, EMdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Elasticity ROI Diameter (99SIEMENS, ElastROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Rt Site <n> | Mean of Shear Wave Velocity Medians (99SIEMENS, MeanVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Standard Deviation of Shear Wave Velocity Medians (99SIEMENS, StdDevVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Median of Shear Wave Velocity Medians (99SIEMENS, MedianVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Site <n> | Interquartile Range of Shear Wave Velocity Medians (99SIEMENS, IQRVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | IQR/Median Ratio of Shear Wave Velocity Medians (99SIEMENS, IQRMdVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Mean of Elasticity Medians (99SIEMENS, MeanEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Standard Deviation of Elasticity Medians (99SIEMENS, StdDevEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Median of Elasticity Medians (99SIEMENS, MedianEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Interquartile Range of Elasticity Medians (99SIEMENS, IQREMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | IQR/Median Ratio of Elasticity Medians (99SIEMENS, IQRMdEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |

### 10.1.25 Both Breasts

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Rt and Lt Breast** | Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Breast (SRT, T-04000)<br>Laterality (SRT, G-C171): Right and left (SRT, GA102) | |
| (SWE: E) Breast Overall Statistics IQR | Overall Interquartile Range of Elasticity Medians(99SIEMENS, OIQREMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Breast Overall Statistics IQR/Median | Overall IQR/Median Ratio of Elasticity Medians (99SIEMENS, OIQRMdEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | 1 (no units) |
| (SWE: E) Breast Overall Statistics Mean | Overall Mean of Elasticity Medians (99SIEMENS, OMeanEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Breast Overall Statistics Median | Overall Median of Elasticity Medians (99SIEMENS, OMedianEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: E) Breast Overall Statistics Std Dev | Overall Standard Deviation of Elasticity Medians (99SIEMENS, OStdDevEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| (SWE: Vs) Breast Overall Statistics IQR | Overall Interquartile Range of Shear Wave Velocity Medians (99SIEMENS, OIQRVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: Vs) Breast Overall Statistics IQR/Median | Overall IQR/Median Ratio of Shear Wave Velocity Medians (99SIEMENS, OIQRMdVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | 1 (no units) |
| (SWE: Vs) Breast Overall Statistics Mean | Overall Mean of Shear Wave Velocity Medians (99SIEMENS, OMeanVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| (SWE: Vs) Breast Overall Statistics Median | Overall Median of Shear Wave Velocity Medians (99SIEMENS, OMedianVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| (SWE: Vs) Breast Overall Statistics Std Dev | Overall Standard Deviation of Shear Wave Velocity Medians (99SIEMENS, OStdDevVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |

### 10.1.26 Fibroid

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Fibroid** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Fibroid (99SIEMENS, Fibroid) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Fibroid <n> Length D | Length (SRT, G-A22A) | | mm |
| Fibroid <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Fibroid <n> Width D | Width (SRT, G-A220) | | mm |
| Fibroid <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Fibroid <n> AP D | Height (DCM, 121207) | | mm |
| Fibroid <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Fibroid <n> Vol | Volume (SRT, G-D705) | | cm3 |

### 10.1.27 Pelvic Floor

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Pelvic Floor** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Pelvic Floor (SRT, T-D6236) | |
| Bladder neck-Symphysis D | Bladder neck-Symphysis Distance (99SIEMENS, BldrNckSymphDist) | | mm |
| Bladder neck-Symphysis D | Bladder neck-Symphysis Distance (99SIEMENS, BldrNckSymphDist) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rectal Ampulla descent D | Rectal Ampulla descent (99SIEMENS, RectalAmpDescent) | | mm |
| Rectal Ampulla descent D | Rectal Ampulla descent (99SIEMENS, RectalAmpDescent) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Levator Hiatus AP Distance D | Levator Hiatus AP Distance (99SIEMENS, LevatrHiatusAP) | | mm |
| Levator Hiatus AP Distance D | Levator Hiatus AP Distance (99SIEMENS, LevatrHiatusAP) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Levator Hiatus Lateral Distance D | Levator Hiatus Lateral Distance (99SIEMENS, LevatrHiatusLatD) | | mm |
| Levator Hiatus Lateral Distance D | Levator Hiatus Lateral Distance (99SIEMENS, LevatrHiatusLatD) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Levator Hiatal Area A | Levator Hiatal Area (99SIEMENS, LevatrHiatalArea) | | mm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Levator Hiatal Area A | Levator Hiatal Area (99SIEMENS, LevatrHiatalArea) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm2 |
| Rectovesical Angle (Rest) alpha | Rectovesical Angle at Rest (99SIEMENS, RectovAngleRest) | | deg |
| Rectovesical Angle (Rest) alpha | Rectovesical Angle at Rest (99SIEMENS, RectovAngleRest) | Derivation (DCM, 121401): Mean (SRT, R-00317) | deg |
| Rectovesical Angle (Valsalva) alpha | Rectovesical Angle at Valsalvas (99SIEMENS, RectovAngleValsa) | | deg |
| Rectovesical Angle (Valsalva) alpha | Rectovesical Angle at Valsalvas (99SIEMENS, RectovAngleValsa) | Derivation (DCM, 121401): Mean (SRT, R-00317) | deg |

### 10.1.28 Fetal Heart

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Fetal Heart** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Fetal Heart (99SIEMENS, FetalHeart) | |
| HA A | Cardiac Cross-sectional Area, transverse by US (LN, 59075-2) | | cm2 |
| HA A | Cardiac Cross-sectional Area, transverse by US (LN, 59075-2) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm2 |
| CTR Area | Cardiothoracic Area Ratio (LN, 59076-0) | | unitless |
| Heart Circum C | Cardiac Circumference, transverse by US (LN, 59073-7) | | mm |
| Heart Circum C | Cardiac Circumference, transverse by US (LN, 59073-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| CTR Circum | Cardiothoracic Circumference Ratio (LN, 59074-5) | | unitless |
| Left Ventricle | Container : Left Ventricle (SRT, T-32600) | | |
| LVOT s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650)<br>Cardiac Cycle Point (SRT, R-4089A): End Systole (SRT, R-FAB5B)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| LVOT s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650)<br>Cardiac Cycle Point (SRT, R-4089A): End Systole (SRT, R-FAB5B)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| LVOT Area s | Cardiovascular Orifice Area (SRT, G-038E) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650)<br>Cardiac Cycle Point (SRT, R-4089A): End Systole (SRT, R-FAB5B) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | |
| Right Ventricle | Container : Right Ventricle (SRT, T-32500) | | |
| RVOT s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RVOT s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| RVOT Area s | Cardiovascular Orifice Area (SRT, G-038E) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | cm2 |

## 10.2 Appendix B: Vascular Structured Report

This appendix lists the DICOM Structured Report (SR) mappings used in the Vascular Structured Reports of Redwood DICOM SR files.

The mappings are organized in a manner similar to the DICOM SR Templates as described in PS 3.16-2011 of the DICOM Standard. The "Label" column identifies the on-screen label associated with a measurement. All private code values use the Coding Scheme Designator "99SIEMENS".

The Vascular Report mappings follow the DICOM SR Template TID 5100: Vascular Ultrasound Report.

Notation:
[ … ] is additional information

### 10.2.1 Patient Characteristics

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Patient Characteristics** | Container : Patient Characteristics (DCM, 121118) | | |
| Age | Subject Age (DCM, 121033) | | year |
| Sex | Subject Sex (DCM, 121032) | | unitless |
| BP | Systolic Blood Pressure (SRT, F-008EC) | | mmHg |
| BP | Diastolic Blood Pressure (SRT, F-008ED) | | mmHg |
| Height | Patient Height (LN, 8302-2) | | cm |
| Weight | Patient Weight (LN, 29463-7) | | kg |

### 10.2.2 Left Artery of neck

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Left Artery of neck** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Artery of neck (SRT, T-45005)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt ICA/CCA | ICA/CCA velocity ratio (LN, 33868-1) | | unitless |
| Carotid Bulb | Container : Carotid Bulb (SRT, T-45170) | | |
| Lt Bulb ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Bulb PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Bulb TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Bulb TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Bulb Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Bulb PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Bulb RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Bulb SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Bulb T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Bulb D2 | Vessel lumen diameter (SRT, G-0364) | | mm |
| Lt Bulb A2 | Vessel lumen cross-sectional area (SRT, G-0366) | | cm2 |
| Lt Bulb FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Bulb FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Bulb Steno | Lumen Area Stenosis (SRT, R-101BA) | | % |
| Lt Bulb Steno | Lumen Area Stenosis (SRT, R-101BA) | Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Bulb Steno | Lumen Diameter Stenosis (SRT, R-101BB) | | % |
| Lt Bulb Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Bulb D1 | Vessel Intimal Diameter (SRT, R-1025C) | | mm |
| Lt Bulb A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | | cm2 |
| Lt Bulb D | Diameter (SRT, M-02550) | | mm |
| Lt Bulb D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Bulb A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Bulb D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Bulb TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Common Carotid Artery | Container : Common Carotid Artery (SRT, T-45100) | | |
| Lt Dist CCA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CCA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CCA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist CCA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CCA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CCA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist CCA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CCA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CCA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist CCA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CCA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CCA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist CCA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid CCA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox CCA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist CCA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid CCA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox CCA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist CCA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid CCA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox CCA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist CCA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid CCA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox CCA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist CCA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Lt Mid CCA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox CCA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist CCA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid CCA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CCA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist CCA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid CCA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox CCA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |
| Lt Mid CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Lt Prox CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Lt Dist CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Mid CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Prox CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Dist CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |
| Lt Mid CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Lt Prox CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Lt Dist CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Mid CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Prox CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Dist CCA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid CCA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CCA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist CCA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid CCA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox CCA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist CCA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid CCA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox CCA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist CCA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid CCA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CCA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist CCA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CCA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CCA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| External Carotid Artery | Container : External Carotid Artery (SRT, T-45200) | | |
| Lt Dist ECA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt ECA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid ECA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ECA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist ECA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ECA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ECA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt ECA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Dist ECA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ECA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ECA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt ECA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Dist ECA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ECA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ECA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt ECA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt ECA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Dist ECA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid ECA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox ECA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist ECA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid ECA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt ECA PI | Pulsatility Index (LN, 12008-9) | | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox ECA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist ECA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid ECA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox ECA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt ECA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Dist ECA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid ECA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox ECA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt ECA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt ECA T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Dist ECA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid ECA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox ECA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist ECA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ECA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ECA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt ECA D2 | Vessel lumen diameter (SRT, G-0364) | | mm |
| Lt Dist ECA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid ECA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox ECA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt ECA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt ECA FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Dist ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt ECA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | | % |
| Lt Dist ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |
| Lt Mid ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Lt Prox ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Lt ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Dist ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Mid ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Prox ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | | % |
| Lt Dist ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Lt Prox ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Lt ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Dist ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Mid ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Prox ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Dist ECA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ECA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ECA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt ECA D1 | Vessel Intimal Diameter (SRT, R-1025C) | | mm |
| Lt Dist ECA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid ECA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox ECA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt ECA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | | cm2 |
| Lt Dist ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt ECA D | Diameter (SRT, M-02550) | | mm |
| Lt Mid ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt ECA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist ECA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid ECA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox ECA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt ECA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Dist ECA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ECA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ECA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt ECA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Dist ECA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ECA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ECA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt ECA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Internal Carotid Artery | Container : Internal Carotid Artery (SRT, T-45300) | | |
| Lt Dist ICA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ICA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ICA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist ICA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ICA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ICA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist ICA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ICA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ICA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist ICA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ICA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ICA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist ICA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid ICA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox ICA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist ICA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid ICA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox ICA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist ICA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid ICA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox ICA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist ICA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Lt Mid ICA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox ICA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist ICA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid ICA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox ICA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist ICA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ICA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ICA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist ICA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid ICA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox ICA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Dist ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |
| Lt Mid ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Lt Prox ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Lt Dist ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Mid ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Prox ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Dist ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |
| Lt Mid ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Lt Prox ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Lt Dist ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Mid ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Prox ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Lt Dist ICA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ICA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ICA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist ICA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid ICA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox ICA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist ICA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid ICA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox ICA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist ICA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ICA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ICA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist ICA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ICA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox ICA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Vertebral Artery | Container : Vertebral Artery (SRT, T-45700) | | |
| Lt Dist Vert A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Vert A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Mid Vert A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Vert A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Vert A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Vert A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Vert A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Vert A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Dist Vert A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Vert A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Vert A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Vert A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Dist Vert A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Vert A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Vert A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Vert A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Vert A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Dist Vert A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid Vert A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox Vert A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist Vert A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Vert A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Vert A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Prox Vert A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Vert A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Vert A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Vert A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Vert A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Dist Vert A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Vert A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Vert A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Vert A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Vert A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Dist Vert A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Vert A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Vert A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Vert A FV | Volume Flow (LN, 33878-0) | | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Vert A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Vert A D | Diameter (SRT, M-02550) | | mm |
| Lt Dist Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Vert A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Vert A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Dist Vert A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid Vert A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox Vert A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Vert A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Dist Vert A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Vert A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox Vert A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Vert A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Dist Vert A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Vert A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Vert A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Vert A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

### 10.2.3 Right Artery of neck

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Right Artery of neck** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Artery of neck (SRT, T-45005)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt ICA/CCA | ICA/CCA velocity ratio (LN, 33868-1) | | unitless |
| Carotid Bulb | Container : Carotid Bulb (SRT, T-45170) | | |
| Rt Bulb ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Bulb PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Bulb TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Bulb TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Bulb Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Bulb PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Bulb RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Bulb SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Bulb T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Bulb D2 | Vessel lumen diameter (SRT, G-0364) | | mm |
| Rt Bulb A2 | Vessel lumen cross-sectional area (SRT, G-0366) | | cm2 |
| Rt Bulb FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Bulb FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Bulb Steno | Lumen Area Stenosis (SRT, R-101BA) | | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Bulb Steno | Lumen Area Stenosis (SRT, R-101BA) | Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Bulb Steno | Lumen Diameter Stenosis (SRT, R-101BB) | | % |
| Rt Bulb Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Bulb D1 | Vessel Intimal Diameter (SRT, R-1025C) | | mm |
| Rt Bulb A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | | cm2 |
| Rt Bulb D | Diameter (SRT, M-02550) | | mm |
| Rt Bulb D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Bulb A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Bulb D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Bulb TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Common Carotid Artery | Container : Common Carotid Artery (SRT, T-45100) | | |
| Rt Dist CCA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CCA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CCA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist CCA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CCA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CCA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist CCA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CCA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CCA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist CCA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CCA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CCA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist CCA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid CCA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox CCA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist CCA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid CCA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox CCA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist CCA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid CCA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox CCA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist CCA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid CCA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox CCA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist CCA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid CCA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox CCA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist CCA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid CCA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CCA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist CCA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid CCA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox CCA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox CCA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |
| Rt Mid CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Rt Prox CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Rt Dist CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Mid CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Prox CCA Steno | Lumen Area Stenosis (SRT, R-101BA) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Rt Dist CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Rt Prox CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Rt Dist CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Mid CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Prox CCA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Dist CCA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid CCA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CCA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist CCA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid CCA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox CCA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox CCA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist CCA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid CCA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox CCA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist CCA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid CCA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CCA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist CCA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CCA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CCA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| External Carotid Artery | Container : External Carotid Artery (SRT, T-45200) | | |
| Rt Dist ECA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt ECA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid ECA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ECA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist ECA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ECA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ECA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt ECA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Dist ECA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid ECA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ECA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt ECA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Dist ECA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ECA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ECA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt ECA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt ECA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Dist ECA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid ECA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox ECA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist ECA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid ECA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt ECA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Prox ECA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist ECA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid ECA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox ECA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt ECA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Dist ECA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid ECA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox ECA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt ECA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt ECA T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Dist ECA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid ECA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox ECA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist ECA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ECA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ECA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt ECA D2 | Vessel lumen diameter (SRT, G-0364) | | mm |
| Rt Dist ECA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid ECA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox ECA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt ECA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | | cm2 |
| Rt Dist ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt ECA FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Dist ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox ECA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt ECA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | | % |
| Rt Dist ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |
| Rt Mid ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Rt Prox ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Rt ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Dist ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Mid ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Prox ECA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | | % |
| Rt Dist ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |
| Rt Mid ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Rt Prox ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Rt ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Dist ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Mid ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Prox ECA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Dist ECA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ECA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ECA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt ECA D1 | Vessel Intimal Diameter (SRT, R-1025C) | | mm |
| Rt Dist ECA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid ECA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox ECA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt ECA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | | cm2 |
| Rt Dist ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt ECA D | Diameter (SRT, M-02550) | | mm |
| Rt Mid ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt ECA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox ECA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist ECA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid ECA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox ECA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt ECA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Dist ECA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ECA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ECA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt ECA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Dist ECA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ECA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ECA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt ECA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Internal Carotid Artery | Container : Internal Carotid Artery (SRT, T-45300) | | |
| Rt Dist ICA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ICA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ICA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist ICA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ICA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ICA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist ICA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ICA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox ICA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist ICA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ICA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ICA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist ICA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid ICA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox ICA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist ICA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid ICA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox ICA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist ICA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid ICA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox ICA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist ICA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid ICA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox ICA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist ICA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid ICA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox ICA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Rt Dist ICA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ICA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ICA D2 | Vessel lumen diameter (SRT, G-0364) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist ICA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid ICA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox ICA A2 | Vessel lumen cross-sectional area (SRT, G-0366) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox ICA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |
| Rt Mid ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Rt Prox ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Rt Dist ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Prox ICA Steno | Lumen Area Stenosis (SRT, R-101BA) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Dist ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | % |
| Rt Mid ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | % |
| Rt Prox ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | % |
| Rt Dist ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Mid ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Prox ICA Steno | Lumen Diameter Stenosis (SRT, R-101BB) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | % |
| Rt Dist ICA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ICA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ICA D1 | Vessel Intimal Diameter (SRT, R-1025C) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist ICA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid ICA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox ICA A1 | Vessel Intimal Cross-Sectional Area (SRT, R-1025D) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox ICA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist ICA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid ICA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox ICA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist ICA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ICA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ICA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist ICA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ICA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ICA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Vertebral Artery | Container : Vertebral Artery (SRT, T-45700) | | |
| Rt Dist Vert A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Vert A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid Vert A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Vert A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Vert A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Vert A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Vert A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Vert A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Dist Vert A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Vert A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Vert A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Vert A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Dist Vert A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Vert A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Vert A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Vert A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Vert A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Dist Vert A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid Vert A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox Vert A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist Vert A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Vert A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Vert A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Prox Vert A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Vert A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Vert A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Vert A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Vert A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Dist Vert A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Vert A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Vert A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Vert A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Vert A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Dist Vert A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Vert A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Vert A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Vert A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Dist Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Vert A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Vert A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Vert A D | Diameter (SRT, M-02550) | | mm |
| Rt Dist Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Vert A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Vert A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Vert A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid Vert A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox Vert A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Vert A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Dist Vert A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Vert A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Vert A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Vert A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Dist Vert A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Vert A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Vert A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Vert A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

### 10.2.4 Left Artery of Lower Extremity

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Left Artery of Lower Extremity** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Artery of Lower Extremity (SRT, T-47040)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Common Iliac Artery | Container : Common Iliac Artery (SRT, T-46710) | | |
| Lt Dist CIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt CIA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Mid CIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist CIA (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt CIA (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Mid CIA (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CIA (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Dist CIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CIA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist CIA (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Mid CIA (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Prox CIA (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CIA (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Dist CIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CIA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Dist CIA (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Mid CIA (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Prox CIA (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt CIA (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Dist CIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox CIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CIA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Dist CIA (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Mid CIA (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Prox CIA (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt CIA (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt CIA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Dist CIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid CIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox CIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt CIA (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Lt Dist CIA (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Lt Mid CIA (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Lt Prox CIA (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| Lt Dist CIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid CIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt CIA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Prox CIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist CIA (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Mid CIA (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt CIA (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Prox CIA (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist CIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid CIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox CIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt CIA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Dist CIA (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Mid CIA (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Prox CIA (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Lt CIA (Post Repair) RI | Resistivity Index (LN, 12023-8) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Dist CIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid CIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox CIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt CIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Dist CIA (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Mid CIA (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Prox CIA (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt CIA (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt CIA T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Dist CIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid CIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox CIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt CIA (Post Repair) T | Acceleration Time (LN, 20168-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Lt Dist CIA (Post Repair) T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| Lt Mid CIA (Post Repair) T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Lt Prox CIA (Post Repair) T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Lt Dist CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt CIA FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Dist CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt CIA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Lt Prox CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Lt Dist CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Lt Mid CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Lt Prox CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Lt CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Lt CIA D | Diameter (SRT, M-02550) | | mm |
| Lt Dist CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt CIA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt CIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist CIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Mid CIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Prox CIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt CIA AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist CIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Mid CIA AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist CIA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid CIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Transverse | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A117) | |
| Lt Prox CIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt CIA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Dist CIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Mid CIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Prox CIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt CIA Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt CIA (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Dist CIA (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Mid CIA (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Prox CIA (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| Lt CIA (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Dist CIA (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Mid CIA (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CIA (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Mid CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Prox CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Lt CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Mid CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Mid CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Transverse | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A117) | |
| Lt Prox CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Dist CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Mid CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Dist CIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid CIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox CIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt CIA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Dist CIA (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid CIA (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Lt Prox CIA (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Lt CIA (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Lt Dist CIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid CIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt CIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Dist CIA (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Mid CIA (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Prox CIA (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt CIA (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Dist CIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Lt Dist CIA (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Mid CIA (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Prox CIA (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt CIA (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Anterior Tibial Artery | Container : Anterior Tibial Artery (SRT, T-47700) | | |
| Lt Dist ATA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ATA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ATA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist ATA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ATA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ATA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist ATA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Lt Mid ATA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ATA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist ATA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ATA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ATA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist ATA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid ATA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox ATA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist ATA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid ATA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox ATA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist ATA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid ATA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox ATA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist ATA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid ATA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox ATA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist ATA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid ATA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox ATA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist ATA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ATA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ATA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist ATA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid ATA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox ATA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist ATA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid ATA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox ATA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist ATA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ATA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ATA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist ATA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ATA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ATA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Common Femoral Artery | Container : Common Femoral Artery (SRT, T-47400) | | |
| Lt Dist CFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt CFA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Mid CFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist CFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CFA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Dist CFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CFA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist CFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CFA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt CFA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Dist CFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid CFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox CFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist CFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid CFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt CFA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Prox CFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist CFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid CFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox CFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt CFA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Dist CFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid CFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox CFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt CFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt CFA T | Acceleration Time (LN, 20168-1) | | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist CFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid CFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox CFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt CFA FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Dist CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt CFA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt CFA D | Diameter (SRT, M-02550) | | mm |
| Lt Dist CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt CFA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist CFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid CFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox CFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt CFA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Dist CFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid CFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt CFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Dist CFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Dorsalis Pedis Artery | Container : Dorsalis Pedis Artery (SRT, T-47741) | | |
| Lt DPA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt DPA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt DPA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt DPA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt DPA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt DPA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt DPA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt DPA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt DPA T | Acceleration Time (LN, 20168-1) | | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt DPA FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt DPA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt DPA D | Diameter (SRT, M-02550) | | mm |
| Lt DPA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt DPA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt DPA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt DPA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| External Iliac Artery | Container : External Iliac Artery (SRT, T-46910) | | |
| Lt Dist EIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt EIA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Mid EIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox EIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist EIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid EIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox EIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt EIA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Dist EIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid EIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox EIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt EIA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Dist EIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid EIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox EIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt EIA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt EIA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Dist EIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid EIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox EIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist EIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid EIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt EIA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Prox EIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist EIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid EIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox EIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt EIA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Dist EIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid EIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox EIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt EIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt EIA T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Dist EIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid EIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox EIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt EIA FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Dist EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt EIA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt EIA D | Diameter (SRT, M-02550) | | mm |
| Lt Dist EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt EIA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt EIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist EIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | |
| Lt Mid EIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Prox EIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt EIA AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist EIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Mid EIA AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox EIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist EIA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid EIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Prox EIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | |
| Lt EIA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Dist EIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Mid EIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Prox EIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt EIA Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Dist EIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid EIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox EIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt EIA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Dist EIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid EIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox EIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt EIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Dist EIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid EIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox EIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt EIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Internal Iliac Artery | Container : Internal Iliac Artery (SRT, T-46740) | | |
| Lt Dist IIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt IIA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Mid IIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox IIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist IIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid IIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox IIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt IIA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Dist IIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid IIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox IIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt IIA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Dist IIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid IIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox IIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt IIA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt IIA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist IIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid IIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox IIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist IIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid IIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt IIA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Prox IIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist IIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid IIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox IIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt IIA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Dist IIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid IIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox IIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt IIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt IIA T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Dist IIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid IIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox IIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt IIA FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Dist IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt IIA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt IIA D | Diameter (SRT, M-02550) | | mm |
| Lt Dist IIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid IIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox IIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt IIA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist IIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid IIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox IIA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt IIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist IIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid IIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Prox IIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt IIA AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist IIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid IIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Prox IIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist IIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Mid IIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Prox IIA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt IIA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Dist IIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Mid IIA Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox IIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt IIA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist IIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid IIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox IIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt IIA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Dist IIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid IIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox IIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt IIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Dist IIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid IIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox IIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt IIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Peroneal Artery | Container : Peroneal Artery (SRT, T-47630) | | |
| Lt Dist Peroneal A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Peroneal A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Peroneal A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Peroneal A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Peroneal A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Peroneal A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Peroneal A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Peroneal A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Peroneal A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Peroneal A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Peroneal A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Peroneal A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Peroneal A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid Peroneal A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox Peroneal A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist Peroneal A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Peroneal A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Peroneal A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Peroneal A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Peroneal A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Peroneal A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Peroneal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Peroneal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Peroneal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Peroneal A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Peroneal A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Peroneal A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Peroneal A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid Peroneal A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox Peroneal A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist Peroneal A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Peroneal A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox Peroneal A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Peroneal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid Peroneal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox Peroneal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist Peroneal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Peroneal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Peroneal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Peroneal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Peroneal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Peroneal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Popliteal Artery | Container : Popliteal Artery (SRT, T-47500) | | |
| Lt Dist Pop A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Pop A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox Pop A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Pop A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Pop A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Pop A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Pop A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Pop A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Pop A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Pop A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Pop A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Pop A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Pop A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid Pop A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox Pop A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist Pop A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Pop A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Pop A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Pop A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Pop A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox Pop A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Pop A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Pop A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Pop A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Pop A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Pop A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Pop A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Mid Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Pop A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid Pop A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox Pop A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist Pop A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Pop A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Pop A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Pop A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Pop A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Pop A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Posterior Tibial Artery | Container : Posterior Tibial Artery (SRT, T-47600) | | |
| Lt Dist PTA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid PTA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox PTA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist PTA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid PTA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox PTA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Lt Dist PTA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid PTA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox PTA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist PTA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid PTA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox PTA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist PTA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid PTA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox PTA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist PTA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid PTA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox PTA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist PTA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid PTA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox PTA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist PTA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid PTA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox PTA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist PTA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid PTA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox PTA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist PTA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Lt Mid PTA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox PTA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist PTA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid PTA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox PTA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist PTA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid PTA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox PTA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Profunda Femoris Artery | Container : Profunda Femoris Artery (SRT, T-47440) | | |
| Lt Dist DFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt DFA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Mid DFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox DFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist DFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid DFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox DFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt DFA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Dist DFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid DFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox DFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Lt DFA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Dist DFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid DFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox DFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt DFA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt DFA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Dist DFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid DFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox DFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist DFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid DFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt DFA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Prox DFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist DFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid DFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox DFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt DFA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Dist DFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid DFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox DFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt DFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt DFA T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Dist DFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid DFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox DFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt DFA FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Dist DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt DFA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt DFA D | Diameter (SRT, M-02550) | | mm |
| Lt Dist DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt DFA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist DFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid DFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox DFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt DFA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Dist DFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid DFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox DFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt DFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Dist DFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid DFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox DFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt DFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Superficial Femoral Artery | Container : Superficial Femoral Artery (SRT, T-47403) | | |
| Lt Dist SFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid SFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox SFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist SFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid SFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox SFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist SFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid SFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox SFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist SFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid SFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox SFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist SFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid SFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox SFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist SFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid SFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox SFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist SFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid SFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox SFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist SFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid SFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox SFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist SFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid SFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox SFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist SFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid SFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox SFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist SFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid SFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox SFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Dist SFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid SFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox SFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist SFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid SFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox SFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist SFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid SFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox SFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Tibioperoneal Trunk | Container : Tibioperoneal Trunk (SRT, T-4704A) | | |
| Lt Dist T-P Trunk ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid T-P Trunk ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox T-P Trunk ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist T-P Trunk PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid T-P Trunk PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox T-P Trunk PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist T-P Trunk TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid T-P Trunk TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox T-P Trunk TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist T-P Trunk TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid T-P Trunk TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox T-P Trunk TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist T-P Trunk Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid T-P Trunk Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox T-P Trunk Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist T-P Trunk PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid T-P Trunk PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox T-P Trunk PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist T-P Trunk RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid T-P Trunk RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox T-P Trunk RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist T-P Trunk SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid T-P Trunk SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox T-P Trunk SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist T-P Trunk T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid T-P Trunk T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox T-P Trunk T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Lt Dist T-P Trunk FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid T-P Trunk FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox T-P Trunk FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist T-P Trunk FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid T-P Trunk FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox T-P Trunk FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist T-P Trunk D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid T-P Trunk D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox T-P Trunk D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist T-P Trunk D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid T-P Trunk D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox T-P Trunk D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist T-P Trunk A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid T-P Trunk A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox T-P Trunk A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist T-P Trunk D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid T-P Trunk D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox T-P Trunk D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist T-P Trunk TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid T-P Trunk TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox T-P Trunk TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Stent | Container : Stent (SRT, A-2550) | | |
| Lt Dist CFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Mid CFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Prox CFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Dist DFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Mid DFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Prox DFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Dist SFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | |
| Lt Mid SFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Prox SFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Dist Pop A Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Mid Pop A Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Prox Pop A Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Dist CIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Mid CIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Prox CIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Dist EIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid EIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Prox EIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Dist IIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Mid IIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Prox IIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Dist CFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Mid CFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Prox CFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Dist DFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Mid DFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, T-47440) | |
| Lt Prox DFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Dist SFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Mid SFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Prox SFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Dist Pop A Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Mid Pop A Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Prox Pop A Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Dist CIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Mid CIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Prox CIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | |
| Lt Dist EIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Mid EIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Prox EIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Dist IIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Mid IIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Prox IIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Dist CFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Mid CFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Prox CFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Dist DFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | |
| Lt Mid DFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Prox DFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Dist SFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Mid SFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Prox SFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Dist Pop A Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Mid Pop A Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Prox Pop A Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Dist CIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid CIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Prox CIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Dist EIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Mid EIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Prox EIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Dist IIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Mid IIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Prox IIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Dist CFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Mid CFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, T-47400) | |
| Lt Prox CFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Dist DFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Mid DFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Prox DFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Dist SFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Mid SFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Prox SFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Dist Pop A Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Mid Pop A Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Prox Pop A Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | |
| Lt Dist CIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Mid CIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Prox CIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Dist EIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Mid EIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Prox EIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Dist IIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Mid IIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Prox IIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Dist CFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | |
| Lt Mid CFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | m/s2 |
| Lt Prox CFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | m/s2 |
| Lt Dist DFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | m/s2 |
| Lt Mid DFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | m/s2 |
| Lt Prox DFA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist SFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | m/s2 |
| Lt Mid SFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | m/s2 |
| Lt Prox SFA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist Pop A Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Pop A Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | m/s2 |
| Lt Prox Pop A Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist CIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | m/s2 |
| Lt Mid CIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | m/s2 |
| Lt Prox CIA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist EIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | m/s2 |
| Lt Mid EIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | m/s2 |
| Lt Prox EIA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist IIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | m/s2 |
| Lt Mid IIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T- | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 46740) | |
| Lt Prox IIA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist CFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Lt Mid CFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Lt Prox CFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Lt Dist DFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Lt Mid DFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Lt Prox DFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Lt Dist SFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Lt Mid SFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Lt Prox SFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | |
| Lt Dist Pop A Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Lt Mid Pop A Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Lt Prox Pop A Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Lt Dist CIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Lt Mid CIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Lt Prox CIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Lt Dist EIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Lt Mid EIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Lt Prox EIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Lt Dist IIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | |
| Lt Mid IIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Lt Prox IIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Lt Dist CFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Lt Mid CFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Lt Prox CFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Lt Dist DFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Lt Mid DFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Lt Prox DFA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist SFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid SFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Lt Prox SFA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Pop A Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Lt Mid Pop A Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Lt Prox Pop A Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist CIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Lt Mid CIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Lt Prox CIA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist EIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Lt Mid EIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T- | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 46910) | |
| Lt Prox EIA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist IIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Lt Mid IIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Lt Prox IIA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist CFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Lt Mid CFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Lt Prox CFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Lt Dist DFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Lt Mid DFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Lt Prox DFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | |
| Lt Dist SFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Lt Mid SFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Lt Prox SFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Lt Dist Pop A Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Lt Mid Pop A Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Lt Prox Pop A Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Lt Dist CIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Lt Mid CIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Lt Prox CIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Lt Dist EIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | |
| Lt Mid EIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Lt Prox EIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Lt Dist IIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Lt Mid IIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Lt Prox IIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Lt Dist CFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | msec |
| Lt Mid CFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | msec |
| Lt Prox CFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | msec |
| Lt Dist DFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid DFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | msec |
| Lt Prox DFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | msec |
| Lt Dist SFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | msec |
| Lt Mid SFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | msec |
| Lt Prox SFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | msec |
| Lt Dist Pop A Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | msec |
| Lt Mid Pop A Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | msec |
| Lt Prox Pop A Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | msec |
| Lt Dist CIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | msec |
| Lt Mid CIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | T-46710) | |
| Lt Prox CIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | msec |
| Lt Dist EIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | msec |
| Lt Mid EIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | msec |
| Lt Prox EIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | msec |
| Lt Dist IIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | msec |
| Lt Mid IIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | msec |
| Lt Prox IIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | msec |
| Lt Dist CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | l/min |
| Lt Mid CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | l/min |
| Lt Prox CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | |
| Lt Dist CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | l/min |
| Lt Mid CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | l/min |
| Lt Prox CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | l/min |
| Lt Dist DFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | l/min |
| Lt Mid DFA Stent FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox DFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | l/min |
| Lt Dist DFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | l/min |
| Lt Mid DFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox DFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | l/min |
| Lt Dist SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | l/min |
| Lt Mid SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | l/min |
| Lt Prox SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | l/min |
| Lt Dist SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | l/min |
| Lt Mid SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | l/min |
| Lt Prox SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | l/min |
| Lt Dist Pop A Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Lt Mid Pop A Stent FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox Pop A Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Lt Dist Pop A Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Lt Mid Pop A Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Lt Prox Pop A Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Lt Dist CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Lt Mid CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Lt Prox CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Lt Dist CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Lt Mid CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | |
| Lt Prox CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Lt Dist EIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | l/min |
| Lt Mid EIA Stent FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox EIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | l/min |
| Lt Dist EIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | l/min |
| Lt Mid EIA Stent FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox EIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | l/min |
| Lt Dist IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |
| Lt Prox IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |
| Lt Dist IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |
| Lt Mid IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |
| Lt Prox IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |
| Lt Dist CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt Mid CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt Prox CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt Dist CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, T-47400) | |
| Lt Mid CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt Prox CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt Dist DFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Lt Mid DFA Stent D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox DFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Lt Dist DFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Lt Mid DFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Lt Prox DFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Lt Mid SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Lt Prox SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Lt Dist SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Lt Mid SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Lt Prox SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Lt Dist Pop A Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Lt Mid Pop A Stent D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Pop A Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist Pop A Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Lt Mid Pop A Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Lt Prox Pop A Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Lt Dist CIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt Mid CIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt Prox CIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt Dist CIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt Mid CIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt Prox CIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | |
| Lt Dist CIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Mid CIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Prox CIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist CIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Mid CIA Stent AP Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox CIA Stent AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | |
| Lt Dist CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Mid CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Prox CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Dist CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt Mid CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Prox CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | |
| Lt Dist EIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Lt Mid EIA Stent D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox EIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Lt Dist EIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Lt Mid EIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Lt Prox EIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Lt Dist EIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Mid EIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 46910)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | |
| Lt Prox EIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist EIA Stent AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Lt Mid EIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Prox EIA Stent AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Mid EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | |
| Lt Prox EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Dist EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Mid EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Dist IIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Lt Mid IIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Lt Prox IIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | |
| Lt Dist IIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Lt Mid IIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Lt Prox IIA Stent D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist IIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Mid IIA Stent AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox IIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist IIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Mid IIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Posterior (DCM, 122675) | |
| Lt Prox IIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Dist IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Mid IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Prox IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Dist IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Lt Mid IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt Prox IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | |
| Lt Dist CFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm2 |
| Lt Mid CFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm2 |
| Lt Prox CFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm2 |
| Lt Dist DFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm2 |
| Lt Mid DFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm2 |
| Lt Prox DFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm2 |
| Lt Dist SFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm2 |
| Lt Mid SFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm2 |
| Lt Prox SFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | |
| Lt Dist Pop A Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm2 |
| Lt Mid Pop A Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm2 |
| Lt Prox Pop A Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm2 |
| Lt Dist CIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm2 |
| Lt Mid CIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm2 |
| Lt Prox CIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm2 |
| Lt Dist EIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm2 |
| Lt Mid EIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm2 |
| Lt Prox EIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist IIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm2 |
| Lt Mid IIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm2 |
| Lt Prox IIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm2 |
| Lt Dist CFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt Mid CFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt Prox CFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt Dist DFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Lt Mid DFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox DFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Lt Dist SFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, T-47403) | |
| Lt Mid SFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox SFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Lt Dist Pop A Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Lt Mid Pop A Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Pop A Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Lt Dist CIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt Mid CIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt Dist EIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Lt Mid EIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | |
| Lt Prox EIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Lt Dist IIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Lt Mid IIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox IIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Lt Dist CFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Mid CFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Prox CFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt Dist DFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Mid DFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Lt Prox DFA Stent TAmn | Time averaged mean velocity of Volume Flow | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | (99SIEMENS, VolFTAMn) | G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | |
| Lt Dist SFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Mid SFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Prox SFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Lt Dist Pop A Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Mid Pop A Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Prox Pop A Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt Dist CIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Mid CIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt Prox CIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist EIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Mid EIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Prox EIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Lt Dist IIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Mid IIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Lt Prox IIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Aneurysm | Container : Aneurysm (SRT, M-32200) | | |
| Lt Pop A Aneurysm ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt CIA Aneurysm ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt CIA Aneurysm (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Pop A Aneurysm PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt CIA Aneurysm PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt CIA Aneurysm (Post Repair) | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| PS | | T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Lt Pop A Aneurysm TAmn | Time averaged mean velocity (LN, 20352-1) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt CIA Aneurysm TAmn | Time averaged mean velocity (LN, 20352-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt CIA Aneurysm (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Pop A Aneurysm TAmx | Time averaged peak velocity (LN, 11692-1) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt CIA Aneurysm TAmx | Time averaged peak velocity (LN, 11692-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt CIA Aneurysm (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Pop A Aneurysm Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | m/s2 |
| Lt CIA Aneurysm Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | m/s2 |
| Lt CIA Aneurysm (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Lt Pop A Aneurysm PI | Pulsatility Index (LN, 12008-9) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Lt CIA Aneurysm PI | Pulsatility Index (LN, 12008-9) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Lt CIA Aneurysm (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Pop A Aneurysm RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Lt CIA Aneurysm RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | T-46710) | |
| Lt CIA Aneurysm (Post Repair) RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Pop A Aneurysm SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Lt CIA Aneurysm SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Lt CIA Aneurysm (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Pop A Aneurysm T | Acceleration Time (LN, 20168-1) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | msec |
| Lt CIA Aneurysm T | Acceleration Time (LN, 20168-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | msec |
| Lt CIA Aneurysm (Post Repair) T | Acceleration Time (LN, 20168-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Lt Pop A Aneurysm FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Lt Pop A Aneurysm FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Lt CIA Aneurysm FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Lt CIA Aneurysm FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Lt CIA Aneurysm (Post Repair) FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Lt CIA Aneurysm (Post Repair) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Lt Pop A Aneurysm D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Lt Pop A Aneurysm D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Lt Pop A Aneurysm AP D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Pop A Aneurysm AP D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt Pop A Aneurysm Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Lt Pop A Aneurysm Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt CIA Aneurysm D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt CIA Aneurysm D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt CIA Aneurysm AP Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt CIA Aneurysm AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Posterior (DCM, 122675) | |
| Lt CIA Aneurysm Trans Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt CIA Aneurysm Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Lt CIA Aneurysm (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt CIA Aneurysm (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt CIA Aneurysm AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Lt CIA Aneurysm AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt CIA Aneurysm Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt CIA Aneurysm Trans Diam | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| (Post Repair) D | | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Lt Pop A Aneurysm A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm2 |
| Lt CIA Aneurysm A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm2 |
| Lt CIA Aneurysm (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Lt Pop A Aneurysm D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Lt CIA Aneurysm D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Lt CIA Aneurysm (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Pop A Aneurysm TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Lt CIA Aneurysm TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Lt CIA Aneurysm (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Pseudoaneurysm | Container : Pseudoaneurysm (SRT, M-32390) | | |
| Lt CFA Pseudoaneurysm PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Lt CFA Pseudoaneurysm D1 D | Distance 1 (99SIEMENS, Distance1) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt CFA Pseudoaneurysm D1 D | Distance 1 (99SIEMENS, Distance1) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt CFA Pseudoaneurysm D2 D | Distance 2 (99SIEMENS, Distance2) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt CFA Pseudoaneurysm D2 D | Distance 2 (99SIEMENS, Distance2) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt CFA Pseudoaneurysm D3 D | Distance 3 (99SIEMENS, Distance3) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Lt CFA Pseudoaneurysm D3 D | Distance 3 (99SIEMENS, Distance3) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |

### 10.2.5 Right Artery of Lower Extremity

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| **Right Artery of Lower Extremity** | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Artery of Lower Extremity (SRT, T-47040)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Common Iliac Artery | Container : Common Iliac Artery (SRT, T-46710) | | |
| Rt Dist CIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt CIA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid CIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist CIA (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt CIA (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Mid CIA (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Prox CIA (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| Rt Dist CIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt CIA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Dist CIA (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Mid CIA (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Prox CIA (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt CIA (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Dist CIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt CIA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Dist CIA (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Mid CIA (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Prox CIA (Post Repair) | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| TAmn | | G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Rt CIA (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Dist CIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt CIA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Dist CIA (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Mid CIA (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Prox CIA (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt CIA (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt CIA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Dist CIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid CIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox CIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt CIA (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Rt Dist CIA (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| Rt Mid CIA (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Rt Prox CIA (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Rt Dist CIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid CIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt CIA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Prox CIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist CIA (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Mid CIA (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt CIA (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Prox CIA (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist CIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid CIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox CIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt CIA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Dist CIA (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Rt Mid CIA (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Prox CIA (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt CIA (Post Repair) RI | Resistivity Index (LN, 12023-8) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Dist CIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid CIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox CIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt CIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Dist CIA (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Mid CIA (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Prox CIA (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt CIA (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt CIA T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Dist CIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid CIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Rt Prox CIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt CIA (Post Repair) T | Acceleration Time (LN, 20168-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Rt Dist CIA (Post Repair) T | Acceleration Time (LN, 20168-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid CIA (Post Repair) T | Acceleration Time (LN, 20168-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox CIA (Post Repair) T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Rt Dist CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt CIA FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Dist CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox CIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt CIA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Rt Prox CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Rt CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Rt Dist CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Rt Mid CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Rt Prox CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Rt CIA (Post Repair) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Rt CIA D | Diameter (SRT, M-02550) | | mm |
| Rt Dist CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt CIA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Mid CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox CIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt CIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Dist CIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Mid CIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Prox CIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt CIA AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Dist CIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Mid CIA AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Posterior (DCM, 122675) | |
| Rt Dist CIA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid CIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Prox CIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt CIA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Dist CIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Mid CIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Prox CIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt CIA Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt CIA (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Dist CIA (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| Rt Mid CIA (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Prox CIA (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt CIA (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Dist CIA (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Mid CIA (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CIA (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Dist CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Mid CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | |
| Rt Prox CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Dist CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Mid CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CIA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Dist CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Transverse | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Rt Mid CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Prox CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Dist CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Mid CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| Rt CIA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Dist CIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid CIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox CIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt CIA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Dist CIA (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Rt Mid CIA (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Rt Prox CIA (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Rt CIA (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Rt Dist CIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid CIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt CIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Dist CIA (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid CIA (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Prox CIA (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt CIA (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Dist CIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt CIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Rt Dist CIA (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Mid CIA (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Prox CIA (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt CIA (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Anterior Tibial Artery | Container : Anterior Tibial Artery (SRT, T-47700) | | |
| Rt Dist ATA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ATA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ATA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Rt Dist ATA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ATA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ATA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist ATA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ATA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ATA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist ATA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ATA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ATA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist ATA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid ATA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox ATA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist ATA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid ATA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox ATA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist ATA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid ATA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox ATA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist ATA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid ATA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox ATA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist ATA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid ATA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox ATA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox ATA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist ATA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ATA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ATA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist ATA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid ATA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Prox ATA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist ATA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid ATA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox ATA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist ATA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ATA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ATA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist ATA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ATA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ATA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Common Femoral Artery | Container : Common Femoral Artery (SRT, T-47400) | | |
| Rt Dist CFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt CFA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid CFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist CFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt CFA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Dist CFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt CFA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Dist CFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt CFA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt CFA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Dist CFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid CFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox CFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist CFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid CFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt CFA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Prox CFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist CFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid CFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox CFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt CFA RI | Resistivity Index (LN, 12023-8) | | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist CFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid CFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox CFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt CFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt CFA T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Dist CFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid CFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox CFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt CFA FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Dist CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox CFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt CFA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt CFA D | Diameter (SRT, M-02550) | | mm |
| Rt Dist CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt CFA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox CFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist CFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid CFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox CFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt CFA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Dist CFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid CFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt CFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Dist CFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt CFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Dorsalis Pedis Artery | Container : Dorsalis Pedis Artery (SRT, T-47741) | | |
| Rt DPA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt DPA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt DPA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt DPA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt DPA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt DPA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt DPA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt DPA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt DPA T | Acceleration Time (LN, 20168-1) | | msec |
| Rt DPA FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt DPA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt DPA D | Diameter (SRT, M-02550) | | mm |
| Rt DPA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt DPA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt DPA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt DPA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| External Iliac Artery | Container : External Iliac Artery (SRT, T-46910) | | |
| Rt Dist EIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt EIA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid EIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox EIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist EIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid EIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox EIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt EIA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Dist EIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid EIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox EIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt EIA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Dist EIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid EIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox EIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt EIA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt EIA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Dist EIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid EIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox EIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist EIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid EIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt EIA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Prox EIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist EIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid EIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox EIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt EIA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Dist EIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid EIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox EIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt EIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt EIA T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Dist EIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid EIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox EIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt EIA FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Dist EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox EIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt EIA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt EIA D | Diameter (SRT, M-02550) | | mm |
| Rt Dist EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt EIA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox EIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt EIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Dist EIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid EIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Prox EIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt EIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist EIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Mid EIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox EIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist EIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Mid EIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Prox EIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt EIA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Dist EIA Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid EIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Prox EIA Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt EIA Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Dist EIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid EIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox EIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt EIA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Dist EIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid EIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox EIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt EIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Dist EIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid EIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox EIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt EIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Internal Iliac Artery | Container : Internal Iliac Artery (SRT, T-46740) | | |
| Rt Dist IIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt IIA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid IIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox IIA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist IIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid IIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox IIA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt IIA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Dist IIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid IIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox IIA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt IIA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Dist IIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid IIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox IIA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt IIA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt IIA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Dist IIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid IIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox IIA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist IIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid IIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt IIA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Prox IIA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist IIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid IIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox IIA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt IIA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Dist IIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid IIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox IIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt IIA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt IIA T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Dist IIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid IIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox IIA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt IIA FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Dist IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox IIA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt IIA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt IIA D | Diameter (SRT, M-02550) | | mm |
| Rt Dist IIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid IIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox IIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt IIA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist IIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid IIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Prox IIA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt IIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Dist IIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid IIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Prox IIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt IIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist IIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Mid IIA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox IIA AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Dist IIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | |
| Rt Mid IIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Prox IIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt IIA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Dist IIA Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid IIA Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Prox IIA Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt IIA Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Dist IIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid IIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox IIA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt IIA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Dist IIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid IIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox IIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt IIA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Dist IIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid IIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox IIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt IIA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Peroneal Artery | Container : Peroneal Artery (SRT, T-47630) | | |
| Rt Dist Peroneal A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Peroneal A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Peroneal A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Peroneal A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Peroneal A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Peroneal A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Peroneal A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Peroneal A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Peroneal A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Peroneal A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Peroneal A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox Peroneal A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Peroneal A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid Peroneal A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox Peroneal A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist Peroneal A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Peroneal A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Peroneal A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Peroneal A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Peroneal A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Peroneal A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Peroneal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Peroneal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Peroneal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Peroneal A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Peroneal A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Peroneal A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Peroneal A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid Peroneal A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox Peroneal A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Rt Dist Peroneal A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Peroneal A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Peroneal A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Peroneal A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Peroneal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid Peroneal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox Peroneal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist Peroneal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Peroneal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Peroneal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Peroneal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Peroneal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Peroneal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Popliteal Artery | Container : Popliteal Artery (SRT, T-47500) | | |
| Rt Dist Pop A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Pop A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Pop A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Pop A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Pop A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Pop A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Pop A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Pop A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Pop A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Pop A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Pop A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Pop A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Pop A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid Pop A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox Pop A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Pop A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Pop A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Pop A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Pop A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Pop A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Pop A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Pop A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Pop A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Pop A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Pop A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Pop A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Pop A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Pop A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Dist Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Pop A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Pop A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid Pop A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox Pop A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist Pop A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Pop A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Pop A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Pop A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Pop A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Pop A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Posterior Tibial Artery | Container : Posterior Tibial Artery (SRT, T-47600) | | |
| Rt Dist PTA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid PTA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox PTA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist PTA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid PTA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox PTA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist PTA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid PTA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox PTA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist PTA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid PTA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox PTA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist PTA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid PTA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox PTA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist PTA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid PTA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox PTA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist PTA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid PTA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox PTA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist PTA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid PTA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox PTA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist PTA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid PTA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox PTA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox PTA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox PTA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist PTA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid PTA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox PTA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist PTA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid PTA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox PTA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist PTA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid PTA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox PTA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Profunda Femoris Artery | Container : Profunda Femoris Artery (SRT, T-47440) | | |
| Rt Dist DFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt DFA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid DFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox DFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist DFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid DFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox DFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt DFA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Dist DFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid DFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox DFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt DFA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Dist DFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid DFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox DFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt DFA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt DFA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Dist DFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid DFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox DFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist DFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid DFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt DFA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Prox DFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist DFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid DFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox DFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt DFA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Dist DFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid DFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox DFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt DFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt DFA T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Dist DFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid DFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox DFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt DFA FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Dist DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox DFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt DFA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt DFA D | Diameter (SRT, M-02550) | | mm |
| Rt Dist DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt DFA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox DFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist DFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid DFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox DFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt DFA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Dist DFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid DFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox DFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt DFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Dist DFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid DFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox DFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt DFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Superficial Femoral Artery | Container : Superficial Femoral Artery (SRT, T-47403) | | |
| Rt Dist SFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid SFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox SFA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist SFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid SFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox SFA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist SFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid SFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox SFA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist SFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid SFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox SFA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist SFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid SFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox SFA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist SFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid SFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox SFA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist SFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid SFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox SFA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist SFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid SFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox SFA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist SFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid SFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox SFA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist SFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid SFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox SFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist SFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid SFA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox SFA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox SFA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist SFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid SFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox SFA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist SFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid SFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox SFA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist SFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid SFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox SFA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Tibioperoneal Trunk | Container : Tibioperoneal Trunk (SRT, T-4704A) | | |
| Rt Dist T-P Trunk ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid T-P Trunk ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox T-P Trunk ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist T-P Trunk PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid T-P Trunk PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox T-P Trunk PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist T-P Trunk TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid T-P Trunk TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox T-P Trunk TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist T-P Trunk TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid T-P Trunk TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox T-P Trunk TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist T-P Trunk Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid T-P Trunk Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox T-P Trunk Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist T-P Trunk PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid T-P Trunk PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox T-P Trunk PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist T-P Trunk RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid T-P Trunk RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox T-P Trunk RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist T-P Trunk SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid T-P Trunk SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox T-P Trunk SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist T-P Trunk T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid T-P Trunk T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox T-P Trunk T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist T-P Trunk FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid T-P Trunk FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox T-P Trunk FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist T-P Trunk FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid T-P Trunk FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox T-P Trunk FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist T-P Trunk D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid T-P Trunk D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox T-P Trunk D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist T-P Trunk D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid T-P Trunk D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox T-P Trunk D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist T-P Trunk A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid T-P Trunk A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox T-P Trunk A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist T-P Trunk D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid T-P Trunk D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox T-P Trunk D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist T-P Trunk TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid T-P Trunk TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox T-P Trunk TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Stent | Container : Stent (SRT, A-2550) | | |
| Rt Dist CFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Rt Mid CFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Rt Dist DFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid DFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox DFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Dist SFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Mid SFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox SFA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Dist Pop A Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt Mid Pop A Stent ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Pop A Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt Dist CIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Mid CIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Rt Prox CIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Dist EIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Mid EIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox EIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Dist IIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Rt Mid IIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox IIA Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Rt Dist CFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Rt Mid CFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | |
| Rt Dist DFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Mid DFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox DFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Dist SFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Mid SFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox SFA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Dist Pop A Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt Mid Pop A Stent PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Pop A Stent PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist CIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | |
| Rt Mid CIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Dist EIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Mid EIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox EIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Dist IIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Rt Mid IIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox IIA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Rt Dist CFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid CFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Rt Prox CFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Rt Dist DFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Mid DFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Prox DFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Dist SFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Mid SFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Prox SFA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Dist Pop A Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt Mid Pop A Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 47500) | |
| Rt Prox Pop A Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt Dist CIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Mid CIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Prox CIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Dist EIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Mid EIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Prox EIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Dist IIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Rt Mid IIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Rt Prox IIA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | |
| Rt Dist CFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Rt Mid CFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Rt Prox CFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Rt Dist DFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Mid DFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Prox DFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Dist SFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Mid SFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Prox SFA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Dist Pop A Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | |
| Rt Mid Pop A Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt Prox Pop A Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt Dist CIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Mid CIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Prox CIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Dist EIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Mid EIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Prox EIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Dist IIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid IIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Rt Prox IIA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Rt Dist CFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | m/s2 |
| Rt Mid CFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | m/s2 |
| Rt Prox CFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | m/s2 |
| Rt Dist DFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | m/s2 |
| Rt Mid DFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | m/s2 |
| Rt Prox DFA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist SFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | m/s2 |
| Rt Mid SFA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, T-47403) | |
| Rt Prox SFA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist Pop A Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | m/s2 |
| Rt Mid Pop A Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | m/s2 |
| Rt Prox Pop A Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist CIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | m/s2 |
| Rt Mid CIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | m/s2 |
| Rt Prox CIA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist EIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | m/s2 |
| Rt Mid EIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | m/s2 |
| Rt Prox EIA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | |
| Rt Dist IIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | m/s2 |
| Rt Mid IIA Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | m/s2 |
| Rt Prox IIA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist CFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Rt Mid CFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Rt Prox CFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Rt Dist DFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Rt Mid DFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Rt Prox DFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Rt Dist SFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | |
| Rt Mid SFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Rt Prox SFA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Rt Dist Pop A Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Rt Mid Pop A Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Rt Prox Pop A Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Rt Dist CIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Rt Mid CIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Rt Prox CIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Rt Dist EIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid EIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Rt Prox EIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Rt Dist IIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Rt Mid IIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Rt Prox IIA Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Rt Dist CFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Rt Mid CFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Rt Prox CFA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist DFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Rt Mid DFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, T-47440) | |
| Rt Prox DFA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist SFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Rt Mid SFA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Rt Prox SFA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Pop A Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Rt Mid Pop A Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Rt Prox Pop A Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist CIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Rt Mid CIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Rt Prox CIA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | |
| Rt Dist EIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Rt Mid EIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Rt Prox EIA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist IIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Rt Mid IIA Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Rt Prox IIA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist CFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Rt Mid CFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Rt Prox CFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | unitless |
| Rt Dist DFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | |
| Rt Mid DFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Rt Prox DFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | unitless |
| Rt Dist SFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Rt Mid SFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Rt Prox SFA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | unitless |
| Rt Dist Pop A Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Rt Mid Pop A Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Rt Prox Pop A Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Rt Dist CIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid CIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Rt Prox CIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Rt Dist EIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Rt Mid EIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Rt Prox EIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | unitless |
| Rt Dist IIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Rt Mid IIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Rt Prox IIA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | unitless |
| Rt Dist CFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | msec |
| Rt Mid CFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, T-47400) | |
| Rt Prox CFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | msec |
| Rt Dist DFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | msec |
| Rt Mid DFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | msec |
| Rt Prox DFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | msec |
| Rt Dist SFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | msec |
| Rt Mid SFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | msec |
| Rt Prox SFA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | msec |
| Rt Dist Pop A Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | msec |
| Rt Mid Pop A Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | msec |
| Rt Prox Pop A Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | |
| Rt Dist CIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | msec |
| Rt Mid CIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | msec |
| Rt Prox CIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | msec |
| Rt Dist EIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | msec |
| Rt Mid EIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | msec |
| Rt Prox EIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | msec |
| Rt Dist IIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | msec |
| Rt Mid IIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | msec |
| Rt Prox IIA Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | msec |
| Rt Dist CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | |
| Rt Mid CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | l/min |
| Rt Prox CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | l/min |
| Rt Dist CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | l/min |
| Rt Mid CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | l/min |
| Rt Prox CFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | l/min |
| Rt Dist DFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | l/min |
| Rt Mid DFA Stent FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox DFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | l/min |
| Rt Dist DFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | |
| Rt Mid DFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | l/min |
| Rt Prox DFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | l/min |
| Rt Dist SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | l/min |
| Rt Mid SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | l/min |
| Rt Prox SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | l/min |
| Rt Dist SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | l/min |
| Rt Mid SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | l/min |
| Rt Prox SFA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | |
| Rt Dist Pop A Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Rt Mid Pop A Stent FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox Pop A Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Rt Dist Pop A Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Rt Mid Pop A Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Rt Prox Pop A Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Rt Dist CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Rt Mid CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Rt Prox CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | |
| Rt Dist CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Rt Mid CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Rt Prox CIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Rt Dist EIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | l/min |
| Rt Mid EIA Stent FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox EIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | l/min |
| Rt Dist EIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | l/min |
| Rt Mid EIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox EIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | l/min |
| Rt Dist IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |
| Rt Mid IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |
| Rt Prox IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |
| Rt Dist IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |
| Rt Mid IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |
| Rt Prox IIA Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | l/min |
| Rt Dist CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Rt Mid CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, T-47400) | |
| Rt Prox CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Rt Dist CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Rt Mid CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Rt Prox CFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Rt Dist DFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Rt Mid DFA Stent D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox DFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Rt Dist DFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Rt Mid DFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | |
| Rt Prox DFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Rt Dist SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Rt Mid SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Rt Prox SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Rt Dist SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Rt Mid SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Rt Prox SFA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Rt Dist Pop A Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Pop A Stent D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Pop A Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Rt Dist Pop A Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Rt Mid Pop A Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Rt Prox Pop A Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Rt Dist CIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt Mid CIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt Prox CIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt Dist CIA Stent D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Mid CIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt Prox CIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt Dist CIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Mid CIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Prox CIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Dist CIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Mid CIA Stent AP Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Prox CIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Dist CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Mid CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Prox CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Dist CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt Mid CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | |
| Rt Prox CIA Stent Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist EIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Rt Mid EIA Stent D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox EIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Rt Dist EIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Rt Mid EIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Rt Prox EIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Rt Dist EIA Stent AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | |
| Rt Mid EIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Prox EIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Dist EIA Stent AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Rt Mid EIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Prox EIA Stent AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | |
| Rt Mid EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Prox EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Dist EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Mid EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox EIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Dist IIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | |
| Rt Mid IIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Rt Prox IIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Rt Dist IIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Rt Mid IIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Rt Prox IIA Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Rt Dist IIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Mid IIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Prox IIA Stent AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | |
| Rt Dist IIA Stent AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Rt Mid IIA Stent AP Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox IIA Stent AP Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Mid IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Prox IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | |
| Rt Dist IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Rt Mid IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt Prox IIA Stent Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist CFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm2 |
| Rt Mid CFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm2 |
| Rt Prox CFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm2 |
| Rt Dist DFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | |
| Rt Mid DFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm2 |
| Rt Prox DFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist SFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm2 |
| Rt Mid SFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm2 |
| Rt Prox SFA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist Pop A Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm2 |
| Rt Mid Pop A Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm2 |
| Rt Prox Pop A Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist CIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid CIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm2 |
| Rt Prox CIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist EIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm2 |
| Rt Mid EIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm2 |
| Rt Prox EIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist IIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm2 |
| Rt Mid IIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm2 |
| Rt Prox IIA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist CFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Rt Mid CFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, T-47400) | |
| Rt Prox CFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Rt Dist DFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Rt Mid DFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Rt Prox DFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | mm |
| Rt Dist SFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Rt Mid SFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Rt Prox SFA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | mm |
| Rt Dist Pop A Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Rt Mid Pop A Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Rt Prox Pop A Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | |
| Rt Dist CIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt Mid CIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt Prox CIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt Dist EIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Rt Mid EIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Rt Prox EIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | mm |
| Rt Dist IIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Rt Mid IIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Rt Prox IIA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | mm |
| Rt Dist CFA Stent TAmn | Time averaged mean velocity of Volume Flow | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | (99SIEMENS, VolFTAMn) | A119)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | |
| Rt Mid CFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Rt Prox CFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Rt Dist DFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Mid DFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Prox DFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Profunda Femoris Artery (SRT, T-47440) | cm/s |
| Rt Dist SFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Mid SFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Prox SFA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Superficial Femoral Artery (SRT, T-47403) | cm/s |
| Rt Dist Pop A Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Pop A Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt Prox Pop A Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt Dist CIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Mid CIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Prox CIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Dist EIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Mid EIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Prox EIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): External Iliac Artery (SRT, T-46910) | cm/s |
| Rt Dist IIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Rt Mid IIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 46740) | |
| Rt Prox IIA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Finding Site (SRT, G-C0E3): Internal Iliac Artery (SRT, T-46740) | cm/s |
| Aneurysm | Container : Aneurysm (SRT, M-32200) | | |
| Rt Pop A Aneurysm ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt CIA Aneurysm ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt CIA Aneurysm (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt Pop A Aneurysm PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt CIA Aneurysm PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt CIA Aneurysm (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Pop A Aneurysm TAmn | Time averaged mean velocity (LN, 20352-1) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt CIA Aneurysm TAmn | Time averaged mean velocity (LN, 20352-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt CIA Aneurysm (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Pop A Aneurysm TAmx | Time averaged peak velocity (LN, 11692-1) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt CIA Aneurysm TAmx | Time averaged peak velocity (LN, 11692-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt CIA Aneurysm (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Pop A Aneurysm Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | m/s2 |
| Rt CIA Aneurysm Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | m/s2 |
| Rt CIA Aneurysm (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Rt Pop A Aneurysm PI | Pulsatility Index (LN, 12008-9) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Rt CIA Aneurysm PI | Pulsatility Index (LN, 12008-9) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Rt CIA Aneurysm (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Pop A Aneurysm RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Rt CIA Aneurysm RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Rt CIA Aneurysm (Post Repair) RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Pop A Aneurysm SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | unitless |
| Rt CIA Aneurysm SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | unitless |
| Rt CIA Aneurysm (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Pop A Aneurysm T | Acceleration Time (LN, 20168-1) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | msec |
| Rt CIA Aneurysm T | Acceleration Time (LN, 20168-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | msec |
| Rt CIA Aneurysm (Post Repair) T | Acceleration Time (LN, 20168-1) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Rt Pop A Aneurysm FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Rt Pop A Aneurysm FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | l/min |
| Rt CIA Aneurysm FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Rt CIA Aneurysm FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | l/min |
| Rt CIA Aneurysm (Post Repair) FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Rt CIA Aneurysm (Post Repair) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Rt Pop A Aneurysm D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Rt Pop A Aneurysm D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Rt Pop A Aneurysm AP D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Pop A Aneurysm AP D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt Pop A Aneurysm Trans Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500)<br>Measurement Orientation (DCM, 125105): Transverse | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A117) | |
| Rt Pop A Aneurysm Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Rt CIA Aneurysm D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt CIA Aneurysm D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt CIA Aneurysm AP Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt CIA Aneurysm AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Rt CIA Aneurysm Trans Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Rt CIA Aneurysm Trans Diam D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt CIA Aneurysm (Post Repair) D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt CIA Aneurysm (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt CIA Aneurysm AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt CIA Aneurysm AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt CIA Aneurysm Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt CIA Aneurysm Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Pop A Aneurysm A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm2 |
| Rt CIA Aneurysm A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm2 |
| Rt CIA Aneurysm (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Rt Pop A Aneurysm D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | mm |
| Rt CIA Aneurysm D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | mm |
| Rt CIA Aneurysm (Post Repair) | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| D | | T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Rt Pop A Aneurysm TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Finding Site (SRT, G-C0E3): Popliteal Artery (SRT, T-47500) | cm/s |
| Rt CIA Aneurysm TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710) | cm/s |
| Rt CIA Aneurysm (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Finding Site (SRT, G-C0E3): Common Iliac Artery (SRT, T-46710)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Pseudoaneurysm | Container : Pseudoaneurysm (SRT, M-32390) | | |
| Rt CFA Pseudoaneurysm PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | cm/s |
| Rt CFA Pseudoaneurysm D1 D | Distance 1 (99SIEMENS, Distance1) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Rt CFA Pseudoaneurysm D1 D | Distance 1 (99SIEMENS, Distance1) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Rt CFA Pseudoaneurysm D2 D | Distance 2 (99SIEMENS, Distance2) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Rt CFA Pseudoaneurysm D2 D | Distance 2 (99SIEMENS, Distance2) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt CFA Pseudoaneurysm D3 D | Distance 3 (99SIEMENS, Distance3) | Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |
| Rt CFA Pseudoaneurysm D3 D | Distance 3 (99SIEMENS, Distance3) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Common Femoral Artery (SRT, T-47400) | mm |

### 10.2.6 Left Vein of Lower Extremity

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Vein of Lower Extremity | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vein of Lower Extremity (SRT, T-49403)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Anterior Tibial Vein | Container : Anterior Tibial Vein (SRT, T-49630) | Anatomic Identifier (DCM, 112050): Vein 1 | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist ATV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ATV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ATV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist ATV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid ATV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox ATV 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Mid ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Common Femoral Vein | Container : Common Femoral Vein (SRT, G-035B) | | |
| Lt Dist CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CFV Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Dist CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt CFV Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt CFV D | Diameter (SRT, M-02550) | | mm |
| Lt Dist CFV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid CFV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CFV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt CFV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist CFV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid CFV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox CFV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt CFV T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt Dist CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt CFV T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Common Iliac Vein | Container : Common Iliac Vein (SRT, T-48920) | | |
| Lt Dist CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Lt Dist CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Dist CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt CIV D | Diameter (SRT, M-02550) | | mm |
| Lt Dist CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt CIV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Dist CIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid CIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox CIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt CIV T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt Dist CIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid CIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox CIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt CIV T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| External Iliac Vein | Container : External Iliac Vein (SRT, T-48930) | | |
| Lt Dist EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Lt Dist EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt EIV Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Dist EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt EIV Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt EIV D | Diameter (SRT, M-02550) | | mm |
| Lt Dist EIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid EIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox EIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt EIV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist EIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid EIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox EIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt EIV T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt Dist EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt EIV T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Gastrocnemius Vein | Container : Gastrocnemius Vein (SRT, T-4942D) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Lt Dist Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Lt Mid Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Lt Prox Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Lt Dist Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Mid Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Dist Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Lat Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | mm |
| Lt Mid Lat Gastroc V1 D | Diameter (SRT, M-02550) | Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Lat Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | mm |
| Lt Dist Med Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Lt Mid Med Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Lt Prox Med Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | |
| Lt Dist Lat Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Lat Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Lat Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Med Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Med Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Med Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |
| Lt Mid Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |
| Lt Prox Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |
| Lt Dist Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Lt Prox Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Lt Dist Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Dist Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Great Saphenous Vein | Container : Great Saphenous Vein (SRT, T-49530) | Finding Site (SRT, G-C0E3): Knee (SRT, T-D9200) | |
| Lt GSV: Knee Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt GSV: Knee Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt GSV: Knee D | Diameter (SRT, M-02550) | | mm |
| Lt GSV: Knee D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt GSV: Knee T | Reflux Time (99SIEMENS, RefluxTime) | | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt GSV: Knee T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Great Saphenous Vein of Thigh | Container : Great Saphenous Vein of Thigh (SRT, R-10259) | | |
| Lt GSV: Lower Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | cm/s |
| Lt GSV: Mid Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | cm/s |
| Lt GSV: Upper Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | cm/s |
| Lt GSV: Lower Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt GSV: Mid Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt GSV: Upper Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt GSV: Lower Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | mm |
| Lt GSV: Mid Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | mm |
| Lt GSV: Upper Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | mm |
| Lt GSV: Lower Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt GSV: Mid Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt GSV: Upper Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt GSV: Lower Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | msec |
| Lt GSV: Mid Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | msec |
| Lt GSV: Upper Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G- | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A116) | |
| Lt GSV: Lower Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt GSV: Mid Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt GSV: Upper Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Great Saphenous Vein of Calf | Container : Great Saphenous Vein of Calf (SRT, R-1025A) | | |
| Lt GSV: Lower Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | cm/s |
| Lt GSV: Mid Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | cm/s |
| Lt GSV: Upper Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | cm/s |
| Lt GSV: Lower Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt GSV: Mid Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt GSV: Upper Calf Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | cm/s |
| Lt GSV: Lower Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | mm |
| Lt GSV: Mid Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | mm |
| Lt GSV: Upper Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | mm |
| Lt GSV: Lower Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt GSV: Mid Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt GSV: Upper Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt GSV: Lower Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | msec |
| Lt GSV: Mid Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | msec |
| Lt GSV: Upper Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | msec |
| Lt GSV: Lower Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt GSV: Mid Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt GSV: Upper Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lesser Saphenous Vein | Container : Lesser Saphenous Vein (SRT, T-49550) | Finding Site (SRT, G-C0E3): Calf of leg (SRT, T-D9440) | |
| Lt SSV: Lower Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | cm/s |
| Lt SSV: Mid Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | cm/s |
| Lt SSV: Upper Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | cm/s |
| Lt SSV: Lower Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt SSV: Mid Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt SSV: Upper Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt SSV: Lower Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt SSV: Mid Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | mm |
| Lt SSV: Upper Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | mm |
| Lt SSV: Lower Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt SSV: Mid Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt SSV: Upper Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt SSV: Lower Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | msec |
| Lt SSV: Mid Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | msec |
| Lt SSV: Upper Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | msec |
| Lt SSV: Lower Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt SSV: Mid Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt SSV: Upper Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Peroneal Vein | Container : Peroneal Vein (SRT, T-49640) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Lt Dist Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Mid Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Popliteal Vein | Container : Popliteal Vein (SRT, T-49650) | | |
| Lt Dist Pop V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Pop V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Pop V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Pop V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Pop V Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Pop V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Posterior Tibial Vein | Container : Posterior Tibial Vein (SRT, T-49620) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Lt Dist PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Profunda Femoris Vein | Container : Profunda Femoris Vein (SRT, T-49660) | | |
| Lt Dist Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Deep Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Deep Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox Deep Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Deep Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Deep Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Deep Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Saphenofemoral Junction | Container : Saphenofemoral Junction (SRT, T-D930A) | | |
| Lt SFJ Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt SFJ Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt SFJ D | Diameter (SRT, M-02550) | | mm |
| Lt SFJ D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt SFJ T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt SFJ T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Soleal Vein | Container : Soleal Vein (SRT, G-036B) | | |
| Lt Soleus V Vel | Blood velocity, peak (DCM, 122207) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Soleus V Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Soleus V D | Diameter (SRT, M-02550) | | mm |
| Lt Soleus V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Soleus V T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt Soleus V T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Internal Iliac Vein | Container : Internal Iliac Vein (SRT, T-48940) | | |
| Lt Dist IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Lt Dist IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Dist IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt IIV D | Diameter (SRT, M-02550) | | mm |
| Lt Dist IIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid IIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox IIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt IIV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist IIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid IIV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox IIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt IIV T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt Dist IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt IIV T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Saphenopopliteal Junction | Container : Saphenopopliteal Junction (SRT, T-4941A) | | |
| Lt SPJ Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt SPJ Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt SPJ D | Diameter (SRT, M-02550) | | mm |
| Lt SPJ D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt SPJ T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt SPJ T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Hunterian perforating Vein | Container : Hunterian perforating Vein (SRT, T-4942A) | | |
| Lt Hunterian Perf Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Hunterian Perf Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Hunterian Perf D | Diameter (SRT, M-02550) | | mm |
| Lt Hunterian Perf D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Hunterian Perf T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt Hunterian Perf T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Cockett's perforating Vein | Container : Cockett's perforating Vein (SRT, T-49426) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Lt Cockett's Perf 1 Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Cockett's Perf 1 Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Cockett's Perf 1 D | Diameter (SRT, M-02550) | | mm |
| Lt Cockett's Perf 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Cockett's Perf 1 T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt Cockett's Perf 1 T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Boyd's perforating Vein | Container : Boyd's perforating Vein (SRT, T-49424) | | |
| Lt Boyd's Perf Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Boyd's Perf Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Boyd's Perf D | Diameter (SRT, M-02550) | | mm |
| Lt Boyd's Perf D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Boyd's Perf T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt Boyd's Perf T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Anterior Tibial Vein | Container : Anterior Tibial Vein (SRT, T-49630) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Lt Dist ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist ATV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ATV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ATV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist ATV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid ATV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox ATV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Gastrocnemius Vein | Container : Gastrocnemius Vein (SRT, T-4942D) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Lt Dist Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Lt Mid Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Lt Prox Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Lt Dist Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Mid Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Prox Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Dist Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Lat Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | mm |
| Lt Mid Lat Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | mm |
| Lt Prox Lat Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | mm |
| Lt Dist Med Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Lt Mid Med Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Lt Prox Med Gastroc V2 D | Diameter (SRT, M-02550) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Lat Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Lat Gastroc V2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | |
| Lt Prox Lat Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Med Gastroc V2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Lt Mid Med Gastroc V2 D | Diameter (SRT, M-02550) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Med Gastroc V2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Lt Dist Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |
| Lt Mid Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |
| Lt Prox Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |
| Lt Dist Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Lt Mid Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Lt Prox Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Lt Dist Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Mid Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Dist Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Peroneal Vein | Container : Peroneal Vein (SRT, T-49640) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Lt Dist Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Dist Peroneal V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Peroneal V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Peroneal V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Peroneal V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Peroneal V2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Peroneal V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Posterior Tibial Vein | Container : Posterior Tibial Vein (SRT, T-49620) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Lt Dist PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Lt Dist PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Mid PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Cockett's perforating Vein | Container : Cockett's perforating Vein (SRT, T-49426) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Lt Cockett's Perf 2 Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Cockett's Perf 2 Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Cockett's Perf 2 D | Diameter (SRT, M-02550) | | mm |
| Lt Cockett's Perf 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Cockett's Perf 2 T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt Cockett's Perf 2 T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Great Saphenous Vein | Container : Great Saphenous Vein (SRT, T-49530) | Finding Site (SRT, G-C0E3): Ankle (SRT, T-15750) | |
| Lt GSV: Ankle Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt GSV: Ankle Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt GSV: Ankle D | Diameter (SRT, M-02550) | | mm |
| Lt GSV: Ankle D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt GSV: Ankle T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt GSV: Ankle T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Cockett's perforating Vein | Container : Cockett's perforating Vein (SRT, T-49426) | Anatomic Identifier (DCM, 112050): Vein 3 | |
| Lt Cockett's Perf 3 Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Cockett's Perf 3 Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Cockett's Perf 3 D | Diameter (SRT, M-02550) | | mm |
| Lt Cockett's Perf 3 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Cockett's Perf 3 T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt Cockett's Perf 3 T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lesser Saphenous Vein | Container : Lesser Saphenous Vein (SRT, T-49550) | Finding Site (SRT, G-C0E3): Ankle (SRT, T-15750) | |
| Lt SSV: Ankle Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt SSV: Ankle Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt SSV: Ankle D | Diameter (SRT, M-02550) | | mm |
| Lt SSV: Ankle D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt SSV: Ankle T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt SSV: Ankle T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Femoral Vein | Container : Femoral Vein (SRT, T-49410) | | |
| Lt Dist Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Lt Mid Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Fem V Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Mid Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lt Prox Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Dodd Perforator | Container : Dodd Perforator (99SIEMENS, DoddPerforator) | | |
| Lt Dodd Perf Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Dodd Perf Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dodd Perf D | Diameter (SRT, M-02550) | | mm |
| Lt Dodd Perf D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dodd Perf T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Lt Dodd Perf T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |

### 10.2.7 Right Vein of Lower Extremity

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Vein of Lower Extremity | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vein of Lower Extremity (SRT, T-49403)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Anterior Tibial Vein | Container : Anterior Tibial Vein (SRT, T-49630) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Rt Dist ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox ATV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Dist ATV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ATV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ATV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist ATV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid ATV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox ATV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox ATV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Common Femoral Vein | Container : Common Femoral Vein (SRT, G-035B) | | |
| Rt Dist CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Rt CFV Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Dist CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox CFV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt CFV Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt CFV D | Diameter (SRT, M-02550) | | mm |
| Rt Dist CFV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid CFV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CFV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt CFV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist CFV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid CFV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox CFV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt CFV T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt Dist CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Mid CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox CFV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt CFV T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Common Iliac Vein | Container : Common Iliac Vein (SRT, T-48920) | | |
| Rt Dist CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Rt Dist CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt CIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Dist CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt CIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt CIV D | Diameter (SRT, M-02550) | | mm |
| Rt Dist CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt CIV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox CIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist CIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid CIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox CIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt CIV T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt Dist CIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid CIV T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox CIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt CIV T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| External Iliac Vein | Container : External Iliac Vein (SRT, T-48930) | | |
| Rt Dist EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Rt Dist EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt EIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt EIV Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Dist EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox EIV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt EIV Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt EIV D | Diameter (SRT, M-02550) | | mm |
| Rt Dist EIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid EIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox EIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt EIV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist EIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid EIV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox EIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt EIV T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt Dist EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox EIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt EIV T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Gastrocnemius Vein | Container : Gastrocnemius Vein (SRT, T-4942D) | Anatomic Identifier (DCM, 112050): Vein 1 | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Rt Mid Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Rt Prox Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Rt Dist Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Mid Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Prox Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Dist Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Lat Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox Med Gastroc V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Lat Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | mm |
| Rt Mid Lat Gastroc V1 D | Diameter (SRT, M-02550) | Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Lat Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | mm |
| Rt Dist Med Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Rt Mid Med Gastroc V1 D | Diameter (SRT, M-02550) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Med Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Rt Dist Lat Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Lat Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Lat Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Med Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Med Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Med Gastroc V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |
| Rt Mid Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |
| Rt Prox Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |
| Rt Dist Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Rt Prox Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Rt Dist Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox Lat Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Med Gastroc V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Great Saphenous Vein | Container : Great Saphenous Vein (SRT, T-49530) | Finding Site (SRT, G-C0E3): Knee (SRT, T-D9200) | |
| Rt GSV: Knee Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt GSV: Knee Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt GSV: Knee D | Diameter (SRT, M-02550) | | mm |
| Rt GSV: Knee D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt GSV: Knee T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt GSV: Knee T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Great Saphenous Vein of Thigh | Container : Great Saphenous Vein of Thigh (SRT, R-10259) | | |
| Rt GSV: Lower Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | cm/s |
| Rt GSV: Mid Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | cm/s |
| Rt GSV: Upper Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | cm/s |
| Rt GSV: Lower Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt GSV: Mid Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt GSV: Upper Thigh Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt GSV: Lower Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A115) | |
| Rt GSV: Mid Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | mm |
| Rt GSV: Upper Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | mm |
| Rt GSV: Lower Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt GSV: Mid Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt GSV: Upper Thigh D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt GSV: Lower Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | msec |
| Rt GSV: Mid Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | msec |
| Rt GSV: Upper Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | msec |
| Rt GSV: Lower Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt GSV: Mid Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt GSV: Upper Thigh T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Great Saphenous Vein of Calf | Container : Great Saphenous Vein of Calf (SRT, R-1025A) | | |
| Rt GSV: Lower Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | cm/s |
| Rt GSV: Mid Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | cm/s |
| Rt GSV: Upper Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | cm/s |
| Rt GSV: Lower Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt GSV: Mid Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt GSV: Upper Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt GSV: Lower Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | mm |
| Rt GSV: Mid Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | mm |
| Rt GSV: Upper Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | mm |
| Rt GSV: Lower Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt GSV: Mid Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt GSV: Upper Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt GSV: Lower Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | msec |
| Rt GSV: Mid Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | msec |
| Rt GSV: Upper Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | msec |
| Rt GSV: Lower Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt GSV: Mid Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt GSV: Upper Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lesser Saphenous Vein | Container : Lesser Saphenous Vein (SRT, T-49550) | Finding Site (SRT, G-C0E3): Calf of leg (SRT, T-D9440) | |
| Rt SSV: Lower Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | cm/s |
| Rt SSV: Mid Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | cm/s |
| Rt SSV: Upper Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | cm/s |
| Rt SSV: Lower Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt SSV: Mid Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt SSV: Upper Calf Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt SSV: Lower Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | mm |
| Rt SSV: Mid Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | mm |
| Rt SSV: Upper Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | mm |
| Rt SSV: Lower Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt SSV: Mid Calf D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt SSV: Upper Calf D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | mm |
| Rt SSV: Lower Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115) | msec |
| Rt SSV: Mid Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109) | msec |
| Rt SSV: Upper Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt SSV: Lower Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Lower (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt SSV: Mid Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Middle (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt SSV: Upper Calf T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Upper (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Peroneal Vein | Container : Peroneal Vein (SRT, T-49640) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Rt Dist Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Peroneal V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox Peroneal V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox Peroneal V1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Popliteal Vein | Container : Popliteal Vein (SRT, T-49650) | | |
| Rt Dist Pop V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Pop V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Pop V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Pop V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Pop V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Pop V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Rt Prox Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Pop V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox Pop V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Posterior Tibial Vein | Container : Posterior Tibial Vein (SRT, T-49620) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Rt Dist PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox PTV 1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox PTV 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox PTV 1 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Profunda Femoris Vein | Container : Profunda Femoris Vein (SRT, T-49660) | | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Deep Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Deep Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Deep Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Deep Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Deep Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Deep Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Deep Fem V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Mid Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox Deep Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Saphenofemoral Junction | Container : Saphenofemoral Junction (SRT, T-D930A) | | |
| Rt SFJ Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt SFJ Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt SFJ D | Diameter (SRT, M-02550) | | mm |
| Rt SFJ D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt SFJ T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt SFJ T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Soleal Vein | Container : Soleal Vein (SRT, G-036B) | | |
| Rt Soleus V Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Soleus V Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Soleus V D | Diameter (SRT, M-02550) | | mm |
| Rt Soleus V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Soleus V T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt Soleus V T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Internal Iliac Vein | Container : Internal Iliac Vein (SRT, T-48940) | | |
| Rt Dist IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Rt Dist IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt IIV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Dist IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt IIV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt IIV D | Diameter (SRT, M-02550) | | mm |
| Rt Dist IIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid IIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox IIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt IIV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist IIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid IIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox IIV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Dist IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt IIV T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt Dist IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox IIV T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt IIV T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Saphenopopliteal Junction | Container : Saphenopopliteal Junction (SRT, T-4941A) | | |
| Rt SPJ Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt SPJ Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt SPJ D | Diameter (SRT, M-02550) | | mm |
| Rt SPJ D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt SPJ T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt SPJ T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Hunterian perforating Vein | Container : Hunterian perforating Vein (SRT, T-4942A) | | |
| Rt Hunterian Perf Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Hunterian Perf Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Hunterian Perf D | Diameter (SRT, M-02550) | | mm |
| Rt Hunterian Perf D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Hunterian Perf T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt Hunterian Perf T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Cockett's perforating Vein | Container : Cockett's perforating Vein (SRT, T-49426) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Rt Cockett's Perf 1 Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Cockett's Perf 1 Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Cockett's Perf 1 D | Diameter (SRT, M-02550) | | mm |
| Rt Cockett's Perf 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Cockett's Perf 1 T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt Cockett's Perf 1 T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Boyd's perforating Vein | Container : Boyd's perforating Vein (SRT, T-49424) | | |
| Rt Boyd's Perf Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Boyd's Perf Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Boyd's Perf D | Diameter (SRT, M-02550) | | mm |
| Rt Boyd's Perf D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Boyd's Perf T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt Boyd's Perf T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Anterior Tibial Vein | Container : Anterior Tibial Vein (SRT, T-49630) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Rt Dist ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox ATV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist ATV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ATV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ATV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist ATV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid ATV 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ATV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox ATV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Gastrocnemius Vein | Container : Gastrocnemius Vein (SRT, T-4942D) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Rt Dist Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Rt Mid Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Rt Prox Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | cm/s |
| Rt Dist Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Mid Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Dist Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Lat Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Med Gastroc V2 Vel | Blood velocity, peak (DCM, 122207) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Lat Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | mm |
| Rt Mid Lat Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | mm |
| Rt Prox Lat Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | mm |
| Rt Dist Med Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | |
| Rt Mid Med Gastroc V2 D | Diameter (SRT, M-02550) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Med Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Rt Dist Lat Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Lat Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Lat Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Med Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Med Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Med Gastroc V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |
| Rt Mid Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104) | msec |
| Rt Dist Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Rt Mid Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Rt Prox Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Rt Dist Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox Lat Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Lateral (SRT, G-A104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Dist Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox Med Gastroc V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Peroneal Vein | Container : Peroneal Vein (SRT, T-49640) | Anatomic Identifier (DCM, 112050): Vein 2 | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Peroneal V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Peroneal V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Peroneal V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Peroneal V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Peroneal V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Peroneal V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Peroneal V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Mid Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox Peroneal V2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Posterior Tibial Vein | Container : Posterior Tibial Vein (SRT, T-49620) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Rt Dist PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox PTV 2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox PTV 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Dist PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox PTV 2 T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Cockett's perforating Vein | Container : Cockett's perforating Vein (SRT, T-49426) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Rt Cockett's Perf 2 Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Cockett's Perf 2 Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Cockett's Perf 2 D | Diameter (SRT, M-02550) | | mm |
| Rt Cockett's Perf 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Cockett's Perf 2 T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt Cockett's Perf 2 T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Great Saphenous Vein | Container : Great Saphenous Vein (SRT, T-49530) | Finding Site (SRT, G-C0E3): Ankle (SRT, T-15750) | |
| Rt GSV: Ankle Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt GSV: Ankle Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt GSV: Ankle D | Diameter (SRT, M-02550) | | mm |
| Rt GSV: Ankle D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt GSV: Ankle T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt GSV: Ankle T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Cockett's perforating Vein | Container : Cockett's perforating Vein (SRT, T-49426) | Anatomic Identifier (DCM, 112050): Vein 3 | |
| Rt Cockett's Perf 3 Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Cockett's Perf 3 Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Cockett's Perf 3 D | Diameter (SRT, M-02550) | | mm |
| Rt Cockett's Perf 3 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Cockett's Perf 3 T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt Cockett's Perf 3 T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Lesser Saphenous Vein | Container : Lesser Saphenous Vein (SRT, T-49550) | Finding Site (SRT, G-C0E3): Ankle (SRT, T-15750) | |
| Rt SSV: Ankle Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt SSV: Ankle Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt SSV: Ankle D | Diameter (SRT, M-02550) | | mm |
| Rt SSV: Ankle D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt SSV: Ankle T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt SSV: Ankle T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Femoral Vein | Container : Femoral Vein (SRT, T-49410) | | |
| Rt Dist Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Fem V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Prox Fem V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Mid Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Rt Prox Fem V T | Reflux Time (99SIEMENS, RefluxTime) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Dodd Perforator | Container : Dodd Perforator (99SIEMENS, DoddPerforator) | | |
| Rt Dodd Perf Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Dodd Perf Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dodd Perf D | Diameter (SRT, M-02550) | | mm |
| Rt Dodd Perf D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dodd Perf T | Reflux Time (99SIEMENS, RefluxTime) | | msec |
| Rt Dodd Perf T | Reflux Time (99SIEMENS, RefluxTime) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |

### 10.2.8 Left Artery of Upper Extremity

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Artery of Upper Extremity | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Artery of Upper Extremity (SRT, T-47020)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Axillary Artery | Container : Axillary Artery (SRT, T-47100) | | |
| Lt Dist Axillary A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Axillary A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Axillary A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Axillary A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Axillary A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Axillary A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Axillary A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Axillary A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Axillary A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Axillary A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Axillary A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Axillary A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Axillary A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid Axillary A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox Axillary A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist Axillary A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Axillary A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Axillary A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Axillary A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Axillary A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox Axillary A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Axillary A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Axillary A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Axillary A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Axillary A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Axillary A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Axillary A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Mid Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Axillary A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid Axillary A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox Axillary A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist Axillary A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Axillary A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Axillary A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Axillary A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Axillary A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Axillary A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Brachial Artery | Container : Brachial Artery (SRT, T-47160) | | |
| Lt Dist Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Lt Dist Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Radial Artery | Container : Radial Artery (SRT, T-47300) | | |
| Lt Dist Radial A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Radial A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Radial A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Radial A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Radial A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Radial A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Radial A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Radial A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Radial A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist Radial A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Radial A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Radial A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Radial A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid Radial A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox Radial A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist Radial A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Radial A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Radial A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Radial A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Radial A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Radial A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Radial A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Radial A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Radial A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Radial A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Radial A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Radial A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Lt Mid Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Radial A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid Radial A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox Radial A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist Radial A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Radial A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Radial A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Radial A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Radial A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Radial A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Subclavian Artery | Container : Subclavian Artery (SRT, T-46100) | | |
| Lt Dist Subclav A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Subclav A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Subclav A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Subclav A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Subclav A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Subclav A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Subclav A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Subclav A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Subclav A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Subclav A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Subclav A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Subclav A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Subclav A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Subclav A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox Subclav A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist Subclav A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Subclav A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Subclav A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Subclav A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Subclav A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Subclav A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Subclav A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Subclav A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Subclav A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Subclav A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Subclav A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Subclav A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Subclav A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid Subclav A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox Subclav A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist Subclav A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Subclav A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox Subclav A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist Subclav A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Subclav A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Subclav A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Subclav A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Subclav A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Subclav A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Subclav A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid Subclav A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox Subclav A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist Subclav A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Subclav A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Subclav A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Subclav A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Subclav A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox Subclav A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Ulnar Artery | Container : Ulnar Artery (SRT, T-47200) | | |
| Lt Dist Ulnar A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Ulnar A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Ulnar A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Ulnar A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Ulnar A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Ulnar A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Ulnar A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Ulnar A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Ulnar A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Ulnar A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Ulnar A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Ulnar A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Ulnar A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid Ulnar A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox Ulnar A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist Ulnar A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Ulnar A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox Ulnar A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Ulnar A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Ulnar A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Ulnar A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Ulnar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Ulnar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Ulnar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Ulnar A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Ulnar A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Ulnar A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Ulnar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid Ulnar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox Ulnar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist Ulnar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Ulnar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Ulnar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Ulnar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Ulnar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Ulnar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Stent | Container : Stent (SRT, A-2550) | | |
| Lt Dist UE Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Lt Dist UE Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist UE Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist UE Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist UE Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid UE Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox UE Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist UE Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid UE Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox UE Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist UE Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid UE Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox UE Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist UE Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid UE Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox UE Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist UE Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid UE Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox UE Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Prox UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist UE Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid UE Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox UE Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist UE Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid UE Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox UE Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist UE Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Arteriovenous Fistula | Container : Arteriovenous Fistula (SRT, M-39390) | | |
| Lt Dist AVF ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid AVF ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox AVF ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist AVF PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid AVF PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox AVF PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist AVF TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Lt Mid AVF TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox AVF TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist AVF TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid AVF TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox AVF TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist AVF Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid AVF Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox AVF Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist AVF PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid AVF PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox AVF PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist AVF RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid AVF RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox AVF RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist AVF SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid AVF SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox AVF SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist AVF T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid AVF T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox AVF T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist AVF D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid AVF D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox AVF D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist AVF D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid AVF D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox AVF D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist AVF A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid AVF A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox AVF A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist AVF D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid AVF D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox AVF D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist AVF TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid AVF TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox AVF TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Deep Brachial Artery | Container : Deep Brachial Artery (99SIEMENS, DeepBrachialA) | | |
| Lt Dist Deep Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Deep Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Deep Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Deep Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Deep Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Deep Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Deep Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Deep Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Deep Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Deep Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Deep Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Deep Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Deep Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid Deep Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox Deep Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist Deep Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Deep Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Deep Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Deep Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Deep Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Deep Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Deep Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Deep Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Deep Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Deep Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Deep Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Deep Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Deep Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid Deep Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox Deep Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist Deep Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Deep Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox Deep Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Deep Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Deep Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Deep Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| AVF Inflow Artery | Container : AVF Inflow Artery (99SIEMENS, AVFInflowArtery) | | |
| Lt Dist Inflow A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Inflow A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Inflow A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Inflow A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Inflow A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Inflow A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Inflow A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Inflow A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Inflow A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Inflow A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Inflow A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Inflow A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Inflow A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid Inflow A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox Inflow A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist Inflow A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Inflow A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Inflow A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Inflow A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Inflow A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Inflow A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Inflow A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Inflow A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Inflow A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist Inflow A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid Inflow A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Inflow A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist Inflow A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid Inflow A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox Inflow A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist Inflow A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Inflow A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox Inflow A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Inflow A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid Inflow A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox Inflow A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist Inflow A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Inflow A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Inflow A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Inflow A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Inflow A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Inflow A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| AVF Outflow Vein | Container : AVF Outflow Vein (99SIEMENS, AVFOutflowVein) | | |
| Lt Dist AVF Outflow V ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid AVF Outflow V ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox AVF Outflow V ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist AVF Outflow V PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid AVF Outflow V PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox AVF Outflow V PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist AVF Outflow V TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid AVF Outflow V TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox AVF Outflow V TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist AVF Outflow V TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid AVF Outflow V TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox AVF Outflow V TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist AVF Outflow V Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid AVF Outflow V Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox AVF Outflow V Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist AVF Outflow V PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid AVF Outflow V PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox AVF Outflow V PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Lt Dist AVF Outflow V RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid AVF Outflow V RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox AVF Outflow V RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist AVF Outflow V SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid AVF Outflow V SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox AVF Outflow V SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist AVF Outflow V T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid AVF Outflow V T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox AVF Outflow V T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist AVF Outflow V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid AVF Outflow V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox AVF Outflow V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist AVF Outflow V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid AVF Outflow V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox AVF Outflow V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist AVF Outflow V A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid AVF Outflow V A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox AVF Outflow V A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist AVF Outflow V D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid AVF Outflow V D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox AVF Outflow V D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist AVF Outflow V TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid AVF Outflow V TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox AVF Outflow V TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| AVF Arterial Anastomosis | Container : AVF Arterial Anastomosis (99SIEMENS, AVFArtAnast) | | |
| Lt AVF Art Anast ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt AVF Art Anast PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt AVF Art Anast TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt AVF Art Anast TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt AVF Art Anast Accel | Acceleration Index (LN, 20167-3) | | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt AVF Art Anast PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt AVF Art Anast RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt AVF Art Anast SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt AVF Art Anast T | Acceleration Time (LN, 20168-1) | | msec |
| Lt AVF Art Anast FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt AVF Art Anast FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt AVF Art Anast D | Diameter (SRT, M-02550) | | mm |
| Lt AVF Art Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt AVF Art Anast A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt AVF Art Anast D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt AVF Art Anast TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| AVF Venous Anastomosis | Container : AVF Venous Anastomosis (99SIEMENS, AVFVenAnast) | | |
| Lt AVF Venous Anast ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt AVF Venous Anast PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt AVF Venous Anast TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt AVF Venous Anast TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt AVF Venous Anast Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt AVF Venous Anast PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt AVF Venous Anast RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt AVF Venous Anast SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt AVF Venous Anast T | Acceleration Time (LN, 20168-1) | | msec |
| Lt AVF Venous Anast FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt AVF Venous Anast FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt AVF Venous Anast D | Diameter (SRT, M-02550) | | mm |
| Lt AVF Venous Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt AVF Venous Anast A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt AVF Venous Anast D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt AVF Venous Anast TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

### 10.2.9 Right Artery of Upper Extremity

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Artery of Upper Extremity | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Artery of Upper Extremity (SRT, T-47020)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Axillary Artery | Container : Axillary Artery (SRT, T-47100) | | |
| Rt Dist Axillary A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Axillary A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Axillary A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Axillary A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Axillary A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Axillary A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Axillary A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Axillary A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Axillary A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Axillary A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Axillary A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Axillary A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Axillary A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid Axillary A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox Axillary A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist Axillary A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Axillary A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Axillary A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Axillary A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Axillary A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Axillary A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Axillary A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Axillary A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Axillary A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Axillary A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Axillary A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Axillary A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Axillary A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Axillary A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Axillary A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid Axillary A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox Axillary A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist Axillary A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Axillary A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Axillary A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Axillary A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Axillary A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Axillary A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Brachial Artery | Container : Brachial Artery (SRT, T-47160) | | |
| Rt Dist Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Rt Prox Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Mid Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Innominate Artery | Container : Innominate Artery (SRT, T-46010) | | |
| Dist Innom A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Innom A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Mid Innom A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Innom A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Innom A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Innom A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Innom A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Innom A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Dist Innom A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Innom A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Innom A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Innom A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Innom A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Innom A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Innom A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Innom A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Dist Innom A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid Innom A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox Innom A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist Innom A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Innom A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Innom A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Prox Innom A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Innom A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Innom A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Innom A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Innom A RI | Resistivity Index (LN, 12023-8) | | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist Innom A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Innom A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Innom A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Innom A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Innom A T | Acceleration Time (LN, 20168-1) | | msec |
| Dist Innom A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid Innom A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox Innom A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Dist Innom A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid Innom A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox Innom A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Innom A FV | Volume Flow (LN, 33878-0) | | l/min |
| Dist Innom A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid Innom A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Prox Innom A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Innom A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Innom A D | Diameter (SRT, M-02550) | | mm |
| Dist Innom A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Innom A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Innom A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Innom A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Innom A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid Innom A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Innom A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Innom A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid Innom A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox Innom A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Innom A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Dist Innom A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Innom A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Innom A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Innom A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Dist Innom A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Innom A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Innom A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Innom A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Radial Artery | Container : Radial Artery (SRT, T-47300) | | |
| Rt Dist Radial A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Radial A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Radial A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Radial A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Radial A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Radial A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Radial A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Radial A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Radial A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Radial A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Radial A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Radial A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Radial A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid Radial A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox Radial A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist Radial A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Radial A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Radial A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Radial A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Radial A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Rt Prox Radial A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Radial A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Radial A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Radial A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Radial A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Radial A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Radial A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Radial A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Mid Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Radial A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Radial A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid Radial A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox Radial A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist Radial A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Radial A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Radial A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Radial A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Radial A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Radial A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Subclavian Artery | Container : Subclavian Artery (SRT, T-46100) | | |
| Rt Dist Subclav A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Subclav A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Subclav A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Subclav A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Subclav A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox Subclav A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Subclav A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Subclav A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Subclav A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Subclav A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Subclav A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Subclav A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Subclav A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid Subclav A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox Subclav A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist Subclav A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Subclav A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Subclav A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Subclav A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Subclav A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Subclav A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Subclav A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Subclav A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Subclav A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Rt Dist Subclav A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Subclav A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Subclav A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Subclav A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid Subclav A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox Subclav A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist Subclav A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Subclav A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Subclav A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist Subclav A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Subclav A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Subclav A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Subclav A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Subclav A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Subclav A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Subclav A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid Subclav A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox Subclav A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist Subclav A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Subclav A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Subclav A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Subclav A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Subclav A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Subclav A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Ulnar Artery | Container : Ulnar Artery (SRT, T-47200) | | |
| Rt Dist Ulnar A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Ulnar A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Ulnar A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Ulnar A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Ulnar A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Ulnar A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Ulnar A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Ulnar A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Ulnar A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Ulnar A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Ulnar A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Ulnar A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Ulnar A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid Ulnar A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox Ulnar A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist Ulnar A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Ulnar A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Ulnar A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Ulnar A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Ulnar A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Ulnar A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Ulnar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Ulnar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Ulnar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Ulnar A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Ulnar A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Ulnar A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Ulnar A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Ulnar A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Ulnar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid Ulnar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox Ulnar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist Ulnar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Ulnar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Ulnar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Ulnar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Ulnar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Ulnar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Stent | Container : Stent (SRT, A-2550) | | |
| Rt Dist UE Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Stent ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Stent PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid UE Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox UE Stent Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist UE Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid UE Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox UE Stent PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist UE Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid UE Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox UE Stent RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist UE Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid UE Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox UE Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist UE Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid UE Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox UE Stent T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox UE Stent FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox UE Stent D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist UE Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid UE Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox UE Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist UE Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid UE Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox UE Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist UE Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox UE Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Arteriovenous Fistula | Container : Arteriovenous Fistula (SRT, M-39390) | | |
| Rt Dist AVF ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid AVF ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox AVF ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist AVF PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid AVF PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox AVF PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist AVF TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid AVF TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox AVF TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist AVF TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid AVF TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox AVF TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist AVF Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid AVF Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox AVF Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist AVF PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid AVF PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox AVF PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist AVF RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid AVF RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox AVF RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist AVF SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid AVF SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox AVF SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist AVF T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid AVF T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox AVF T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox AVF FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist AVF D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid AVF D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox AVF D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist AVF D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid AVF D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox AVF D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist AVF A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid AVF A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox AVF A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist AVF D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid AVF D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox AVF D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist AVF TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid AVF TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox AVF TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Deep Brachial Artery | Container : Deep Brachial Artery (99SIEMENS, DeepBrachialA) | | |
| Rt Dist Deep Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Deep Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox Deep Brach A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Deep Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Deep Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Deep Brach A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Deep Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Deep Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Deep Brach A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Deep Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Deep Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Deep Brach A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Deep Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid Deep Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox Deep Brach A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist Deep Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Deep Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Deep Brach A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Deep Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Deep Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Deep Brach A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Rt Dist Deep Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Deep Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Deep Brach A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Deep Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Deep Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Deep Brach A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Deep Brach A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Deep Brach A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Deep Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid Deep Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox Deep Brach A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist Deep Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Deep Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Deep Brach A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Deep Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Deep Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Deep Brach A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| AVF Inflow Artery | Container : AVF Inflow Artery (99SIEMENS, AVFInflowArtery) | | |
| Rt Dist Inflow A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Inflow A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Inflow A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Inflow A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Inflow A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Inflow A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Inflow A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Inflow A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Inflow A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Inflow A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Inflow A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Inflow A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Inflow A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid Inflow A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox Inflow A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist Inflow A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Inflow A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Inflow A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Inflow A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Inflow A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Inflow A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Inflow A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Inflow A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Inflow A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist Inflow A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid Inflow A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Inflow A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist Inflow A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid Inflow A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox Inflow A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist Inflow A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Inflow A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Inflow A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Inflow A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Inflow A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Inflow A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox Inflow A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist Inflow A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Inflow A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Inflow A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Inflow A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Inflow A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Inflow A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| AVF Outflow Vein | Container : AVF Outflow Vein (99SIEMENS, AVFOutflowVein) | | |
| Rt Dist AVF Outflow V ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid AVF Outflow V ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox AVF Outflow V ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist AVF Outflow V PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid AVF Outflow V PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox AVF Outflow V PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist AVF Outflow V TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid AVF Outflow V TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox AVF Outflow V TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist AVF Outflow V TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid AVF Outflow V TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox AVF Outflow V TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist AVF Outflow V Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid AVF Outflow V Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox AVF Outflow V Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist AVF Outflow V PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid AVF Outflow V PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox AVF Outflow V PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist AVF Outflow V RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid AVF Outflow V RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox AVF Outflow V RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist AVF Outflow V SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid AVF Outflow V SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox AVF Outflow V SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist AVF Outflow V T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid AVF Outflow V T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox AVF Outflow V T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox AVF Outflow V FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist AVF Outflow V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid AVF Outflow V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox AVF Outflow V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist AVF Outflow V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid AVF Outflow V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox AVF Outflow V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist AVF Outflow V A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid AVF Outflow V A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox AVF Outflow V A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist AVF Outflow V D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid AVF Outflow V D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Rt Prox AVF Outflow V D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist AVF Outflow V TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid AVF Outflow V TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox AVF Outflow V TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| AVF Arterial Anastomosis | Container : AVF Arterial Anastomosis (99SIEMENS, AVFArtAnast) | | |
| Rt AVF Art Anast ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt AVF Art Anast PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt AVF Art Anast TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt AVF Art Anast TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt AVF Art Anast Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt AVF Art Anast PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt AVF Art Anast RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt AVF Art Anast SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt AVF Art Anast T | Acceleration Time (LN, 20168-1) | | msec |
| Rt AVF Art Anast FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt AVF Art Anast FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt AVF Art Anast D | Diameter (SRT, M-02550) | | mm |
| Rt AVF Art Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt AVF Art Anast A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt AVF Art Anast D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt AVF Art Anast TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| AVF Venous Anastomosis | Container : AVF Venous Anastomosis (99SIEMENS, AVFVenAnast) | | |
| Rt AVF Venous Anast ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt AVF Venous Anast PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt AVF Venous Anast TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt AVF Venous Anast TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt AVF Venous Anast Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt AVF Venous Anast PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt AVF Venous Anast RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt AVF Venous Anast SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt AVF Venous Anast T | Acceleration Time (LN, 20168-1) | | msec |
| Rt AVF Venous Anast FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt AVF Venous Anast FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt AVF Venous Anast D | Diameter (SRT, M-02550) | | mm |
| Rt AVF Venous Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt AVF Venous Anast A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt AVF Venous Anast D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt AVF Venous Anast TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

### 10.2.10 Left Vein of Upper Extremity

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Vein of Upper Extremity | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vein of Upper Extremity (SRT, T-49103)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Axillary Vein | Container : Axillary Vein (SRT, T-49110) | | |
| Lt Dist Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist Axillary V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Axillary V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Axillary V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Axillary V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Axillary V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Axillary V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Basilic Vein | Container : Basilic Vein (SRT, T-48052) | | |
| Lt Dist Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Basilic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Basilic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Basilic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist Basilic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Basilic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Basilic V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Brachial Vein | Container : Brachial Vein (SRT, T-49350) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Lt Dist Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Cephalic Vein | Container : Cephalic Vein (SRT, T-49240) | | |
| Lt Dist Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Innominate Vein | Container : Innominate Vein (SRT, T-48620) | | |
| Lt Dist Innom V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Innom V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Innom V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Innom V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Innom V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Innom V Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Internal Jugular Vein | Container : Internal Jugular Vein (SRT, T-48170) | | |
| Lt Dist IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt IJV Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Dist IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Mid IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt IJV Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt IJV D | Diameter (SRT, M-02550) | | mm |
| Lt Dist IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt IJV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Radial Vein | Container : Radial Vein (SRT, T-49340) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Lt Dist Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Prox Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Subclavian Vein | Container : Subclavian Vein (SRT, T-48330) | | |
| Lt Dist Subclav V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Subclav V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Subclav V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Subclav V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Subclav V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Subclav V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Lt Mid Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ulnar Vein | Container : Ulnar Vein (SRT, T-49330) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Lt Dist Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Ulnar V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Ulnar V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Ulnar V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Ulnar V1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | |
| Lt Mid Ulnar V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Ulnar V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Brachial Vein | Container : Brachial Vein (SRT, T-49350) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Lt Dist Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Brachial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Brachial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Brachial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Brachial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Brachial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Brachial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Radial Vein | Container : Radial Vein (SRT, T-49340) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Lt Dist Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ulnar Vein | Container : Ulnar Vein (SRT, T-49330) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Lt Dist Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.2.11 Right Vein of Upper Extremity

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Vein of Upper Extremity | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vein of Upper Extremity (SRT, T-49103)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Axillary Vein | Container : Axillary Vein (SRT, T-49110) | | |
| Rt Dist Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Axillary V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Axillary V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Axillary V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Axillary V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Axillary V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Axillary V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Axillary V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Basilic Vein | Container : Basilic Vein (SRT, T-48052) | | |
| Rt Dist Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Mid Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Basilic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Basilic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Basilic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Basilic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Basilic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Basilic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Basilic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Brachial Vein | Container : Brachial Vein (SRT, T-49350) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Rt Dist Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Brachial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Dist Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Brachial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Cephalic Vein | Container : Cephalic Vein (SRT, T-49240) | | |
| Rt Dist Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Cephalic V Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Rt Dist Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Cephalic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Innominate Vein | Container : Innominate Vein (SRT, T-48620) | | |
| Rt Dist Innom V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Innom V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Innom V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Innom V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Innom V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Innom V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Prox Innom V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Internal Jugular Vein | Container : Internal Jugular Vein (SRT, T-48170) | | |
| Rt Dist IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt IJV Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Dist IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox IJV Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt IJV Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt IJV D | Diameter (SRT, M-02550) | | mm |
| Rt Dist IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt IJV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox IJV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Radial Vein | Container : Radial Vein (SRT, T-49340) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Rt Dist Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Radial V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Radial V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Subclavian Vein | Container : Subclavian Vein (SRT, T-48330) | | |
| Rt Dist Subclav V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Subclav V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Subclav V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Subclav V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Subclav V Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Subclav V Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Subclav V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ulnar Vein | Container : Ulnar Vein (SRT, T-49330) | Anatomic Identifier (DCM, 112050): Vein 1 | |
| Rt Dist Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Mid Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Ulnar V1 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Ulnar V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Ulnar V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Ulnar V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Ulnar V1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Ulnar V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Ulnar V1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Brachial Vein | Container : Brachial Vein (SRT, T-49350) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Rt Dist Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Brachial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Dist Brachial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Brachial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Brachial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Brachial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Brachial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Brachial V2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Radial Vein | Container : Radial Vein (SRT, T-49340) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Rt Dist Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Radial V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Rt Dist Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Radial V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ulnar Vein | Container : Ulnar Vein (SRT, T-49330) | Anatomic Identifier (DCM, 112050): Vein 2 | |
| Rt Dist Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Ulnar V2 Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Prox Ulnar V2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.2.12 Left Vascular Structure of Kidney

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Vascular Structure of Kidney | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vascular Structure of Kidney (SRT, T-71019)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt RA/Suprarenal Ao | Renal Artery/Suprarenal Aorta velocity ratio (99SIEMENS, RAOverSuprAoVel) | | unitless |
| Lt ARA/Suprarenal Ao | Accessory Renal Artery/Suprarenal Aorta velocity ratio (99SIEMENS, ARAOverSuprAoVel) | | unitless |
| Renal Artery | Container : Renal Artery (SRT, T-46600) | | |
| Lt Dist Main RA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Main RA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Main RA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Main RA Origin ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Lt Main RA Origin (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Dist Main RA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Main RA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Main RA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Main RA Origin PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Lt Main RA Origin (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Lt Dist Main RA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Main RA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Main RA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Main RA Origin TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Lt Main RA Origin (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Dist Main RA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Main RA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Main RA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Main RA Origin TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Lt Main RA Origin (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Lt Dist Main RA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid Main RA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox Main RA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Main RA Origin Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | m/s2 |
| Lt Main RA Origin (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist Main RA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Main RA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Main RA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Main RA Origin PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Lt Main RA Origin (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Lt Dist Main RA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Main RA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Main RA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Main RA Origin RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Lt Main RA Origin (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Dist Main RA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid Main RA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox Main RA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Main RA Origin SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Lt Main RA Origin (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Lt Dist Main RA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Main RA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox Main RA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Main RA Origin T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | msec |
| Lt Main RA Origin (Post Repair) T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Lt Dist Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Main RA Origin FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | l/min |
| Lt Dist Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Main RA Origin FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | l/min |
| Lt Main RA Origin (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Lt Main RA Origin (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| Lt Dist Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Main RA Origin D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Lt Dist Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Main RA Origin D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Main RA Origin (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Lt Main RA Origin (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Main RA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid Main RA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox Main RA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Main RA Origin A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Main RA Origin (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Lt Dist Main RA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Main RA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Main RA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Main RA Origin D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Lt Main RA Origin (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Lt Dist Main RA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Main RA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Main RA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Main RA Origin TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Lt Main RA Origin (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Segmental Artery | Container : Segmental Artery (SRT, T-46659) | | |
| Lt Inf Segmental A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Segmental A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Segmental A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Segmental A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Segmental A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Segmental A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Segmental A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Segmental A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Segmental A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Segmental A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Segmental A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Segmental A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Segmental A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | m/s2 |
| Lt Mid Segmental A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | m/s2 |
| Lt Sup Segmental A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | m/s2 |
| Lt Inf Segmental A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Lt Mid Segmental A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Lt Sup Segmental A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Lt Inf Segmental A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Lt Mid Segmental A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Lt Sup Segmental A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Lt Inf Segmental A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Lt Mid Segmental A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Lt Sup Segmental A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Lt Inf Segmental A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | msec |
| Lt Mid Segmental A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Lt Sup Segmental A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | msec |
| Lt Inf Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | l/min |
| Lt Mid Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | l/min |
| Lt Sup Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | l/min |
| Lt Inf Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Sup Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Inf Segmental A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm2 |
| Lt Mid Segmental A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm2 |
| Lt Sup Segmental A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm2 |
| Lt Inf Segmental A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Segmental A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Lt Sup Segmental A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | mm |
| Lt Inf Segmental A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Segmental A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Segmental A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Arcuate Artery of the Kidney | Container : Arcuate Artery of the Kidney (SRT, T-4668A) | | |
| Lt Inf Arcuate A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Arcuate A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Arcuate A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Arcuate A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Arcuate A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Arcuate A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Arcuate A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Arcuate A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Arcuate A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Arcuate A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Arcuate A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Arcuate A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Arcuate A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | m/s2 |
| Lt Mid Arcuate A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | m/s2 |
| Lt Sup Arcuate A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | m/s2 |
| Lt Inf Arcuate A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Lt Mid Arcuate A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Lt Sup Arcuate A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Lt Inf Arcuate A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Lt Mid Arcuate A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Lt Sup Arcuate A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Lt Inf Arcuate A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Lt Mid Arcuate A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Lt Sup Arcuate A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Inf Arcuate A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | msec |
| Lt Mid Arcuate A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Lt Sup Arcuate A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | msec |
| Lt Inf Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | l/min |
| Lt Mid Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | l/min |
| Lt Sup Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | l/min |
| Lt Inf Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Sup Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Inf Arcuate A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm2 |
| Lt Mid Arcuate A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm2 |
| Lt Sup Arcuate A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm2 |
| Lt Inf Arcuate A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | mm |
| Lt Mid Arcuate A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Lt Sup Arcuate A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | mm |
| Lt Inf Arcuate A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Arcuate A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Arcuate A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Interlobar Artery of Kidney | Container : Interlobar Artery of Kidney (SRT, T-4667D) | | |
| Lt Inf Interlobar A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Interlobar A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Interlobar A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Interlobar A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Interlobar A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Interlobar A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Interlobar A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Interlobar A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Sup Interlobar A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Interlobar A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Interlobar A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Interlobar A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Lt Inf Interlobar A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | m/s2 |
| Lt Mid Interlobar A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | m/s2 |
| Lt Sup Interlobar A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | m/s2 |
| Lt Inf Interlobar A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Lt Mid Interlobar A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Lt Sup Interlobar A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Lt Inf Interlobar A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Lt Mid Interlobar A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Lt Sup Interlobar A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Lt Inf Interlobar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Lt Mid Interlobar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Lt Sup Interlobar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Lt Inf Interlobar A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | msec |
| Lt Mid Interlobar A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Lt Sup Interlobar A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | msec |
| Lt Inf Interlobar A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | l/min |
| Lt Mid Interlobar A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | l/min |
| Lt Sup Interlobar A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | l/min |
| Lt Inf Interlobar A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Interlobar A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | l/min |
| Lt Sup Interlobar A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Inf Interlobar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm2 |
| Lt Mid Interlobar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm2 |
| Lt Sup Interlobar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm2 |
| Lt Inf Interlobar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | mm |
| Lt Mid Interlobar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Sup Interlobar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | mm |
| Lt Inf Interlobar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Lt Mid Interlobar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Lt Sup Interlobar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Accessory Renal Artery | Container : Accessory Renal Artery (SRT, T-46640) | | |
| Lt Dist ARA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ARA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ARA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt ARA Origin ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Lt Dist ARA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ARA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ARA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt ARA Origin PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Lt Dist ARA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ARA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ARA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt ARA Origin TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Lt Dist ARA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ARA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ARA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Lt ARA Origin TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Lt Dist ARA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid ARA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox ARA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt ARA Origin Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | m/s2 |
| Lt Dist ARA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid ARA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox ARA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt ARA Origin PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Lt Dist ARA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid ARA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox ARA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt ARA Origin RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Lt Dist ARA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid ARA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox ARA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt ARA Origin SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Lt Dist ARA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid ARA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox ARA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt ARA Origin T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | msec |
| Lt Dist ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt ARA Origin FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | l/min |
| Lt Dist ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt ARA Origin FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | l/min |
| Lt Dist ARA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ARA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ARA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt ARA Origin D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Lt Dist ARA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid ARA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox ARA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt ARA Origin D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Lt Dist ARA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid ARA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox ARA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt ARA Origin A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm2 |
| Lt Dist ARA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid ARA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox ARA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt ARA Origin D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Lt Dist ARA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid ARA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox ARA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt ARA Origin TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Renal Vein | Container : Renal Vein (SRT, T-48740) | | |
| Lt Dist Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Dist Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Mid Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Prox Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Prox Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Stent | Container : Stent (SRT, A-2550) | | |
| Lt RA Stent ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm/s |
| Lt RA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm/s |
| Lt RA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm/s |
| Lt RA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm/s |
| Lt RA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | m/s2 |
| Lt RA Stent PI | Pulsatility Index (LN, 12008-9) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | unitless |
| Lt RA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | unitless |
| Lt RA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | unitless |
| Lt RA Stent T | Acceleration Time (LN, 20168-1) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | msec |
| Lt RA Stent FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | l/min |
| Lt RA Stent FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | l/min |
| Lt RA Stent D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | mm |
| Lt RA Stent D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | mm |
| Lt RA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm2 |
| Lt RA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | mm |
| Lt RA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm/s |

### 10.2.13 Right Vascular Structure of Kidney

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Vascular Structure of Kidney | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vascular Structure of Kidney (SRT, T-71019)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt RA/Suprarenal Ao | Renal Artery/Suprarenal Aorta velocity ratio (99SIEMENS, RAOverSuprAoVel) | | unitless |
| Rt ARA/Suprarenal Ao | Accessory Renal Artery/Suprarenal Aorta velocity ratio | | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | (99SIEMENS, ARAOverSuprAoVel) | | |
| Renal Artery | Container : Renal Artery (SRT, T-46600) | | |
| Rt Dist Main RA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Main RA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Main RA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Main RA Origin ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Rt Main RA Origin (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Dist Main RA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Main RA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Main RA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Main RA Origin PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Rt Main RA Origin (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Dist Main RA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Main RA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Main RA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Main RA Origin TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Rt Main RA Origin (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Main RA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Main RA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Main RA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Main RA Origin TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Rt Main RA Origin (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Rt Dist Main RA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid Main RA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox Main RA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Main RA Origin Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | m/s2 |
| Rt Main RA Origin (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Rt Dist Main RA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Main RA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Main RA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Main RA Origin PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Rt Main RA Origin (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Dist Main RA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Main RA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Main RA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Main RA Origin RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Rt Main RA Origin (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Dist Main RA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid Main RA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox Main RA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Main RA Origin SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Rt Main RA Origin (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Rt Dist Main RA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid Main RA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox Main RA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Main RA Origin T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | msec |
| Rt Main RA Origin (Post Repair) T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Rt Dist Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Main RA Origin FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | l/min |
| Rt Dist Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Main RA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Main RA Origin FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Main RA Origin (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Rt Main RA Origin (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Rt Dist Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Main RA Origin D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Rt Dist Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Prox Main RA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Main RA Origin D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Main RA Origin (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Main RA Origin (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Rt Dist Main RA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid Main RA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox Main RA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Main RA Origin A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm2 |
| Rt Main RA Origin (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Rt Dist Main RA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Main RA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Main RA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Main RA Origin D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Rt Main RA Origin (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Rt Dist Main RA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Main RA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Main RA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Main RA Origin TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Rt Main RA Origin (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Segmental Artery | Container : Segmental Artery (SRT, T-46659) | | |
| Rt Inf Segmental A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Segmental A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Segmental A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Rt Inf Segmental A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Segmental A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Segmental A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Rt Inf Segmental A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Segmental A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Segmental A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Rt Inf Segmental A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Segmental A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Segmental A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Rt Inf Segmental A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | m/s2 |
| Rt Mid Segmental A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | m/s2 |
| Rt Sup Segmental A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | m/s2 |
| Rt Inf Segmental A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Rt Mid Segmental A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Rt Sup Segmental A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Rt Inf Segmental A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Segmental A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Rt Sup Segmental A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Rt Inf Segmental A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Rt Mid Segmental A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Rt Sup Segmental A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Rt Inf Segmental A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | msec |
| Rt Mid Segmental A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Rt Sup Segmental A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | msec |
| Rt Inf Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | l/min |
| Rt Mid Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | l/min |
| Rt Sup Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | l/min |
| Rt Inf Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Sup Segmental A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Inf Segmental A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm2 |
| Rt Mid Segmental A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm2 |
| Rt Sup Segmental A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm2 |
| Rt Inf Segmental A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | mm |
| Rt Mid Segmental A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Rt Sup Segmental A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | mm |
| Rt Inf Segmental A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Segmental A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Segmental A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Arcuate Artery of the Kidney | Container : Arcuate Artery of the Kidney (SRT, T-4668A) | | |
| Rt Inf Arcuate A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Arcuate A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Arcuate A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Inf Arcuate A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Arcuate A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Arcuate A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Rt Inf Arcuate A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Arcuate A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Arcuate A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Rt Inf Arcuate A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Arcuate A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Arcuate A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Rt Inf Arcuate A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | m/s2 |
| Rt Mid Arcuate A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | m/s2 |
| Rt Sup Arcuate A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | m/s2 |
| Rt Inf Arcuate A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Rt Mid Arcuate A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Rt Sup Arcuate A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Rt Inf Arcuate A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Rt Mid Arcuate A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Rt Sup Arcuate A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Rt Inf Arcuate A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Rt Mid Arcuate A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Rt Sup Arcuate A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Rt Inf Arcuate A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | msec |
| Rt Mid Arcuate A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Rt Sup Arcuate A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | msec |
| Rt Inf Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | l/min |
| Rt Mid Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | l/min |
| Rt Sup Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | l/min |
| Rt Inf Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Sup Arcuate A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Inf Arcuate A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm2 |
| Rt Mid Arcuate A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm2 |
| Rt Sup Arcuate A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm2 |
| Rt Inf Arcuate A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | mm |
| Rt Mid Arcuate A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Rt Sup Arcuate A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | mm |
| Rt Inf Arcuate A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Arcuate A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Arcuate A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Interlobar Artery of Kidney | Container : Interlobar Artery of Kidney (SRT, T-4667D) | | |
| Rt Inf Interlobar A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Interlobar A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Interlobar A ED | End Diastolic Velocity (LN, 11653-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Rt Inf Interlobar A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Interlobar A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Interlobar A PS | Peak Systolic Velocity (LN, 11726-7) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Rt Inf Interlobar A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Interlobar A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Interlobar A TAmn | Time averaged mean velocity (LN, 20352-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Rt Inf Interlobar A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Interlobar A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Interlobar A TAmx | Time averaged peak velocity (LN, 11692-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Rt Inf Interlobar A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | m/s2 |
| Rt Mid Interlobar A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | m/s2 |
| Rt Sup Interlobar A Accel | Acceleration Index (LN, 20167-3) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | m/s2 |
| Rt Inf Interlobar A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Rt Mid Interlobar A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Rt Sup Interlobar A PI | Pulsatility Index (LN, 12008-9) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Rt Inf Interlobar A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Rt Mid Interlobar A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Sup Interlobar A RI | Resistivity Index (LN, 12023-8) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Rt Inf Interlobar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | unitless |
| Rt Mid Interlobar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | unitless |
| Rt Sup Interlobar A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | unitless |
| Rt Inf Interlobar A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | msec |
| Rt Mid Interlobar A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | msec |
| Rt Sup Interlobar A T | Acceleration Time (LN, 20168-1) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | msec |
| Rt Inf Interlobar A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | l/min |
| Rt Mid Interlobar A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | l/min |
| Rt Sup Interlobar A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | l/min |
| Rt Inf Interlobar A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Interlobar A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | l/min |
| Rt Sup Interlobar A FV | Volume Flow (LN, 33878-0) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Inf Interlobar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm2 |
| Rt Mid Interlobar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm2 |
| Rt Sup Interlobar A A | Area of Volume Flow (99SIEMENS, VolFArea) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm2 |
| Rt Inf Interlobar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | mm |
| Rt Mid Interlobar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | mm |
| Rt Sup Interlobar A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | mm |
| Rt Inf Interlobar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | cm/s |
| Rt Mid Interlobar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | cm/s |
| Rt Sup Interlobar A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | cm/s |
| Accessory Renal Artery | Container : Accessory Renal Artery (SRT, T-46640) | | |
| Rt Dist ARA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ARA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ARA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Rt ARA Origin ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Rt Dist ARA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ARA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ARA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt ARA Origin PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Rt Dist ARA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ARA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ARA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt ARA Origin TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Rt Dist ARA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ARA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ARA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt ARA Origin TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Rt Dist ARA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid ARA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox ARA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt ARA Origin Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | m/s2 |
| Rt Dist ARA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid ARA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox ARA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt ARA Origin PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Rt Dist ARA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid ARA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox ARA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt ARA Origin RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Rt Dist ARA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid ARA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox ARA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt ARA Origin SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Rt Dist ARA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid ARA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox ARA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt ARA Origin T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | msec |
| Rt Dist ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt ARA Origin FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-036A) | |
| Rt Dist ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox ARA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt ARA Origin FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist ARA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ARA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ARA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt ARA Origin D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Rt Dist ARA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid ARA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox ARA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt ARA Origin D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist ARA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid ARA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox ARA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt ARA Origin A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm2 |
| Rt Dist ARA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid ARA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox ARA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt ARA Origin D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Rt Dist ARA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid ARA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox ARA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt ARA Origin TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Renal Vein | Container : Renal Vein (SRT, T-48740) | | |
| Rt Dist Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Renal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Mid Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Prox Renal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Dist Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Renal V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Stent | Container : Stent (SRT, A-2550) | | |
| Rt RA Stent ED | End Diastolic Velocity (LN, 11653-3) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm/s |
| Rt RA Stent PS | Peak Systolic Velocity (LN, 11726-7) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm/s |
| Rt RA Stent TAmn | Time averaged mean velocity (LN, 20352-1) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm/s |
| Rt RA Stent TAmx | Time averaged peak velocity (LN, 11692-1) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm/s |
| Rt RA Stent Accel | Acceleration Index (LN, 20167-3) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | m/s2 |
| Rt RA Stent PI | Pulsatility Index (LN, 12008-9) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt RA Stent RI | Resistivity Index (LN, 12023-8) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | unitless |
| Rt RA Stent SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | unitless |
| Rt RA Stent T | Acceleration Time (LN, 20168-1) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | msec |
| Rt RA Stent FV | Volume Flow (LN, 33878-0) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | l/min |
| Rt RA Stent FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | l/min |
| Rt RA Stent D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | mm |
| Rt RA Stent D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | mm |
| Rt RA Stent A | Area of Volume Flow (99SIEMENS, VolFArea) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm2 |
| Rt RA Stent D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | mm |
| Rt RA Stent TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Finding Site (SRT, G-C0E3): Renal Artery (SRT, T-46600) | cm/s |

### 10.2.14 Left Artery of Abdomen

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Artery of Abdomen | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Artery of Abdomen (SRT, T-46002)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Testicular Artery | Container : Testicular Artery (SRT, T-46970) | | |
| Lt Testicular A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Testicular A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Testicular A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Testicular A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Testicular A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Testicular A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Testicular A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Testicular A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Testicular A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Testicular A FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Testicular A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Testicular A D | Diameter (SRT, M-02550) | | mm |
| Lt Testicular A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Testicular A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Testicular A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Testicular A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

### 10.2.15 Right Artery of Abdomen

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Artery of Abdomen | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Artery of Abdomen (SRT, T-46002)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Testicular Artery | Container : Testicular Artery (SRT, T-46970) | | |
| Rt Testicular A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Testicular A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Testicular A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Testicular A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Testicular A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Testicular A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Testicular A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Testicular A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Testicular A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Testicular A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Testicular A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Testicular A D | Diameter (SRT, M-02550) | | mm |
| Rt Testicular A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Testicular A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Testicular A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Testicular A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

### 10.2.16 Unilateral Artery of Abdomen

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Unilateral Artery of Abdomen | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Artery of Abdomen (SRT, T-46002) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Laterality (SRT, G-C171): Unilateral (SRT, G-A103) | |
| Aorta | Container : Aorta (SRT, T-42000) | | |
| Dist Aorta ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Aorta ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Aorta ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Aorta (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Mid Aorta (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Prox Aorta (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Dist Aorta PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Aorta PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Aorta PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Aorta (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Mid Aorta (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Prox Aorta (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist Aorta TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Aorta TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Aorta TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Aorta (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Mid Aorta (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Prox Aorta (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Dist Aorta TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Aorta TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Aorta TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Aorta (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Mid Aorta (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Prox Aorta (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Dist Aorta Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mid Aorta Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox Aorta Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist Aorta (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid Aorta (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Prox Aorta (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Dist Aorta PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Aorta PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Aorta PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Aorta (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Mid Aorta (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Prox Aorta (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Dist Aorta RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Aorta RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Aorta RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Aorta (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Mid Aorta (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Prox Aorta (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Dist Aorta SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Aorta SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Aorta SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Aorta (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Mid Aorta (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Prox Aorta (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Dist Aorta T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid Aorta T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox Aorta T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist Aorta (Post Repair) T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Mid Aorta (Post Repair) T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Prox Aorta (Post Repair) T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Dist Aorta FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid Aorta FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox Aorta FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Dist Aorta (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Mid Aorta (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Prox Aorta (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Dist Aorta (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Mid Aorta (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| Prox Aorta (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Dist Aorta FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid Aorta FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Prox Aorta FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Dist Aorta D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Aorta D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Aorta D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Aorta D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid Aorta D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Aorta D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Aorta AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Aorta AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Aorta AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Dist Aorta AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Aorta AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Prox Aorta AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Dist Aorta Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Mid Aorta Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Prox Aorta Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Dist Aorta Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Mid Aorta Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | |
| Prox Aorta Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Dist Aorta (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Aorta (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Prox Aorta (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Dist Aorta (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Aorta (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Prox Aorta (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Aorta AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| Mid Aorta AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Aorta AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Dist Aorta AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Aorta AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Prox Aorta AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Dist Aorta Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Mid Aorta Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Prox Aorta Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Aorta Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Mid Aorta Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Prox Aorta Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Aorta A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid Aorta A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox Aorta A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Dist Aorta (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Mid Aorta (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Prox Aorta (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Dist Aorta D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Aorta D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Aorta D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Aorta (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Mid Aorta (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Prox Aorta (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Dist Aorta TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Aorta TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Aorta TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Aorta (Post Repair) TAmn | Time averaged mean velocity of Volume Flow | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | (99SIEMENS, VolFTAMn) | A119)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | |
| Mid Aorta (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Aorta (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Infra-renal Aorta | Container : Infra-renal Aorta (SRT, T-42520) | | |
| Neck Length D | Neck Length (99SIEMENS, NeckLength) | | mm |
| Neck Length D | Neck Length (99SIEMENS, NeckLength) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Neck Length (Post Repair) D | Neck Length (99SIEMENS, NeckLength) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Neck Length (Post Repair) D | Neck Length (99SIEMENS, NeckLength) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Neck Diam D | Neck Diameter (99SIEMENS, NeckDiam) | | mm |
| Neck Diam D | Neck Diameter (99SIEMENS, NeckDiam) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Neck Diam (Post Repair) D | Neck Diameter (99SIEMENS, NeckDiam) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Neck Diam (Post Repair) D | Neck Diameter (99SIEMENS, NeckDiam) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Supra-renal Aorta | Container : Supra-renal Aorta (SRT, T-42510) | | |
| Suprarenal Ao ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Suprarenal Ao (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Suprarenal Ao PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Suprarenal Ao (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Suprarenal Ao TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Suprarenal Ao (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Suprarenal Ao TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Suprarenal Ao (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Suprarenal Ao Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Suprarenal Ao (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Suprarenal Ao PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Suprarenal Ao (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Suprarenal Ao RI | Resistivity Index (LN, 12023-8) | | unitless |
| Suprarenal Ao (Post Repair) RI | Resistivity Index (LN, 12023-8) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Suprarenal Ao SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Suprarenal Ao (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Suprarenal Ao T | Acceleration Time (LN, 20168-1) | | msec |
| Suprarenal Ao (Post Repair) T | Acceleration Time (LN, 20168-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Suprarenal Ao FV | Volume Flow (LN, 33878-0) | | l/min |
| Suprarenal Ao (Post Repair) FV | Volume Flow (LN, 33878-0) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Suprarenal Ao FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Suprarenal Ao (Post Repair) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Suprarenal Ao D | Diameter (SRT, M-02550) | | mm |
| Suprarenal Ao D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Suprarenal Ao AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Suprarenal Ao AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Suprarenal Ao Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Suprarenal Ao Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A117) | |
| Suprarenal Ao (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Suprarenal Ao (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Suprarenal Ao AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Suprarenal Ao AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Suprarenal Ao Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Suprarenal Ao Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Suprarenal Ao A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Suprarenal Ao (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Suprarenal Ao D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Suprarenal Ao (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Suprarenal Ao TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Suprarenal Ao (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Celiac Axis | Container : Celiac Axis (SRT, T-46400) | | |
| Celiac A Origin ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Celiac A Origin, Postprandial | End Diastolic Velocity (LN, 11653-3) | Temporal period related to eating (SRT, R-41FFC): Post- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| ED | | prandial (SRT, G-A491) | |
| Celiac A Origin PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Celiac A Origin, Postprandial PS | Peak Systolic Velocity (LN, 11726-7) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Celiac A Origin TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Celiac A Origin, Postprandial TAmn | Time averaged mean velocity (LN, 20352-1) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Celiac A Origin TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Celiac A Origin, Postprandial TAmx | Time averaged peak velocity (LN, 11692-1) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Celiac A Origin Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Celiac A Origin, Postprandial Accel | Acceleration Index (LN, 20167-3) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | m/s2 |
| Celiac A Origin PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Celiac A Origin, Postprandial PI | Pulsatility Index (LN, 12008-9) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| Celiac A Origin RI | Resistivity Index (LN, 12023-8) | | unitless |
| Celiac A Origin, Postprandial RI | Resistivity Index (LN, 12023-8) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| Celiac A Origin SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Celiac A Origin, Postprandial SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| Celiac A Origin T | Acceleration Time (LN, 20168-1) | | msec |
| Celiac A Origin, Postprandial T | Acceleration Time (LN, 20168-1) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | msec |
| Celiac A Origin FV | Volume Flow (LN, 33878-0) | | l/min |
| Celiac A Origin, Postprandial FV | Volume Flow (LN, 33878-0) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | l/min |
| Celiac A Origin, Postprandial FV | Volume Flow (LN, 33878-0) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Celiac A Origin FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Celiac A Origin D | Diameter (SRT, M-02550) | | mm |
| Celiac A Origin D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Celiac A Origin, Postprandial D | Diameter (SRT, M-02550) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Celiac A Origin, Postprandial D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |
| Celiac A Origin A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Celiac A Origin, Postprandial A | Area of Volume Flow (99SIEMENS, VolFArea) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm2 |
| Celiac A Origin D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Celiac A Origin, Postprandial D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |
| Celiac A Origin TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Celiac A Origin, Postprandial TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Common Hepatic Artery | Container : Common Hepatic Artery (SRT, T-46421) | | |
| Dist CHA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| CHA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Mid CHA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox CHA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist CHA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid CHA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox CHA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| CHA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Dist CHA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid CHA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox CHA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| CHA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Dist CHA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Mid CHA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox CHA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| CHA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| CHA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Dist CHA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid CHA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox CHA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist CHA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid CHA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| CHA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Prox CHA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist CHA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid CHA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox CHA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| CHA RI | Resistivity Index (LN, 12023-8) | | unitless |
| Dist CHA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid CHA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox CHA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| CHA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| CHA T | Acceleration Time (LN, 20168-1) | | msec |
| Dist CHA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Mid CHA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox CHA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Dist CHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid CHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox CHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| CHA FV | Volume Flow (LN, 33878-0) | | l/min |
| Dist CHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid CHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Prox CHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| CHA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| CHA D | Diameter (SRT, M-02550) | | mm |
| Dist CHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid CHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox CHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| CHA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist CHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid CHA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox CHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Dist CHA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid CHA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox CHA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| CHA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Dist CHA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid CHA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox CHA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| CHA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Dist CHA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid CHA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox CHA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| CHA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Inferior Mesenteric Artery | Container : Inferior Mesenteric Artery (SRT, T-46520) | | |
| IMA Origin ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Dist IMA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid IMA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox IMA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| IMA Origin (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| IMA Origin PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Dist IMA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid IMA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox IMA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| IMA Origin (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| IMA Origin TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Dist IMA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid IMA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox IMA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| IMA Origin (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| IMA Origin TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Dist IMA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid IMA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox IMA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| IMA Origin (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| IMA Origin Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist IMA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid IMA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox IMA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| IMA Origin (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| IMA Origin PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Dist IMA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid IMA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox IMA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| IMA Origin (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| IMA Origin RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Dist IMA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid IMA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox IMA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| IMA Origin (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| IMA Origin SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Dist IMA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mid IMA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox IMA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| IMA Origin (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| IMA Origin T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | msec |
| Dist IMA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid IMA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox IMA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| IMA Origin (Post Repair) T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| IMA Origin FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | l/min |
| Dist IMA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid IMA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox IMA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| IMA Origin (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| IMA Origin (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| IMA Origin FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | |
| Dist IMA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid IMA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Prox IMA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| IMA Origin D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Dist IMA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid IMA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox IMA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| IMA Origin D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist IMA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid IMA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox IMA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| IMA Origin (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| IMA Origin (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | |
| IMA Origin A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm2 |
| Dist IMA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid IMA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox IMA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| IMA Origin (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm2 |
| IMA Origin D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Dist IMA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid IMA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox IMA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| IMA Origin (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| IMA Origin TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Dist IMA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid IMA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox IMA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| IMA Origin (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Branch of Hepatic Artery | Container : Right Branch of Hepatic Artery (SRT, T-46423) | | |
| Dist RHA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid RHA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox RHA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist RHA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid RHA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox RHA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist RHA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid RHA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox RHA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist RHA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid RHA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox RHA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist RHA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid RHA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox RHA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist RHA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid RHA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox RHA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist RHA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid RHA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox RHA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist RHA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid RHA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox RHA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist RHA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid RHA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox RHA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Dist RHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid RHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox RHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Dist RHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid RHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Prox RHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Dist RHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid RHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox RHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist RHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid RHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox RHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist RHA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid RHA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox RHA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Dist RHA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid RHA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox RHA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist RHA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid RHA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox RHA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Left Branch of Hepatic Artery | Container : Left Branch of Hepatic Artery (SRT, T-46427) | | |
| Dist LHA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid LHA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox LHA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist LHA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Mid LHA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox LHA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist LHA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid LHA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox LHA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist LHA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid LHA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox LHA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist LHA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid LHA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox LHA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist LHA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid LHA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox LHA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist LHA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid LHA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox LHA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist LHA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mid LHA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox LHA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist LHA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid LHA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox LHA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Dist LHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid LHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox LHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Dist LHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid LHA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Prox LHA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Dist LHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid LHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox LHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist LHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid LHA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox LHA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist LHA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid LHA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox LHA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Dist LHA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid LHA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox LHA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist LHA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid LHA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox LHA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Splenic Artery | Container : Splenic Artery (SRT, T-46460) | | |
| Dist Splenic A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Splenic A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Mid Splenic A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Splenic A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Splenic A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Splenic A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Splenic A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Splenic A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Dist Splenic A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Mid Splenic A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Splenic A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Splenic A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Dist Splenic A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Splenic A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Splenic A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Splenic A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Splenic A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Dist Splenic A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid Splenic A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox Splenic A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist Splenic A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Splenic A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Splenic A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Prox Splenic A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Splenic A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Splenic A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Splenic A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Splenic A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Dist Splenic A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mid Splenic A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Splenic A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Splenic A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Splenic A T | Acceleration Time (LN, 20168-1) | | msec |
| Dist Splenic A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid Splenic A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox Splenic A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Dist Splenic A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid Splenic A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox Splenic A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Splenic A FV | Volume Flow (LN, 33878-0) | | l/min |
| Dist Splenic A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid Splenic A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Prox Splenic A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Splenic A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Splenic A D | Diameter (SRT, M-02550) | | mm |
| Dist Splenic A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Splenic A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Splenic A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Splenic A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Splenic A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid Splenic A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Splenic A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Splenic A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid Splenic A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox Splenic A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Splenic A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Dist Splenic A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Splenic A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Splenic A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Splenic A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Dist Splenic A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Splenic A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Splenic A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Splenic A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Superior Mesenteric Artery | Container : Superior Mesenteric Artery (SRT, T-46510) | | |
| SMA Origin ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Dist SMA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| SMA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Mid SMA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox SMA ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| SMA Origin, Postprandial ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Dist SMA, Postprandial ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Mid SMA, Postprandial ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Prox SMA, Postprandial ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| SMA Origin (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| SMA Origin PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Dist SMA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid SMA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox SMA PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| SMA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| SMA Origin, Postprandial PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist SMA, Postprandial PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Mid SMA, Postprandial PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Prox SMA, Postprandial PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| SMA Origin (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| SMA Origin TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Dist SMA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid SMA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox SMA TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| SMA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| SMA Origin (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| SMA Origin, Postprandial TAmn | Time averaged mean velocity (LN, 20352-1) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Dist SMA, Postprandial TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Mid SMA, Postprandial TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | prandial (SRT, G-A491) | |
| Prox SMA, Postprandial TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| SMA Origin TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Dist SMA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid SMA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox SMA TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| SMA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| SMA Origin (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| SMA Origin, Postprandial TAmx | Time averaged peak velocity (LN, 11692-1) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Dist SMA, Postprandial TAmx | Time averaged peak velocity (LN, 11692-1) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid SMA, Postprandial TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Prox SMA, Postprandial TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| SMA Origin Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | m/s2 |
| SMA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Dist SMA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid SMA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Prox SMA Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| SMA Origin (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| SMA Origin, Postprandial Accel | Acceleration Index (LN, 20167-3) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | m/s2 |
| Dist SMA, Postprandial Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | m/s2 |
| Mid SMA, Postprandial Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | m/s2 |
| Prox SMA, Postprandial Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | m/s2 |
| SMA Origin PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Dist SMA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid SMA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| SMA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Prox SMA PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| SMA Origin (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| SMA Origin, Postprandial PI | Pulsatility Index (LN, 12008-9) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| Dist SMA, Postprandial PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | |
| Mid SMA, Postprandial PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| Prox SMA, Postprandial PI | Pulsatility Index (LN, 12008-9) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| SMA Origin RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | unitless |
| Dist SMA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid SMA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox SMA RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| SMA RI | Resistivity Index (LN, 12023-8) | | unitless |
| SMA Origin (Post Repair) RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| SMA Origin, Postprandial RI | Resistivity Index (LN, 12023-8) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| Dist SMA, Postprandial RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| Mid SMA, Postprandial RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| Prox SMA, Postprandial RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| SMA Origin SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Origin of vessel | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-036A) | |
| Dist SMA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid SMA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox SMA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| SMA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| SMA Origin, Postprandial SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| Dist SMA, Postprandial SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| Mid SMA, Postprandial SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox SMA, Postprandial SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | unitless |
| SMA Origin (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| SMA Origin T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | msec |
| SMA T | Acceleration Time (LN, 20168-1) | | msec |
| Dist SMA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid SMA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox SMA T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| SMA Origin (Post Repair) T | Acceleration Time (LN, 20168-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | |
| SMA Origin, Postprandial T | Acceleration Time (LN, 20168-1) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | msec |
| Dist SMA, Postprandial T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | msec |
| Mid SMA, Postprandial T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | msec |
| Prox SMA, Postprandial T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | msec |
| SMA Origin FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | l/min |
| Dist SMA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid SMA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox SMA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| SMA FV | Volume Flow (LN, 33878-0) | | l/min |
| SMA Origin (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| SMA Origin, Postprandial FV | Volume Flow (LN, 33878-0) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | l/min |
| Dist SMA, Postprandial FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | l/min |
| Mid SMA, Postprandial FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | |
| Prox SMA, Postprandial FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | l/min |
| SMA Origin, Postprandial FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | l/min |
| Dist SMA, Postprandial FV | Volume Flow (LN, 33878-0) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid SMA, Postprandial FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | l/min |
| Prox SMA, Postprandial FV | Volume Flow (LN, 33878-0) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| SMA Origin (Post Repair) FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| SMA Origin FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Dist SMA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid SMA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox SMA FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| SMA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| SMA Origin D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| SMA D | Diameter (SRT, M-02550) | | mm |
| Dist SMA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid SMA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox SMA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| SMA Origin D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| SMA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist SMA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid SMA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox SMA D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| SMA Origin (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| SMA Origin (Post Repair) D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| SMA Origin, Postprandial D | Diameter (SRT, M-02550) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | |
| Dist SMA, Postprandial D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |
| Mid SMA, Postprandial D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |
| Prox SMA, Postprandial D | Diameter (SRT, M-02550) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| SMA Origin, Postprandial D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |
| Dist SMA, Postprandial D | Diameter (SRT, M-02550) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid SMA, Postprandial D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |
| Prox SMA, Postprandial D | Diameter (SRT, M-02550) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| SMA Origin A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm2 |
| Dist SMA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mid SMA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox SMA A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| SMA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| SMA Origin (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm2 |
| SMA Origin, Postprandial A | Area of Volume Flow (99SIEMENS, VolFArea) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm2 |
| Dist SMA, Postprandial A | Area of Volume Flow (99SIEMENS, VolFArea) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid SMA, Postprandial A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm2 |
| Prox SMA, Postprandial A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm2 |
| SMA Origin D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | mm |
| Dist SMA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid SMA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox SMA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| SMA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| SMA Origin (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| SMA Origin, Postprandial D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist SMA, Postprandial D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |
| Mid SMA, Postprandial D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |
| Prox SMA, Postprandial D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | mm |
| SMA Origin TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A) | cm/s |
| Dist SMA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid SMA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox SMA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| SMA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| SMA Origin (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Origin of vessel (SRT, G-036A)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| SMA Origin, Postprandial TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Dist SMA, Postprandial TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid SMA, Postprandial TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | cm/s |
| Prox SMA, Postprandial TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Temporal period related to eating (SRT, R-41FFC): Post-prandial (SRT, G-A491) | |
| Aortic Bifurcation | Container : Aortic Bifurcation (SRT, T-42580) | | |
| Ao Bifurcation ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Ao Bif (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Ao Bifurcation PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Ao Bif (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Ao Bifurcation TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Ao Bif (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Ao Bifurcation TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Ao Bif (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Ao Bifurcation Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Ao Bif (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| Ao Bifurcation PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Ao Bif (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Ao Bifurcation RI | Resistivity Index (LN, 12023-8) | | unitless |
| Ao Bif (Post Repair) RI | Resistivity Index (LN, 12023-8) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Ao Bifurcation SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Ao Bif (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| Ao Bifurcation T | Acceleration Time (LN, 20168-1) | | msec |
| Ao Bif (Post Repair) T | Acceleration Time (LN, 20168-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | msec |
| Ao Bifurcation FV | Volume Flow (LN, 33878-0) | | l/min |
| Ao Bif (Post Repair) FV | Volume Flow (LN, 33878-0) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| Ao Bifurcation FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Ao Bif (Post Repair) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| Ao Bifurcation D | Diameter (SRT, M-02550) | | mm |
| Ao Bifurcation D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ao Bif AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Ao Bif AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Ao Bif Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Ao Bif Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Ao Bif (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Ao Bif (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Ao Bif AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Ao Bif AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Ao Bif Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Ao Bif Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Ao Bifurcation A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Ao Bif (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| Ao Bifurcation D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Ao Bif (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Ao Bifurcation TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Ao Bif (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| Abdominal Aortic Aneurysm | Container : Abdominal Aortic Aneurysm (SRT, D3-83305) | | |
| AAA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| AAA (Post Repair) ED | End Diastolic Velocity (LN, 11653-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| AAA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| AAA (Post Repair) PS | Peak Systolic Velocity (LN, 11726-7) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| AAA TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| AAA (Post Repair) TAmn | Time averaged mean velocity (LN, 20352-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| AAA TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| AAA (Post Repair) TAmx | Time averaged peak velocity (LN, 11692-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| AAA Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| AAA (Post Repair) Accel | Acceleration Index (LN, 20167-3) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | m/s2 |
| AAA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| AAA (Post Repair) PI | Pulsatility Index (LN, 12008-9) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| AAA RI | Resistivity Index (LN, 12023-8) | | unitless |
| AAA (Post Repair) RI | Resistivity Index (LN, 12023-8) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| AAA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| AAA (Post Repair) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | unitless |
| AAA T | Acceleration Time (LN, 20168-1) | | msec |
| AAA (Post Repair) T | Acceleration Time (LN, 20168-1) | Temporal periods Relating to Procedure (SRT, R-40FB8): | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| AAA FV | Volume Flow (LN, 33878-0) | | l/min |
| AAA (Post Repair) FV | Volume Flow (LN, 33878-0) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| AAA FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| AAA (Post Repair) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | l/min |
| AAA D | Diameter (SRT, M-02550) | | mm |
| AAA D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| AAA AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| AAA AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| AAA Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| AAA Trans Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| AAA (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| AAA (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| AAA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| AAA AP Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| AAA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | After Procedure (SRT, R-422A4) | |
| AAA Trans Diam (Post Repair) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| AAA A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| AAA (Post Repair) A | Area of Volume Flow (99SIEMENS, VolFArea) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm2 |
| AAA D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| AAA (Post Repair) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| AAA TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| AAA (Post Repair) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | cm/s |
| AAA dist from SMA D | Abdominal Aortic Aneurysm distance from SMA (99SIEMENS, AAADistFromSMA) | | mm |
| AAA dist from SMA D | Abdominal Aortic Aneurysm distance from SMA (99SIEMENS, AAADistFromSMA) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| AAA Sac Length D | Abdominal Aortic Aneurysm Sac Length (99SIEMENS, AAASacLength) | | mm |
| AAA Sac Length D | Abdominal Aortic Aneurysm Sac Length (99SIEMENS, AAASacLength) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| AAA Sac Length (Post Repair) D | Abdominal Aortic Aneurysm Sac Length (99SIEMENS, AAASacLength) | Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| AAA Sac Length (Post Repair) D | Abdominal Aortic Aneurysm Sac Length (99SIEMENS, AAASacLength) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Temporal periods Relating to Procedure (SRT, R-40FB8): After Procedure (SRT, R-422A4) | mm |
| Stent Graft Landing Site | Container : Stent Graft Landing Site (99SIEMENS, StGraftLandSite) | | |
| Dist Landing Site ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Prox Landing Site ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Landing Site PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Landing Site PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Landing Site TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Prox Landing Site TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Landing Site TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Prox Landing Site TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Landing Site Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Prox Landing Site Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist Landing Site PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Prox Landing Site PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Landing Site RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Prox Landing Site RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Landing Site SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Prox Landing Site SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Landing Site T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Prox Landing Site T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Dist Landing Site FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Prox Landing Site FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Dist Landing Site FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Landing Site FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Dist Landing Site D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Prox Landing Site D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Landing Site D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Landing Site D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Landing Site AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Prox Landing Site AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Dist Landing Site AP Diam D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Prox Landing Site AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Dist Landing Site Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Prox Landing Site Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Transverse | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A117) | |
| Dist Landing Site Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Prox Landing Site Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Dist Landing Site A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Prox Landing Site A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Dist Landing Site D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Prox Landing Site D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Landing Site TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Prox Landing Site TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Aortic Stent Graft | Container : Aortic Stent Graft (99SIEMENS, AoStentGraft) | | |
| Dist Ao Stent Graft ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Ao Stent Graft ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Ao Stent Graft ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Ao Stent Graft PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Ao Stent Graft PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Ao Stent Graft PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Ao Stent Graft TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mid Ao Stent Graft TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Ao Stent Graft TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Ao Stent Graft TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Ao Stent Graft TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Ao Stent Graft TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Ao Stent Graft Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid Ao Stent Graft Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox Ao Stent Graft Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist Ao Stent Graft PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Ao Stent Graft PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Ao Stent Graft PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Ao Stent Graft RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Ao Stent Graft RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Ao Stent Graft RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Ao Stent Graft SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Ao Stent Graft SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Ao Stent Graft SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Ao Stent Graft T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid Ao Stent Graft T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Prox Ao Stent Graft T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Dist Ao Stent Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid Ao Stent Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox Ao Stent Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Dist Ao Stent Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid Ao Stent Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Prox Ao Stent Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Dist Ao Stent Graft D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Ao Stent Graft D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Ao Stent Graft D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Ao Stent Graft D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Ao Stent Graft D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Ao Stent Graft D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Ao Stent Graft AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mid Ao Stent Graft AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Prox Ao Stent Graft AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Ao Stent Graft AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Mid Ao Stent Graft AP Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Ao Stent Graft AP Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Anterior-Posterior (DCM, 122675) | mm |
| Dist Ao Stent Graft Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Mid Ao Stent Graft Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Prox Ao Stent Graft Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Dist Ao Stent Graft Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Mid Ao Stent Graft Trans Diam D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117) | mm |
| Prox Ao Stent Graft Trans Diam D | Diameter (SRT, M-02550) | Measurement Orientation (DCM, 125105): Transverse (SRT, G-A117)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Ao Stent Graft A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid Ao Stent Graft A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox Ao Stent Graft A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Dist Ao Stent Graft D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Ao Stent Graft D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Ao Stent Graft D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Ao Stent Graft TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Ao Stent Graft TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Ao Stent Graft TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

### 10.2.17 Left Vein of Abdomen

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Vein of Abdomen | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vein of Abdomen (SRT, T-487A0)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Testicular Vein | Container : Testicular Vein (SRT, T-48770) | | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Testicular V Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Lt Testicular V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Testicular V Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Testicular V Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Testicular V D | Diameter (SRT, M-02550) | | mm |
| Lt Testicular V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.2.18 Right Vein of Abdomen

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Vein of Abdomen | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vein of Abdomen (SRT, T-487A0)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Testicular Vein | Container : Testicular Vein (SRT, T-48770) | | |
| Rt Testicular V Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Rt Testicular V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Testicular V Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Testicular V Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Testicular V D | Diameter (SRT, M-02550) | | mm |
| Rt Testicular V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.2.19 Unilateral Vein of Abdomen

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Unilateral Vein of Abdomen | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vein of Abdomen (SRT, T-487A0)<br>Laterality (SRT, G-C171): Unilateral (SRT, G-A103) | |
| Left Hepatic Vein | Container : Left Hepatic Vein (SRT, T-48727) | | |
| Dist LHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid LHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox LHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| LHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist LHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid LHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox LHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| LHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Dist LHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid LHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox LHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| LHV Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Dist LHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid LHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox LHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| LHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| LHV D | Diameter (SRT, M-02550) | | mm |
| Dist LHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid LHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox LHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| LHV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist LHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Mid LHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox LHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Middle Hepatic Vein | Container : Middle Hepatic Vein (SRT, T-48726) | | |
| Dist MHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid MHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox MHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| MHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Dist MHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid MHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox MHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| MHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Dist MHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid MHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox MHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| MHV Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Dist MHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid MHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Prox MHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| MHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| MHV D | Diameter (SRT, M-02550) | | mm |
| Dist MHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid MHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox MHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| MHV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist MHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid MHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox MHV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Right Hepatic Vein | Container : Right Hepatic Vein (SRT, T-48725) | | |
| Dist RHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid RHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox RHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| RHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Dist RHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid RHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox RHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| RHV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Dist RHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid RHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox RHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| RHV Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Dist RHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid RHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox RHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| RHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| RHV D | Diameter (SRT, M-02550) | | mm |
| Dist RHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid RHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox RHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| RHV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist RHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid RHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox RHV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Portal Vein | Container : Portal Vein (SRT, T-48810) | | |
| Dist MPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid MPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox MPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Portal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Dist MPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid MPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox MPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Portal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Dist MPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid MPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox MPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Portal V Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Dist MPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid MPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox MPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Portal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Portal V D | Diameter (SRT, M-02550) | | mm |
| Dist MPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid MPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox MPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Portal V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist MPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid MPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox MPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Left Main Branch of Portal Vein | Container : Left Main Branch of Portal Vein (SRT, T-4881F) | | |
| Dist LPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid LPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox LPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist LPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid LPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox LPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist LPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid LPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox LPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist LPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid LPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox LPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Dist LPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid LPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox LPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist LPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid LPV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox LPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Right Main Branch of Portal Vein | Container : Right Main Branch of Portal Vein (SRT, T-4882A) | | |
| Dist RPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid RPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox RPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist RPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid RPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | |
| Prox RPV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Dist RPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid RPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox RPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist RPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid RPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox RPV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist RPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid RPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox RPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist RPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid RPV D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox RPV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Inferior Vena Cava | Container : Inferior Vena Cava (SRT, T-48710) | | |
| Dist IVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Mid IVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox IVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| IVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Dist IVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid IVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox IVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| IVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Dist IVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid IVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox IVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| IVC Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Dist IVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid IVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox IVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| IVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| IVC D | Diameter (SRT, M-02550) | | mm |
| Dist IVC D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mid IVC D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox IVC D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| IVC D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist IVC D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid IVC D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox IVC D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Splenic Vein | Container : Splenic Vein (SRT, T-48890) | | |
| Dist Splenic V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Splenic V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Splenic V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Splenic V Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Dist Splenic V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid Splenic V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox Splenic V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Splenic V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Dist Splenic V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Splenic V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Splenic V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Splenic V Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Dist Splenic V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid Splenic V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox Splenic V Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Splenic V Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Splenic V D | Diameter (SRT, M-02550) | | mm |
| Dist Splenic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Splenic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Splenic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Splenic V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Splenic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid Splenic V D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Splenic V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Superior Mesenteric Vein | Container : Superior Mesenteric Vein (SRT, T-48840) | | |
| SMV Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| SMV Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| SMV Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| SMV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| SMV D | Diameter (SRT, M-02550) | | mm |
| SMV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Transjugular Intrahepatic Portosystemic Shunt | Container : Transjugular Intrahepatic Portosystemic Shunt (SRT, G-036C) | | |
| Stent-Hepatic End Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Stent-Mid Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Stent-Portal End Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Stent-Hepatic End Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Stent-Mid Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Stent-Portal End Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Stent-Hepatic End D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Stent-Mid D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Stent-Portal End D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Stent-Hepatic End D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Stent-Mid D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Stent-Portal End D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Superior Vena Cava | Container : Superior Vena Cava (SRT, T-48610) | | |
| Dist SVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid SVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox SVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist SVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid SVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox SVC Vmin Vel | Blood velocity, minimum (DCM, 122206) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Dist SVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid SVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox SVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist SVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Mid SVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Prox SVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Dist SVC D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid SVC D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox SVC D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist SVC D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid SVC D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Prox SVC D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

### 10.2.20 Vascular Graft 1

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Vascular Graft | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vascular Graft (SRT, T-D000F)<br>Proximal anastomosis (SRT, G-D871): Graft 1 Inflow Vessel (99SIEMENS, Graft1InVessel)<br>Distal anastomosis (SRT, G-D872): Graft 1 Outflow Vessel (99SIEMENS, Graft1OutVessel) | |
| Dist Anast 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Prox Anast 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Dist Graft 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Mid Graft 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Prox Graft 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Dist Anast 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Prox Anast 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Dist Graft 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Mid Graft 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Prox Graft 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Dist Anast 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Prox Anast 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist Graft 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Mid Graft 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Prox Graft 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Dist Anast 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Prox Anast 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Dist Graft 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Mid Graft 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Prox Graft 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Dist Anast 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | m/s2 |
| Prox Anast 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | m/s2 |
| Dist Graft 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | m/s2 |
| Mid Graft 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | m/s2 |
| Prox Graft 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | m/s2 |
| Dist Anast 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Prox Anast 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Dist Graft 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Mid Graft 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Prox Graft 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Dist Anast 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Anast 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Dist Graft 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Mid Graft 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Prox Graft 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Dist Anast 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Prox Anast 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Dist Graft 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Mid Graft 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Prox Graft 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Dist Anast 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | msec |
| Prox Anast 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | msec |
| Dist Graft 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | msec |
| Mid Graft 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | msec |
| Prox Graft 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | msec |
| Dist Anast 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Prox Anast 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Dist Graft 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Mid Graft 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Prox Graft 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist Anast 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Prox Anast 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Dist Graft 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid Graft 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Prox Graft 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Dist Anast 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Prox Anast 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Dist Graft 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Mid Graft 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Prox Graft 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Dist Anast 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Prox Anast 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Dist Graft 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Mid Graft 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Graft 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Dist Anast 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm2 |
| Prox Anast 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm2 |
| Dist Graft 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm2 |
| Mid Graft 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm2 |
| Prox Graft 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm2 |
| Dist Anast 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Prox Anast 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Dist Graft 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Mid Graft 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Prox Graft 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Dist Anast 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Prox Anast 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Dist Graft 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Mid Graft 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Prox Graft 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Graft 1 Inflow Vessel | Container : Graft 1 Inflow Vessel (99SIEMENS, Graft1InVessel) | | |
| Dist Inflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Inflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Prox Inflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Inflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Inflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Inflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Inflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Inflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Inflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Inflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Inflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Inflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Inflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid Inflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox Inflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist Inflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Inflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Inflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Inflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Inflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Inflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Dist Inflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Inflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Inflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Inflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid Inflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox Inflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Dist Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Dist Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Prox Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Dist Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mid Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Inflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid Inflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox Inflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Dist Inflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Inflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Inflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Inflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Inflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Inflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Graft 1 Outflow Vessel | Container : Graft 1 Outflow Vessel (99SIEMENS, Graft1OutVessel) | | |
| Dist Outflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Outflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Outflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Outflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Outflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Outflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist Outflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Outflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Outflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Outflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Outflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Outflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Outflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid Outflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox Outflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist Outflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Outflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Outflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Outflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Outflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Outflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Outflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Outflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Outflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Outflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mid Outflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox Outflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Dist Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Dist Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Prox Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Dist Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Outflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid Outflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Outflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Dist Outflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Outflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Outflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Outflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Outflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Outflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

### 10.2.21 Vascular Graft 2

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Vascular Graft | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vascular Graft (SRT, T-D000F)<br>Proximal anastomosis (SRT, G-D871): Graft 2 Inflow Vessel (99SIEMENS, Graft2InVessel)<br>Distal anastomosis (SRT, G-D872): Graft 2 Outflow Vessel (99SIEMENS, Graft2OutVessel) | |
| Dist Anast 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Prox Anast 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Dist Graft 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Mid Graft 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Prox Graft 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Dist Anast 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Prox Anast 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist Graft 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Mid Graft 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Prox Graft 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Dist Anast 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Prox Anast 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Dist Graft 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Mid Graft 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Prox Graft 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Dist Anast 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Prox Anast 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Dist Graft 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Mid Graft 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Prox Graft 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Dist Anast 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | m/s2 |
| Prox Anast 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | m/s2 |
| Dist Graft 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | m/s2 |
| Mid Graft 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | m/s2 |
| Prox Graft 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | m/s2 |
| Dist Anast 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, distal anastomosis (SRT, G-D872) | |
| Prox Anast 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Dist Graft 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Mid Graft 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Prox Graft 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Dist Anast 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Prox Anast 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Dist Graft 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Mid Graft 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Prox Graft 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Dist Anast 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Prox Anast 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Dist Graft 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Mid Graft 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Prox Graft 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Dist Anast 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | msec |
| Prox Anast 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | msec |
| Dist Graft 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | msec |
| Mid Graft 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Graft 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | msec |
| Dist Anast 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Prox Anast 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Dist Graft 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Mid Graft 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Prox Graft 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Dist Anast 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Prox Anast 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Dist Graft 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Mid Graft 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Prox Graft 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Dist Anast 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Prox Anast 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Dist Graft 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Mid Graft 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Prox Graft 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist Anast 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Prox Anast 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Graft 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Mid Graft 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Prox Graft 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Anast 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm2 |
| Prox Anast 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm2 |
| Dist Graft 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm2 |
| Mid Graft 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm2 |
| Prox Graft 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm2 |
| Dist Anast 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Prox Anast 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Dist Graft 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Mid Graft 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Prox Graft 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Dist Anast 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Anast 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Dist Graft 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Mid Graft 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Prox Graft 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Graft 2 Inflow Vessel | Container : Graft 2 Inflow Vessel (99SIEMENS, Graft2InVessel) | | |
| Dist Inflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Inflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Inflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Inflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Inflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Inflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Inflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Inflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Inflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Inflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Inflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Inflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Inflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid Inflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Prox Inflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist Inflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Inflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Inflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Inflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Inflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Inflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Inflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Inflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Inflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Inflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid Inflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox Inflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Dist Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Dist Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Prox Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Dist Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Inflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid Inflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox Inflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Dist Inflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Inflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Inflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Inflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Inflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Inflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | (99SIEMENS, VolFTAMn) | G-A118) | |
| Graft 2 Outflow Vessel | Container : Graft 2 Outflow Vessel (99SIEMENS, Graft2OutVessel) | | |
| Dist Outflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Outflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Outflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Outflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Outflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Outflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Outflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Outflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Outflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Outflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Outflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Outflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Outflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid Outflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox Outflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist Outflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Outflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prox Outflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Outflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Outflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Outflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Outflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Outflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Outflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Outflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid Outflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox Outflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Dist Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Dist Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Prox Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Dist Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mid Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Outflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid Outflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox Outflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Dist Outflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Outflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Outflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Outflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Outflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Outflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

### 10.2.22 Transplantation of liver

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Transplantation of liver | Container : Findings (DCM, 121070) | Procedure reported (DCM, 121058): Transplantation of liver (SRT, P1-5BD10) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Portal V Anast/Pre-Anast Vel Ratio | Portal Vein Anastomosis/Pre-Anastomosis Peak Velocity Ratio (99SIEMENS, PortlVnVmaxRatio) | | unitless |
| Liver Transplant Anastomosis Site Portal Vein from graft | Container : Liver Transplant Anastomosis Site Portal Vein from graft (LN, 44775-5) | | |
| Portal V Anast Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Portal V Anast Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Portal V Anast Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Portal V Anast Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Portal V Anast D | Diameter (SRT, M-02550) | | mm |
| Portal V Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Portal Vein | Container : Portal Vein (SRT, T-48810) | | |
| Portal V Pre-anast Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Portal V Pre-anast Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Portal V Pre-anast Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Portal V Pre-anast Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Portal V Pre-anast D | Diameter (SRT, M-02550) | | mm |
| Portal V Pre-anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Donor Artery | Container : Donor Artery (99SIEMENS, DonorArtery) | | |
| Dist Donor A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Donor A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Donor A ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Donor A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Donor A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Donor A PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Donor A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Donor A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Donor A TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Dist Donor A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Donor A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Donor A TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Dist Donor A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Mid Donor A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Prox Donor A Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Dist Donor A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Donor A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Donor A PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Donor A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Donor A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Donor A RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Donor A | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Mid Donor A | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Prox Donor A | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Dist Donor A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Mid Donor A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Prox Donor A T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Dist Donor A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Mid Donor A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox Donor A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Dist Donor A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Mid Donor A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Prox Donor A FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Dist Donor A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Mid Donor A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Donor A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Donor A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mid Donor A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prox Donor A D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Dist Donor A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Mid Donor A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Prox Donor A A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Dist Donor A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Mid Donor A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Prox Donor A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Dist Donor A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Mid Donor A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Prox Donor A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

### 10.2.23 Transplant of kidney

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Transplant of kidney | Container : Findings (DCM, 121070) | Procedure reported (DCM, 121058): Transplant of kidney (SRT, P1-71D00) | |
| External Iliac Artery | Container : External Iliac Artery (SRT, T-46910) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Art Anast ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Art Anast PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Art Anast TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Art Anast TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Art Anast Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Art Anast PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Art Anast RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Art Anast SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Art Anast T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Art Anast FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Art Anast FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Art Anast D | Diameter (SRT, M-02550) | | mm |
| Lt Art Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Art Anast A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Art Anast D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Art Anast TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| External Iliac Artery | Container : External Iliac Artery (SRT, T-46910) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Art Anast ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Art Anast PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Art Anast TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Art Anast TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Art Anast Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Art Anast PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Art Anast RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Art Anast SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Art Anast T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Art Anast FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Art Anast FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Art Anast D | Diameter (SRT, M-02550) | | mm |
| Rt Art Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Art Anast A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Art Anast D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Art Anast TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| External Iliac Vein | Container : External Iliac Vein (SRT, T-48930) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Renal V Anast Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Lt Renal V Anast Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Renal V Anast Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Renal V Anast Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Renal V Anast D | Diameter (SRT, M-02550) | | mm |
| Lt Renal V Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| External Iliac Vein | Container : External Iliac Vein (SRT, T-48930) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Renal V Anast Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Rt Renal V Anast Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Renal V Anast Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Renal V Anast Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Renal V Anast D | Diameter (SRT, M-02550) | | mm |
| Rt Renal V Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Renal Artery | Container : Renal Artery (SRT, T-46600) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Dist RA (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Dist RA (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Dist RA (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Dist RA (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Dist RA (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Dist RA (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Dist RA (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Dist RA (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Dist RA (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Dist RA (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Dist RA (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist RA (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Dist RA (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist RA (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Dist RA (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Dist RA (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Renal Artery | Container : Renal Artery (SRT, T-46600) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | |
| Rt Dist RA (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Dist RA (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Dist RA (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Dist RA (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Dist RA (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Dist RA (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Dist RA (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Dist RA (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Dist RA (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Dist RA (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist RA (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist RA (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Dist RA (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist RA (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Dist RA (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Dist RA (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Segmental Artery | Container : Segmental Artery (SRT, T-46659) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | |
| Lt Inf Segmental A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Inf Segmental A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Inf Segmental A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Inf Segmental A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Inf Segmental A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Inf Segmental A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Inf Segmental A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Inf Segmental A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Inf Segmental A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Inf Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Inf Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Inf Segmental A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Inf Segmental A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Inf Segmental A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Inf Segmental A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Inf Segmental A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Segmental Artery | Container : Segmental Artery (SRT, T-46659) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | |
| Lt Mid Segmental A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Mid Segmental A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Mid Segmental A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Mid Segmental A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Mid Segmental A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Segmental A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Mid Segmental A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Mid Segmental A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Mid Segmental A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Mid Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Mid Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Segmental A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Mid Segmental A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Segmental A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Mid Segmental A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Mid Segmental A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Segmental Artery | Container : Segmental Artery (SRT, T-46659) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | |
| Lt Sup Segmental A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Sup Segmental A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Sup Segmental A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Sup Segmental A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Sup Segmental A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Sup Segmental A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Sup Segmental A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Sup Segmental A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Sup Segmental A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Sup Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Sup Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Sup Segmental A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Sup Segmental A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Sup Segmental A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Sup Segmental A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Sup Segmental A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Segmental Artery | Container : Segmental Artery (SRT, T-46659) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Inf Segmental A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Inf Segmental A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Inf Segmental A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Inf Segmental A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Inf Segmental A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Inf Segmental A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Inf Segmental A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Inf Segmental A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Inf Segmental A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Inf Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Inf Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Inf Segmental A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Inf Segmental A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Inf Segmental A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Inf Segmental A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Inf Segmental A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Segmental Artery | Container : Segmental Artery (SRT, T-46659) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | |
| Rt Mid Segmental A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid Segmental A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Mid Segmental A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Mid Segmental A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Mid Segmental A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Mid Segmental A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Mid Segmental A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Mid Segmental A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Mid Segmental A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Mid Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Mid Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Segmental A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Mid Segmental A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Segmental A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Segmental A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Mid Segmental A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Segmental Artery | Container : Segmental Artery (SRT, T-46659) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Sup Segmental A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Sup Segmental A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Sup Segmental A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Sup Segmental A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Sup Segmental A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Sup Segmental A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Sup Segmental A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Sup Segmental A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Sup Segmental A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Sup Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Sup Segmental A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Sup Segmental A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Sup Segmental A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Sup Segmental A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Sup Segmental A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Sup Segmental A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Renal Vein | Container : Renal Vein (SRT, T-48740) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Renal V Vmin (Tx) Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Lt Renal V Vmin (Tx) Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Renal V Vmax (Tx) Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Renal V Vmax (Tx) Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Renal V (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Renal V (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Renal Vein | Container : Renal Vein (SRT, T-48740) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Renal V Vmin (Tx) Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Rt Renal V Vmin (Tx) Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Renal V Vmax (Tx) Vel | Blood velocity, peak (DCM, 122207) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Renal V Vmax (Tx) Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Renal V (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Renal V (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Donor Artery | Container : Donor Artery (99SIEMENS, DonorArtery) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | |
| Lt Dist Donor A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Dist Donor A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Dist Donor A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Dist Donor A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Dist Donor A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Dist Donor A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Dist Donor A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Dist Donor A | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Dist Donor A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Dist Donor A FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Dist Donor A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist Donor A D | Diameter (SRT, M-02550) | | mm |
| Lt Dist Donor A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist Donor A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Dist Donor A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Dist Donor A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Donor Artery | Container : Donor Artery (99SIEMENS, DonorArtery) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Dist Donor A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Dist Donor A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Dist Donor A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Dist Donor A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Dist Donor A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Dist Donor A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Dist Donor A RI | Resistivity Index (LN, 12023-8) | | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist Donor A | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Dist Donor A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Dist Donor A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Dist Donor A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist Donor A D | Diameter (SRT, M-02550) | | mm |
| Rt Dist Donor A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist Donor A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Dist Donor A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Dist Donor A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Arcuate Artery of the Kidney | Container : Arcuate Artery of the Kidney (SRT, T-4668A) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | |
| Lt Inf Arcuate A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Inf Arcuate A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Inf Arcuate A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Inf Arcuate A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Inf Arcuate A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Inf Arcuate A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Inf Arcuate A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Inf Arcuate A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Inf Arcuate A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Inf Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Inf Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Inf Arcuate A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Inf Arcuate A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Inf Arcuate A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Inf Arcuate A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Inf Arcuate A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Arcuate Artery of the Kidney | Container : Arcuate Artery of the Kidney (SRT, T-4668A) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | |
| Lt Mid Arcuate A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Mid Arcuate A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Arcuate A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Mid Arcuate A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Mid Arcuate A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Mid Arcuate A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Mid Arcuate A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Mid Arcuate A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Mid Arcuate A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Mid Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Mid Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Arcuate A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Mid Arcuate A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Arcuate A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Mid Arcuate A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Mid Arcuate A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Arcuate Artery of the Kidney | Container : Arcuate Artery of the Kidney (SRT, T-4668A) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | |
| Lt Sup Arcuate A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Sup Arcuate A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Sup Arcuate A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Sup Arcuate A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Sup Arcuate A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Sup Arcuate A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Sup Arcuate A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Sup Arcuate A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Sup Arcuate A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Sup Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Sup Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Sup Arcuate A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Sup Arcuate A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Sup Arcuate A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Sup Arcuate A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Sup Arcuate A (Tx) TAmn | Time averaged mean velocity of Volume Flow | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | (99SIEMENS, VolFTAMn) | | |
| Arcuate Artery of the Kidney | Container : Arcuate Artery of the Kidney (SRT, T-4668A) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | |
| Rt Inf Arcuate A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Inf Arcuate A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Inf Arcuate A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Inf Arcuate A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Inf Arcuate A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Inf Arcuate A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Inf Arcuate A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Inf Arcuate A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Inf Arcuate A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Inf Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Inf Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Inf Arcuate A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Inf Arcuate A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Inf Arcuate A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Inf Arcuate A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Inf Arcuate A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Arcuate Artery of the Kidney | Container : Arcuate Artery of the Kidney (SRT, T-4668A) | Vessel Branch (DCM, 125101): Medial (SRT, G-A109)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Mid Arcuate A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid Arcuate A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Mid Arcuate A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Mid Arcuate A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Mid Arcuate A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Mid Arcuate A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Mid Arcuate A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Mid Arcuate A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Mid Arcuate A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Mid Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Mid Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Arcuate A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Mid Arcuate A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Arcuate A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Mid Arcuate A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Mid Arcuate A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Arcuate Artery of the Kidney | Container : Arcuate Artery of the Kidney (SRT, T-4668A) | Vessel Branch (DCM, 125101): Superior (SRT, G-A116)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Sup Arcuate A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Sup Arcuate A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Sup Arcuate A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Sup Arcuate A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Sup Arcuate A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Sup Arcuate A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Sup Arcuate A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Sup Arcuate A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Sup Arcuate A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Sup Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Sup Arcuate A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Sup Arcuate A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Sup Arcuate A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Sup Arcuate A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Sup Arcuate A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Sup Arcuate A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Interlobar Artery of Kidney | Container : Interlobar Artery of Kidney (SRT, T-4667D) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | |
| Lt Inf Interlobar A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Inf Interlobar A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Inf Interlobar A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Inf Interlobar A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Inf Interlobar A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Inf Interlobar A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Inf Interlobar A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Inf Interlobar A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Inf Interlobar A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Inf Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Inf Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Inf Interlobar A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Inf Interlobar A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Inf Interlobar A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Inf Interlobar A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Inf Interlobar A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Interlobar Artery of Kidney | Container : Interlobar Artery of Kidney (SRT, T-4667D) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | |
| Lt Mid Interlobar A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Mid Interlobar A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Mid Interlobar A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Mid Interlobar A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Mid Interlobar A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Mid Interlobar A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Mid Interlobar A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Mid Interlobar A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Mid Interlobar A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Mid Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Mid Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Interlobar A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Mid Interlobar A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Interlobar A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Mid Interlobar A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Mid Interlobar A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Interlobar Artery of Kidney | Container : Interlobar Artery of Kidney (SRT, T-4667D) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | |
| Lt Sup Interlobar A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Sup Interlobar A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Sup Interlobar A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Sup Interlobar A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Sup Interlobar A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Sup Interlobar A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Sup Interlobar A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Sup Interlobar A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Sup Interlobar A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Sup Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Sup Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Sup Interlobar A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Sup Interlobar A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Sup Interlobar A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Sup Interlobar A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Sup Interlobar A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Interlobar Artery of Kidney | Container : Interlobar Artery of Kidney (SRT, T-4667D) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Vessel Branch (DCM, 125101): Inferior (SRT, G-A115) | |
| Rt Inf Interlobar A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Inf Interlobar A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Inf Interlobar A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Inf Interlobar A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Inf Interlobar A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Inf Interlobar A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Inf Interlobar A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Inf Interlobar A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Inf Interlobar A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Inf Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Inf Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Inf Interlobar A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Inf Interlobar A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Inf Interlobar A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Inf Interlobar A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Inf Interlobar A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Interlobar Artery of Kidney | Container : Interlobar Artery of Kidney (SRT, T-4667D) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Vessel Branch (DCM, 125101): Medial (SRT, G-A109) | |
| Rt Mid Interlobar A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid Interlobar A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Mid Interlobar A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Mid Interlobar A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Mid Interlobar A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Mid Interlobar A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Mid Interlobar A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Mid Interlobar A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Mid Interlobar A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Mid Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Mid Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Interlobar A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Mid Interlobar A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Interlobar A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Mid Interlobar A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Mid Interlobar A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Interlobar Artery of Kidney | Container : Interlobar Artery of Kidney (SRT, T-4667D) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Vessel Branch (DCM, 125101): Superior (SRT, G-A116) | |
| Rt Sup Interlobar A (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Sup Interlobar A (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Sup Interlobar A (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Sup Interlobar A (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Sup Interlobar A (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Sup Interlobar A (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Sup Interlobar A (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Sup Interlobar A (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Sup Interlobar A (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Sup Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Sup Interlobar A (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Sup Interlobar A (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Sup Interlobar A (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Sup Interlobar A (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Sup Interlobar A (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Sup Interlobar A (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Renal Artery | Container : Renal Artery (SRT, T-46600) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | |
| Lt Mid RA (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Mid RA (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Mid RA (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Mid RA (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Mid RA (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Mid RA (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Mid RA (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Mid RA (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Mid RA (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Mid RA (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Mid RA (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid RA (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Mid RA (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid RA (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Mid RA (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Mid RA (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Renal Artery | Container : Renal Artery (SRT, T-46600) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | |
| Lt Prox RA (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Prox RA (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Prox RA (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Prox RA (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox RA (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Prox RA (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Prox RA (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Prox RA (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Prox RA (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Prox RA (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Prox RA (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox RA (Tx) D | Diameter (SRT, M-02550) | | mm |
| Lt Prox RA (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox RA (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Prox RA (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Prox RA (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Renal Artery | Container : Renal Artery (SRT, T-46600) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | |
| Rt Mid RA (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid RA (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Mid RA (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Mid RA (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Mid RA (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Mid RA (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Mid RA (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Mid RA (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Mid RA (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Mid RA (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Mid RA (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid RA (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Mid RA (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid RA (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Mid RA (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Mid RA (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Renal Artery | Container : Renal Artery (SRT, T-46600) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | |
| Rt Prox RA (Tx) ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Prox RA (Tx) PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Prox RA (Tx) TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Prox RA (Tx) TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Prox RA (Tx) Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Prox RA (Tx) PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Prox RA (Tx) RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Prox RA (Tx) SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Prox RA (Tx) T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Prox RA (Tx) FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Prox RA (Tx) FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox RA (Tx) D | Diameter (SRT, M-02550) | | mm |
| Rt Prox RA (Tx) D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox RA (Tx) A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Prox RA (Tx) D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Prox RA (Tx) TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Donor Artery | Container : Donor Artery (99SIEMENS, DonorArtery) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | |
| Lt Mid Donor A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Mid Donor A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Mid Donor A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Mid Donor A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Mid Donor A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Mid Donor A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Mid Donor A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Mid Donor A | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Mid Donor A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Mid Donor A FV | Volume Flow (LN, 33878-0) | | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid Donor A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid Donor A D | Diameter (SRT, M-02550) | | mm |
| Lt Mid Donor A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid Donor A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Mid Donor A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Mid Donor A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Donor Artery | Container : Donor Artery (99SIEMENS, DonorArtery) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | |
| Lt Prox Donor A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Prox Donor A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Prox Donor A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Prox Donor A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Prox Donor A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Prox Donor A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Prox Donor A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Prox Donor A | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Prox Donor A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Prox Donor A FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Prox Donor A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox Donor A D | Diameter (SRT, M-02550) | | mm |
| Lt Prox Donor A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox Donor A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Prox Donor A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Prox Donor A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Donor Artery | Container : Donor Artery (99SIEMENS, DonorArtery) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Mid Donor A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Mid Donor A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Mid Donor A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Mid Donor A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid Donor A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Mid Donor A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Mid Donor A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Mid Donor A | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Mid Donor A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Mid Donor A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Mid Donor A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid Donor A D | Diameter (SRT, M-02550) | | mm |
| Rt Mid Donor A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid Donor A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Mid Donor A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Mid Donor A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Donor Artery | Container : Donor Artery (99SIEMENS, DonorArtery) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | |
| Rt Prox Donor A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Prox Donor A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Prox Donor A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Prox Donor A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Prox Donor A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Prox Donor A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Prox Donor A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Prox Donor A | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Prox Donor A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Prox Donor A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Prox Donor A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox Donor A D | Diameter (SRT, M-02550) | | mm |
| Rt Prox Donor A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox Donor A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Prox Donor A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Prox Donor A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Transplanted Kidney | Container : Transplanted Kidney (SRT, T-7100A) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Transplant Kidney AP D | Height (DCM, 121207) | | mm |
| Lt Transplant Kidney AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Transplant Kidney Length D | Length (SRT, G-A22A) | | mm |
| Lt Transplant Kidney Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Transplant Kidney Width D | Width (SRT, G-A220) | | mm |
| Lt Transplant Kidney Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Kidney (Tx) Vol | Volume (SRT, G-D705) | | cm3 |
| Transplanted Kidney | Container : Transplanted Kidney (SRT, T-7100A) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Transplant Kidney AP D | Height (DCM, 121207) | | mm |
| Rt Transplant Kidney AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Transplant Kidney Length D | Length (SRT, G-A22A) | | mm |
| Rt Transplant Kidney Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Transplant Kidney Width D | Width (SRT, G-A220) | | mm |
| Rt Transplant Kidney Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Kidney (Tx) Vol | Volume (SRT, G-D705) | | cm3 |

### 10.2.24 Liver

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Liver | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Liver (SRT, T-62000) | |
| Liver AP D | Height (DCM, 121207) | | mm |
| Liver AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Liver Length D | Length (SRT, G-A22A) | | mm |
| Liver Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Liver Width D | Width (SRT, G-A220) | | mm |
| Liver Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Liver Vol | Volume (SRT, G-D705) | | cm3 |
| Common Hepatic Duct | Container : Common Hepatic Duct (SRT, T-64100) | | |
| CHD D | Distance (DCM, 121206) | | mm |
| CHD D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mass | Container : Mass (SRT, M-03000) | Identifier (DCM, 125010): <n>, where <n> is 1..10 | |
| Mass <n> AP D | Height (DCM, 121207) | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Liver Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |
| Mass <n> Vs | Shear Wave Velocity (99SIEMENS, ShearVelocity) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Mass <n> Dep | Shear Wave Velocity ROI Depth (99SIEMENS, VsROIDepth) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | cm |
| Mass <n> E | Elasticity (99SIEMENS, Elasticity) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Mass <n> | Elasticity ROI Depth (99SIEMENS, ElastROIDepth) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | cm |
| Mass <n> | Shear Wave Velocity Median (99SIEMENS, VsMedian) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Mass <n> | Elasticity Median (99SIEMENS, ElasticityMedian) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Mass <n> | Shear Wave Velocity Mean (99SIEMENS, VsMean) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Mass <n> | Standard Deviation of Shear Wave Velocity (99SIEMENS, VsStdDev) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Mass <n> | Shear Wave Velocity Interquartile Range (99SIEMENS, VsIQR) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Mass <n> | Shear Wave Velocity IQR/Median Ratio (99SIEMENS, VsIQRMRatio) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Mass <n> | Elasticity Mean (99SIEMENS, EMean) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Mass <n> | Standard Deviation of Elasticity (99SIEMENS, EStdDev) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Mass <n> | Elasticity Interquartile Range (99SIEMENS, EIQR) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Mass <n> | Elasticity IQR/Median Ratio (99SIEMENS, EIQRMRatio) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Site | Container : Site (SRT, G-A165) | Identifier (DCM, 125010): <n>, where <n> is 1..10 | |
| Site <n> Vs | Shear Wave Velocity (99SIEMENS, ShearVelocity) | Measurement Method (SRT, G-C036): Point Shear Wave | m/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Elastography (99SIEMENS, pSWE) | |
| Site <n> Dep | Shear Wave Velocity ROI Depth (99SIEMENS, VsROIDepth) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | cm |
| Site <n> E | Elasticity (99SIEMENS, Elasticity) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Site <n> | Elasticity ROI Depth (99SIEMENS, ElastROIDepth) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | cm |
| Site <n> | Shear Wave Velocity Median (99SIEMENS, VsMedian) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Site <n> | Elasticity Median (99SIEMENS, ElasticityMedian) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Site <n> | Shear Wave Velocity Mean (99SIEMENS, VsMean) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Site <n> | Standard Deviation of Shear Wave Velocity (99SIEMENS, VsStdDev) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Site <n> | Shear Wave Velocity Interquartile Range (99SIEMENS, VsIQR) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Site <n> | Shear Wave Velocity IQR/Median Ratio (99SIEMENS, VsIQRMRatio) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Site <n> | Elasticity Mean (99SIEMENS, EMean) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Site <n> | Standard Deviation of Elasticity (99SIEMENS, EStdDev) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Site <n> | Elasticity Interquartile Range (99SIEMENS, EIQR) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Site <n> | Elasticity IQR/Median Ratio (99SIEMENS, EIQRMRatio) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Liver Segment | Container : Liver Segment (SRT, T-D053F) | Identifier (DCM, 125010): <n>, where <n> is 1..8 | |
| Liver Segment <n> Vs | Shear Wave Velocity (99SIEMENS, ShearVelocity) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Liver Segment <n> Dep | Shear Wave Velocity ROI Depth (99SIEMENS, VsROIDepth) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | cm |
| Liver Segment <n> E | Elasticity (99SIEMENS, Elasticity) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Liver Segment <n> | Elasticity ROI Depth (99SIEMENS, ElastROIDepth) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | cm |
| Liver Segment <n> | Shear Wave Velocity Median (99SIEMENS, VsMedian) | Measurement Method (SRT, G-C036): Point Shear Wave | m/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Elastography (99SIEMENS, pSWE) | |
| Liver Segment <n> | Elasticity Median (99SIEMENS, ElasticityMedian) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Liver Segment <n> | Shear Wave Velocity Mean (99SIEMENS, VsMean) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Liver Segment <n> | Standard Deviation of Shear Wave Velocity (99SIEMENS, VsStdDev) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Liver Segment <n> | Shear Wave Velocity Interquartile Range (99SIEMENS, VsIQR) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Liver Segment <n> | Shear Wave Velocity IQR/Median Ratio (99SIEMENS, VsIQRMRatio) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | m/s |
| Liver Segment <n> | Elasticity Mean (99SIEMENS, EMean) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Liver Segment <n> | Standard Deviation of Elasticity (99SIEMENS, EStdDev) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Liver Segment <n> | Elasticity Interquartile Range (99SIEMENS, EIQR) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |
| Liver Segment <n> | Elasticity IQR/Median Ratio (99SIEMENS, EIQRMRatio) | Measurement Method (SRT, G-C036): Point Shear Wave Elastography (99SIEMENS, pSWE) | kPa |

### 10.2.25 Gallbladder

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Gallbladder | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Gallbladder (SRT, T-63000) | |
| GB AP D | Height (DCM, 121207) | | mm |
| GB AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| GB Length D | Length (SRT, G-A22A) | | mm |
| GB Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| GB Width D | Width (SRT, G-A220) | | mm |
| GB Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| GB Vol | Volume (SRT, G-D705) | | cm3 |
| GB Wall Thickness D | Gallbladder Wall Thickness (99SIEMENS, GBWallThk) | | mm |
| GB Wall Thickness D | Gallbladder Wall Thickness (99SIEMENS, GBWallThk) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Common Bile Duct | Container : Common Bile Duct (SRT, T-64500) | | |
| CBD D | Distance (DCM, 121206) | | mm |
| CBD D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.2.26 Pancreas

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Pancreas | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Pancreas (SRT, T-65000) | |
| Pancreatic Duct | Container : Pancreatic Duct (SRT, T-65010) | | |
| Pancreatic Duct D | Distance (DCM, 121206) | | mm |
| Pancreatic Duct D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Head of Pancreas | Container : Head of Pancreas (SRT, T-65100) | | |
| Pancreas Head D | Distance (DCM, 121206) | | mm |
| Pancreas Head D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Body of Pancreas | Container : Body of Pancreas (SRT, T-65200) | | |
| Pancreas Body D | Distance (DCM, 121206) | | mm |
| Pancreas Body D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Tail of Pancreas | Container : Tail of Pancreas (SRT, T-65300) | | |
| Pancreas Tail D | Distance (DCM, 121206) | | mm |
| Pancreas Tail D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.2.27 Left Kidney

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Kidney | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Kidney (SRT, T-71000)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Kidney AP D | Height (DCM, 121207) | | mm |
| Lt Kidney AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Kidney Length D | Length (SRT, G-A22A) | | mm |
| Lt Kidney Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Kidney Width D | Width (SRT, G-A220) | | mm |
| Lt Kidney Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Kidney Vol | Volume (SRT, G-D705) | | cm3 |
| Lt Cortical Thickness D | Renal Cortical Thickness (99SIEMENS, RenalCorticalThk) | | mm |
| Lt Cortical Thickness D | Renal Cortical Thickness (99SIEMENS, RenalCorticalThk) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.2.28 Right Kidney

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Kidney | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Kidney (SRT, T-71000)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Kidney AP D | Height (DCM, 121207) | | mm |
| Rt Kidney AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Kidney Length D | Length (SRT, G-A22A) | | mm |
| Rt Kidney Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Kidney Width D | Width (SRT, G-A220) | | mm |
| Rt Kidney Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Kidney Vol | Volume (SRT, G-D705) | | cm3 |
| Rt Cortical Thickness D | Renal Cortical Thickness (99SIEMENS, RenalCorticalThk) | | mm |
| Rt Cortical Thickness D | Renal Cortical Thickness (99SIEMENS, RenalCorticalThk) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.2.29 Bladder

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Bladder | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Bladder (SRT, T-74000) | |
| Micturated Vol | Micturated Volume (99SIEMENS, MicturatedVol) | | cm3 |
| Prior to voiding | Container : Prior to voiding (DCM, 109134) | | |
| Pre-Void Bladder AP D | Height (DCM, 121207) | | mm |
| Pre-Void Bladder AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Pre-Void Bladder Length D | Length (SRT, G-A22A) | | mm |
| Pre-Void Bladder Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Pre-Void Bladder Width D | Width (SRT, G-A220) | | mm |
| Pre-Void Bladder Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| PreVoid Bladder Vol | Volume (SRT, G-D705) | | cm3 |
| Post voiding | Container : Post voiding (DCM, 109135) | | |
| Post-Void Bladder AP D | Height (DCM, 121207) | | mm |
| Post-Void Bladder AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Post-Void Bladder Length D | Length (SRT, G-A22A) | | mm |
| Post-Void Bladder Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Post-Void Bladder Width D | Width (SRT, G-A220) | | mm |
| Post-Void Bladder Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| PostVoid Bladder Vol | Volume (SRT, G-D705) | | cm3 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Ureter | Container : Ureter (SRT, T-73000) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Ureter D | Distance (DCM, 121206) | | mm |
| Lt Ureter D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ureter | Container : Ureter (SRT, T-73000) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Ureter D | Distance (DCM, 121206) | | mm |
| Rt Ureter D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Urethra | Container : Urethra (SRT, T-75000) | | |
| Urethra D | Distance (DCM, 121206) | | mm |
| Urethra D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.2.30 Penis

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Penis | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Penis (SRT, T-91000) | |
| Dorsal Artery of Penis | Container : Dorsal Artery of Penis (SRT, T-46857) | | |
| Pre-inj Dorsal A ED | End Diastolic Velocity (LN, 11653-3) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Post-inj Dorsal A ED | End Diastolic Velocity (LN, 11653-3) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Pre-inj Dorsal A PS | Peak Systolic Velocity (LN, 11726-7) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Post-inj Dorsal A PS | Peak Systolic Velocity (LN, 11726-7) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Pre-inj Dorsal A TAmn | Time averaged mean velocity (LN, 20352-1) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Post-inj Dorsal A TAmn | Time averaged mean velocity (LN, 20352-1) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Pre-inj Dorsal A TAmx | Time averaged peak velocity (LN, 11692-1) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Post-inj Dorsal A TAmx | Time averaged peak velocity (LN, 11692-1) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Pre-inj Dorsal A Accel | Acceleration Index (LN, 20167-3) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | m/s2 |
| Post-inj Dorsal A Accel | Acceleration Index (LN, 20167-3) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | m/s2 |
| Pre-inj Dorsal A PI | Pulsatility Index (LN, 12008-9) | Injection State (99SIEMENS, InjectionState): Pre-injection | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (99SIEMENS, Preinjection) | |
| Post-inj Dorsal A PI | Pulsatility Index (LN, 12008-9) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | unitless |
| Pre-inj Dorsal A RI | Resistivity Index (LN, 12023-8) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | unitless |
| Post-inj Dorsal A RI | Resistivity Index (LN, 12023-8) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | unitless |
| Pre-inj Dorsal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | unitless |
| Post-inj Dorsal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | unitless |
| Pre-inj Dorsal A T | Acceleration Time (LN, 20168-1) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | msec |
| Post-inj Dorsal A T | Acceleration Time (LN, 20168-1) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | msec |
| Pre-inj Dorsal A FV | Volume Flow (LN, 33878-0) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | l/min |
| Post-inj Dorsal A FV | Volume Flow (LN, 33878-0) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | l/min |
| Pre-inj Dorsal A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | l/min |
| Post-inj Dorsal A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | l/min |
| Pre-inj Dorsal A D | Diameter (SRT, M-02550) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | mm |
| Post-inj Dorsal A D | Diameter (SRT, M-02550) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | mm |
| Pre-inj Dorsal A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | mm |
| Post-inj Dorsal A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | mm |
| Pre-inj Dorsal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Post-inj Dorsal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm2 |
| Pre-inj Dorsal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | mm |
| Post-inj Dorsal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | mm |
| Pre-inj Dorsal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Post-inj Dorsal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Penile Vein | Container : Penile Vein (SRT, T-48991) | | |
| Penile V Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Penile V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Penile V Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Penile V Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Penile V D | Diameter (SRT, M-02550) | | mm |
| Penile V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Cavernosal Artery | Container : Cavernosal Artery (99SIEMENS, CavernosalA) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Pre-inj Cavernosal A ED | End Diastolic Velocity (LN, 11653-3) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Lt Post-inj Cavernosal A ED | End Diastolic Velocity (LN, 11653-3) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Lt Pre-inj Cavernosal A PS | Peak Systolic Velocity (LN, 11726-7) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Lt Post-inj Cavernosal A PS | Peak Systolic Velocity (LN, 11726-7) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Lt Pre-inj Cavernosal A TAmn | Time averaged mean velocity (LN, 20352-1) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Lt Post-inj Cavernosal A TAmn | Time averaged mean velocity (LN, 20352-1) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Lt Pre-inj Cavernosal A TAmx | Time averaged peak velocity (LN, 11692-1) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Lt Post-inj Cavernosal A TAmx | Time averaged peak velocity (LN, 11692-1) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Lt Pre-inj Cavernosal A Accel | Acceleration Index (LN, 20167-3) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Post-inj Cavernosal A Accel | Acceleration Index (LN, 20167-3) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | m/s2 |
| Lt Pre-inj Cavernosal A PI | Pulsatility Index (LN, 12008-9) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | unitless |
| Lt Post-inj Cavernosal A PI | Pulsatility Index (LN, 12008-9) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | unitless |
| Lt Pre-inj Cavernosal A RI | Resistivity Index (LN, 12023-8) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | unitless |
| Lt Post-inj Cavernosal A RI | Resistivity Index (LN, 12023-8) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | unitless |
| Lt Pre-inj Cavernosal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | unitless |
| Lt Post-inj Cavernosal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | unitless |
| Lt Pre-inj Cavernosal A T | Acceleration Time (LN, 20168-1) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | msec |
| Lt Post-inj Cavernosal A T | Acceleration Time (LN, 20168-1) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | msec |
| Lt Pre-inj Cavernosal A FV | Volume Flow (LN, 33878-0) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | l/min |
| Lt Post-inj Cavernosal A FV | Volume Flow (LN, 33878-0) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | l/min |
| Lt Pre-inj Cavernosal A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | l/min |
| Lt Post-inj Cavernosal A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | l/min |
| Lt Pre-inj Cavernosal A D | Diameter (SRT, M-02550) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | mm |
| Lt Post-inj Cavernosal A D | Diameter (SRT, M-02550) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | mm |
| Lt Pre-inj Cavernosal A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | mm |
| Lt Post-inj Cavernosal A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Post- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | injection (99SIEMENS, Postinjection) | |
| Lt Pre-inj Cavernosal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm2 |
| Lt Post-inj Cavernosal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm2 |
| Lt Pre-inj Cavernosal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | mm |
| Lt Post-inj Cavernosal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | mm |
| Lt Pre-inj Cavernosal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Lt Post-inj Cavernosal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Cavernosal Artery | Container : Cavernosal Artery (99SIEMENS, CavernosalA) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Pre-inj Cavernosal A ED | End Diastolic Velocity (LN, 11653-3) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Rt Post-inj Cavernosal A ED | End Diastolic Velocity (LN, 11653-3) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Rt Pre-inj Cavernosal A PS | Peak Systolic Velocity (LN, 11726-7) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Rt Post-inj Cavernosal A PS | Peak Systolic Velocity (LN, 11726-7) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Rt Pre-inj Cavernosal A TAmn | Time averaged mean velocity (LN, 20352-1) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Rt Post-inj Cavernosal A TAmn | Time averaged mean velocity (LN, 20352-1) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Rt Pre-inj Cavernosal A TAmx | Time averaged peak velocity (LN, 11692-1) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Rt Post-inj Cavernosal A TAmx | Time averaged peak velocity (LN, 11692-1) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |
| Rt Pre-inj Cavernosal A Accel | Acceleration Index (LN, 20167-3) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | m/s2 |
| Rt Post-inj Cavernosal A Accel | Acceleration Index (LN, 20167-3) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | m/s2 |
| Rt Pre-inj Cavernosal A PI | Pulsatility Index (LN, 12008-9) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | unitless |
| Rt Post-inj Cavernosal A PI | Pulsatility Index (LN, 12008-9) | Injection State (99SIEMENS, InjectionState): Post- | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | injection (99SIEMENS, Postinjection) | |
| Rt Pre-inj Cavernosal A RI | Resistivity Index (LN, 12023-8) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | unitless |
| Rt Post-inj Cavernosal A RI | Resistivity Index (LN, 12023-8) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | unitless |
| Rt Pre-inj Cavernosal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | unitless |
| Rt Post-inj Cavernosal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | unitless |
| Rt Pre-inj Cavernosal A T | Acceleration Time (LN, 20168-1) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | msec |
| Rt Post-inj Cavernosal A T | Acceleration Time (LN, 20168-1) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | msec |
| Rt Pre-inj Cavernosal A FV | Volume Flow (LN, 33878-0) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | l/min |
| Rt Post-inj Cavernosal A FV | Volume Flow (LN, 33878-0) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | l/min |
| Rt Pre-inj Cavernosal A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | l/min |
| Rt Post-inj Cavernosal A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | l/min |
| Rt Pre-inj Cavernosal A D | Diameter (SRT, M-02550) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | mm |
| Rt Post-inj Cavernosal A D | Diameter (SRT, M-02550) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | mm |
| Rt Pre-inj Cavernosal A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | mm |
| Rt Post-inj Cavernosal A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | mm |
| Rt Pre-inj Cavernosal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm2 |
| Rt Post-inj Cavernosal A A | Area of Volume Flow (99SIEMENS, VolFArea) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Pre-inj Cavernosal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | mm |
| Rt Post-inj Cavernosal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | mm |
| Rt Pre-inj Cavernosal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Injection State (99SIEMENS, InjectionState): Pre-injection (99SIEMENS, Preinjection) | cm/s |
| Rt Post-inj Cavernosal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Injection State (99SIEMENS, InjectionState): Post-injection (99SIEMENS, Postinjection) | cm/s |

### 10.2.31 Prostate

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prostate | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Prostate (SRT, T-92000) | |
| Prostate AP D | Prostate Height (LN, 15301-5) | | mm |
| Prostate AP D | Prostate Height (LN, 15301-5) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prostate Length D | Prostate Length (LN, 15303-1) | | mm |
| Prostate Length D | Prostate Length (LN, 15303-1) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prostate Width D | Prostate Width (LN, 15302-3) | | mm |
| Prostate Width D | Prostate Width (LN, 15302-3) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Prostate Vol | Prostate Volume derived from height, width and length (LN, 15308-0) | | cm3 |
| Prostate Weight | Organ Weight (SRT, M-02850) | | g |
| Seminal Vesicle | Container : Seminal Vesicle (SRT, T-93000) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Seminal Ves D | Distance (DCM, 121206) | | mm |
| Lt Seminal Ves D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Seminal Vesicle | Container : Seminal Vesicle (SRT, T-93000) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Seminal Ves D | Distance (DCM, 121206) | | mm |
| Rt Seminal Ves D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Vas Deferens | Container : Vas Deferens (SRT, T-96000) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Vas Deferens D | Distance (DCM, 121206) | | mm |
| Lt Vas Deferens D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Vas Deferens | Container : Vas Deferens (SRT, T-96000) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Vas Deferens D | Distance (DCM, 121206) | | mm |
| Rt Vas Deferens D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Prostatic Urethra | Container : Prostatic Urethra (SRT, T-75110) | | |
| Prostatic Urethra D | Distance (DCM, 121206) | | mm |
| Prostatic Urethra D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ejaculatory Duct | Container : Ejaculatory Duct (SRT, T-93070) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Ejaculatory Duct D | Distance (DCM, 121206) | | mm |
| Lt Ejaculatory Duct D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ejaculatory Duct | Container : Ejaculatory Duct (SRT, T-93070) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Ejaculatory Duct D | Distance (DCM, 121206) | | mm |
| Rt Ejaculatory Duct D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mass | Container : Mass (SRT, M-03000) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Lt Prostate Mass <n> AP D | Height (DCM, 121207) | | mm |
| Lt Prostate Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prostate Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Lt Prostate Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prostate Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Lt Prostate Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prostate Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |
| Mass | Container : Mass (SRT, M-03000) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Rt Prostate Mass <n> AP D | Height (DCM, 121207) | | mm |
| Rt Prostate Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prostate Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Rt Prostate Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prostate Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Rt Prostate Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prostate Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |

### 10.2.32 Left Testis

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Testis | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Testis (SRT, T-94000)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Testicle AP D | Height (DCM, 121207) | | mm |
| Lt Testicle AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Testicle Length D | Length (SRT, G-A22A) | | mm |
| Lt Testicle Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Testicle Width D | Width (SRT, G-A220) | | mm |
| Lt Testicle Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Testicle Vol | Volume (SRT, G-D705) | | cm3 |
| Epididymis | Container : Epididymis (SRT, T-95000) | | |
| Lt Epididymis AP D | Height (DCM, 121207) | | mm |
| Lt Epididymis AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Epididymis Length D | Length (SRT, G-A22A) | | mm |
| Lt Epididymis Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Epididymis Width D | Width (SRT, G-A220) | | mm |
| Lt Epididymis Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Epididymis Vol | Volume (SRT, G-D705) | | cm3 |
| Scrotal Wall | Container : Scrotal Wall (SRT, T-98009) | | |
| Lt Scrotal Wall D | Distance (DCM, 121206) | | mm |
| Lt Scrotal Wall D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Pampiniform Plexus | Container : Pampiniform Plexus (SRT, T-48784) | | |
| Lt Pampiniform Plexus D | Diameter (SRT, M-02550) | | mm |
| Lt Pampiniform Plexus D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Epididymal Artery | Container : Epididymal Artery (99SIEMENS, EpididymalA) | | |
| Lt Epididymal A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Epididymal A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Epididymal A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Epididymal A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Epididymal A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Epididymal A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Epididymal A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Epididymal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Epididymal A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Epididymal A FV | Volume Flow (LN, 33878-0) | | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Epididymal A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Epididymal A D | Diameter (SRT, M-02550) | | mm |
| Lt Epididymal A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Epididymal A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Epididymal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Epididymal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Epididymal Vein | Container : Epididymal Vein (99SIEMENS, EpididymalV) | | |
| Lt Epididymal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Lt Epididymal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Epididymal V Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Lt Epididymal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt Epididymal V D | Diameter (SRT, M-02550) | | mm |
| Lt Epididymal V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mass | Container : Mass (SRT, M-03000) | Identifier (DCM, 125010): <n>, where <n> is 1..3 | |
| Lt Testis Mass <n> AP D | Height (DCM, 121207) | | mm |
| Lt Testis Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Testis Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Lt Testis Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Testis Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Lt Testis Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Testis Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |

### 10.2.33 Right Testis

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Testis | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Testis (SRT, T-94000)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Testicle AP D | Height (DCM, 121207) | | mm |
| Rt Testicle AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Testicle Length D | Length (SRT, G-A22A) | | mm |
| Rt Testicle Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Testicle Width D | Width (SRT, G-A220) | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Testicle Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Testicle Vol | Volume (SRT, G-D705) | | cm3 |
| Epididymis | Container : Epididymis (SRT, T-95000) | | |
| Rt Epididymis AP D | Height (DCM, 121207) | | mm |
| Rt Epididymis AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Epididymis Length D | Length (SRT, G-A22A) | | mm |
| Rt Epididymis Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Epididymis Width D | Width (SRT, G-A220) | | mm |
| Rt Epididymis Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Epididymis Vol | Volume (SRT, G-D705) | | cm3 |
| Scrotal Wall | Container : Scrotal Wall (SRT, T-98009) | | |
| Rt Scrotal Wall D | Distance (DCM, 121206) | | mm |
| Rt Scrotal Wall D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Pampiniform Plexus | Container : Pampiniform Plexus (SRT, T-48784) | | |
| Rt Pampiniform Plexus D | Diameter (SRT, M-02550) | | mm |
| Rt Pampiniform Plexus D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Epididymal Artery | Container : Epididymal Artery (99SIEMENS, EpididymalA) | | |
| Rt Epididymal A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Epididymal A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Epididymal A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Epididymal A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Epididymal A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Epididymal A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Epididymal A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Epididymal A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Epididymal A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Epididymal A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Epididymal A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Epididymal A D | Diameter (SRT, M-02550) | | mm |
| Rt Epididymal A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Epididymal A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Epididymal A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Epididymal A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Epididymal Vein | Container : Epididymal Vein (99SIEMENS, EpididymalV) | | |
| Rt Epididymal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | | cm/s |
| Rt Epididymal V Vmin Vel | Blood velocity, minimum (DCM, 122206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Epididymal V Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Rt Epididymal V Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt Epididymal V D | Diameter (SRT, M-02550) | | mm |
| Rt Epididymal V D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Mass | Container : Mass (SRT, M-03000) | Identifier (DCM, 125010): <n>, where <n> is 1..3 | |
| Rt Testis Mass <n> AP D | Height (DCM, 121207) | | mm |
| Rt Testis Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Testis Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Rt Testis Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Testis Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Rt Testis Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Testis Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |

### 10.2.34 Thyroid

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Thyroid | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Thyroid (SRT, T-B6000) | |
| Lobe of Thyroid Gland | Container : Lobe of Thyroid Gland (SRT, T-B6070) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Thyroid AP D | Height (DCM, 121207) | | mm |
| Lt Thyroid AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Thyroid Length D | Length (SRT, G-A22A) | | mm |
| Lt Thyroid Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Thyroid Width D | Width (SRT, G-A220) | | mm |
| Lt Thyroid Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Thyroid Vol | Volume (SRT, G-D705) | | cm3 |
| Lobe of Thyroid Gland | Container : Lobe of Thyroid Gland (SRT, T-B6070) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Thyroid AP D | Height (DCM, 121207) | | mm |
| Rt Thyroid AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Thyroid Length D | Length (SRT, G-A22A) | | mm |
| Rt Thyroid Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Thyroid Width D | Width (SRT, G-A220) | | mm |
| Rt Thyroid Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Thyroid Vol | Volume (SRT, G-D705) | | cm3 |
| Thyroid Isthmus | Container : Thyroid Isthmus (SRT, T-B6300) | | |
| Isthmus D | Distance (DCM, 121206) | | mm |
| Isthmus D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Parathyroid | Container : Parathyroid (SRT, T-B7000) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Parathyroid D | Distance (DCM, 121206) | | mm |
| Lt Parathyroid D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Parathyroid | Container : Parathyroid (SRT, T-B7000) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Parathyroid D | Distance (DCM, 121206) | | mm |
| Rt Parathyroid D | Distance (DCM, 121206) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Superior Thyroid Artery | Container : Superior Thyroid Artery (SRT, T-45210) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Sup Thyroid A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Sup Thyroid A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Sup Thyroid A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Sup Thyroid A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Sup Thyroid A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Sup Thyroid A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Sup Thyroid A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Sup Thyroid A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Sup Thyroid A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Sup Thyroid A FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Sup Thyroid A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Sup Thyroid A D | Diameter (SRT, M-02550) | | mm |
| Lt Sup Thyroid A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Sup Thyroid A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Sup Thyroid A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Sup Thyroid A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Superior Thyroid Artery | Container : Superior Thyroid Artery (SRT, T-45210) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Sup Thyroid A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Sup Thyroid A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Sup Thyroid A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Sup Thyroid A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Sup Thyroid A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Sup Thyroid A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Sup Thyroid A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Sup Thyroid A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Sup Thyroid A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Sup Thyroid A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Sup Thyroid A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Sup Thyroid A D | Diameter (SRT, M-02550) | | mm |
| Rt Sup Thyroid A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Sup Thyroid A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Sup Thyroid A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Sup Thyroid A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Inferior Thyroid Artery | Container : Inferior Thyroid Artery (SRT, T-46140) | Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Inf Thyroid A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Inf Thyroid A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Inf Thyroid A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Inf Thyroid A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Inf Thyroid A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Lt Inf Thyroid A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt Inf Thyroid A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Inf Thyroid A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Inf Thyroid A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Inf Thyroid A FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Inf Thyroid A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Inf Thyroid A D | Diameter (SRT, M-02550) | | mm |
| Lt Inf Thyroid A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Inf Thyroid A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Inf Thyroid A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Inf Thyroid A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Inferior Thyroid Artery | Container : Inferior Thyroid Artery (SRT, T-46140) | Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Inf Thyroid A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Inf Thyroid A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Inf Thyroid A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Inf Thyroid A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Inf Thyroid A Accel | Acceleration Index (LN, 20167-3) | | m/s2 |
| Rt Inf Thyroid A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Inf Thyroid A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Inf Thyroid A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Inf Thyroid A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Inf Thyroid A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Inf Thyroid A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Inf Thyroid A D | Diameter (SRT, M-02550) | | mm |
| Rt Inf Thyroid A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Inf Thyroid A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Inf Thyroid A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Inf Thyroid A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |
| Mass | Container : Mass (SRT, M-03000) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Lt Thyroid Mass <n> AP D | Height (DCM, 121207) | | mm |
| Lt Thyroid Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Thyroid Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Lt Thyroid Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Thyroid Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Lt Thyroid Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Thyroid Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |
| Lt Mass <n> | Shear Wave Velocity ROI Depth (99SIEMENS, VsROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mass <n> | Elasticity ROI Depth (99SIEMENS, ElastROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| Lt Mass <n> StrainRatio | Strain Ratio (99SIEMENS, StrainRatio) | | unitless |
| Lt Mass <n> StrainRatio | Strain Ratio (99SIEMENS, StrainRatio) | Derivation (DCM, 121401): Mean (SRT, R-00317) | unitless |
| Lt Mass <n> ROI1 | Reference ROI of Strain Ratio (99SIEMENS, StrainRatioRROI) | | % |
| Lt Mass <n> ROI2 | Mass ROI of Strain Ratio (99SIEMENS, StrainRatioMROI) | | % |
| Lt Mass <n> | Shear Wave Velocity Median (99SIEMENS, VsMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Mass <n> | Standard Deviation of Shear Wave Velocity Median (99SIEMENS, VsMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Mass <n> | Shear Wave Velocity Median: Mean (99SIEMENS, VsMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Mass <n> | Shear Wave Velocity Median: Maximum (99SIEMENS, VsmdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Mass <n> | Shear Wave Velocity ROI Diameter (99SIEMENS, VsROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Lt Mass <n> | Elasticity Median (99SIEMENS, ElasticityMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Mass <n> | Standard Deviation of Elasticity Median (99SIEMENS, EMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Mass <n> | Elasticity Median: Mean (99SIEMENS, EMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Mass <n> | Elasticity Median: Maximum (99SIEMENS, EMdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Mass <n> | Elasticity ROI Diameter (99SIEMENS, ElastROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Lt Mass <n> | Mean of Shear Wave Velocity Medians (99SIEMENS, MeanVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Mass <n> | Standard Deviation of Shear Wave Velocity Medians (99SIEMENS, StdDevVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Mass <n> | Median of Shear Wave Velocity Medians (99SIEMENS, MedianVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Mass <n> | Interquartile Range of Shear Wave Velocity Medians (99SIEMENS, IQRVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Mass <n> | IQR/Median Ratio of Shear Wave Velocity Medians (99SIEMENS, IQRMdVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mass <n> | Mean of Elasticity Medians (99SIEMENS, MeanEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Mass <n> | Standard Deviation of Elasticity Medians (99SIEMENS, StdDevEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Mass <n> | Median of Elasticity Medians (99SIEMENS, MedianEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Mass <n> | Interquartile Range of Elasticity Medians (99SIEMENS, IQREMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Mass <n> | IQR/Median Ratio of Elasticity Medians (99SIEMENS, IQRMdEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Mass | Container : Mass (SRT, M-03000) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Rt Thyroid Mass <n> AP D | Height (DCM, 121207) | | mm |
| Rt Thyroid Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Thyroid Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Rt Thyroid Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Thyroid Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Rt Thyroid Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Thyroid Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |
| Rt Mass <n> | Shear Wave Velocity ROI Depth (99SIEMENS, VsROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| Rt Mass <n> | Elasticity ROI Depth (99SIEMENS, ElastROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| Rt Mass <n> StrainRatio | Strain Ratio (99SIEMENS, StrainRatio) | | unitless |
| Rt Mass <n> StrainRatio | Strain Ratio (99SIEMENS, StrainRatio) | Derivation (DCM, 121401): Mean (SRT, R-00317) | unitless |
| Rt Mass <n> ROI1 | Reference ROI of Strain Ratio (99SIEMENS, StrainRatioRROI) | | % |
| Rt Mass <n> ROI2 | Mass ROI of Strain Ratio (99SIEMENS, StrainRatioMROI) | | % |
| Rt Mass <n> | Shear Wave Velocity Median (99SIEMENS, VsMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Mass <n> | Standard Deviation of Shear Wave Velocity Median (99SIEMENS, VsMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Mass <n> | Shear Wave Velocity Median: Mean (99SIEMENS, VsMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Mass <n> | Shear Wave Velocity Median: Maximum (99SIEMENS, VsmdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mass <n> | Shear Wave Velocity ROI Diameter (99SIEMENS, VsROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Rt Mass <n> | Elasticity Median (99SIEMENS, ElasticityMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Mass <n> | Standard Deviation of Elasticity Median (99SIEMENS, EMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Mass <n> | Elasticity Median: Mean (99SIEMENS, EMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Mass <n> | Elasticity Median: Maximum (99SIEMENS, EMdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Mass <n> | Elasticity ROI Diameter (99SIEMENS, ElastROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Rt Mass <n> | Mean of Shear Wave Velocity Medians (99SIEMENS, MeanVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Mass <n> | Standard Deviation of Shear Wave Velocity Medians (99SIEMENS, StdDevVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Mass <n> | Median of Shear Wave Velocity Medians (99SIEMENS, MedianVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Mass <n> | Interquartile Range of Shear Wave Velocity Medians (99SIEMENS, IQRVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Mass <n> | IQR/Median Ratio of Shear Wave Velocity Medians (99SIEMENS, IQRMdVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Mass <n> | Mean of Elasticity Medians (99SIEMENS, MeanEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Mass <n> | Standard Deviation of Elasticity Medians (99SIEMENS, StdDevEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Mass <n> | Median of Elasticity Medians (99SIEMENS, MedianEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Mass <n> | Interquartile Range of Elasticity Medians (99SIEMENS, IQREMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Mass <n> | IQR/Median Ratio of Elasticity Medians (99SIEMENS, IQRMdEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Mass | Container : Mass (SRT, M-03000) | Finding Site (SRT, G-C0E3): Neck (SRT, T-D1600)<br>Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Lt Neck Mass <n> AP D | Height (DCM, 121207) | | mm |
| Lt Neck Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Neck Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Lt Neck Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Neck Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Lt Neck Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Neck Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |
| Mass | Container : Mass (SRT, M-03000) | Finding Site (SRT, G-C0E3): Neck (SRT, T-D1600)<br>Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Rt Neck Mass <n> AP D | Height (DCM, 121207) | | mm |
| Rt Neck Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Neck Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Rt Neck Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Neck Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Rt Neck Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Neck Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |
| Site | Container : Site (SRT, G-A165) | Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Lt Site <n> | Shear Wave Velocity ROI Depth (99SIEMENS, VsROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| Lt Site <n> | Elasticity ROI Depth (99SIEMENS, ElastROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| Lt Site <n> | Shear Wave Velocity Median (99SIEMENS, VsMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Standard Deviation of Shear Wave Velocity Median (99SIEMENS, VsMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Shear Wave Velocity Median: Mean (99SIEMENS, VsMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Shear Wave Velocity Median: Maximum (99SIEMENS, VsmdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Shear Wave Velocity ROI Diameter (99SIEMENS, VsROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Lt Site <n> | Elasticity Median (99SIEMENS, ElasticityMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Standard Deviation of Elasticity Median (99SIEMENS, EMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Site <n> | Elasticity Median: Mean (99SIEMENS, EMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Elasticity Median: Maximum (99SIEMENS, EMdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Elasticity ROI Diameter (99SIEMENS, ElastROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Lt Site <n> | Mean of Shear Wave Velocity Medians (99SIEMENS, MeanVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Standard Deviation of Shear Wave Velocity Medians (99SIEMENS, StdDevVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Median of Shear Wave Velocity Medians (99SIEMENS, MedianVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Interquartile Range of Shear Wave Velocity Medians (99SIEMENS, IQRVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | IQR/Median Ratio of Shear Wave Velocity Medians (99SIEMENS, IQRMdVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Lt Site <n> | Mean of Elasticity Medians (99SIEMENS, MeanEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Standard Deviation of Elasticity Medians (99SIEMENS, StdDevEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Median of Elasticity Medians (99SIEMENS, MedianEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | Interquartile Range of Elasticity Medians (99SIEMENS, IQREMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Lt Site <n> | IQR/Median Ratio of Elasticity Medians (99SIEMENS, IQRMdEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Site | Container : Site (SRT, G-A165) | Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Rt Site <n> | Shear Wave Velocity ROI Depth (99SIEMENS, VsROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| Rt Site <n> | Elasticity ROI Depth (99SIEMENS, ElastROIDepth) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | cm |
| Rt Site <n> | Shear Wave Velocity Median (99SIEMENS, VsMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Standard Deviation of Shear Wave Velocity Median (99SIEMENS, VsMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Shear Wave Velocity Median: Mean (99SIEMENS, | Measurement Method (SRT, G-C036): Shear Wave | m/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | VsMdMean) | Elastography (99SIEMENS, SWE) | |
| Rt Site <n> | Shear Wave Velocity Median: Maximum (99SIEMENS, VsmdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Shear Wave Velocity ROI Diameter (99SIEMENS, VsROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Rt Site <n> | Elasticity Median (99SIEMENS, ElasticityMedian) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Standard Deviation of Elasticity Median (99SIEMENS, EMdStdDev) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Elasticity Median: Mean (99SIEMENS, EMdMean) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Elasticity Median: Maximum (99SIEMENS, EMdMax) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Elasticity ROI Diameter (99SIEMENS, ElastROIDiam) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | mm |
| Rt Site <n> | Mean of Shear Wave Velocity Medians (99SIEMENS, MeanVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Standard Deviation of Shear Wave Velocity Medians (99SIEMENS, StdDevVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Median of Shear Wave Velocity Medians (99SIEMENS, MedianVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Interquartile Range of Shear Wave Velocity Medians (99SIEMENS, IQRVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | IQR/Median Ratio of Shear Wave Velocity Medians (99SIEMENS, IQRMdVsMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | m/s |
| Rt Site <n> | Mean of Elasticity Medians (99SIEMENS, MeanEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Standard Deviation of Elasticity Medians (99SIEMENS, StdDevEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Median of Elasticity Medians (99SIEMENS, MedianEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | Interquartile Range of Elasticity Medians (99SIEMENS, IQREMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Rt Site <n> | IQR/Median Ratio of Elasticity Medians (99SIEMENS, IQRMdEMedians) | Measurement Method (SRT, G-C036): Shear Wave Elastography (99SIEMENS, SWE) | kPa |
| Mass | Container : Mass (SRT, M-03000) | Finding Site (SRT, G-C0E3): Thyroid Isthmus (SRT, T-B6300) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Identifier (DCM, 125010): <n>, where <n> is 1..5 | |
| Isthmus Mass <n> AP D | Height (DCM, 121207) | | mm |
| Isthmus Mass <n> AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Isthmus Mass <n> Length D | Length (SRT, G-A22A) | | mm |
| Isthmus Mass <n> Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Isthmus Mass <n> Width D | Width (SRT, G-A220) | | mm |
| Isthmus Mass <n> Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Isthmus Mass <n> Vol | Volume (SRT, G-D705) | | cm3 |

### 10.2.35 Spleen

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Spleen | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Spleen (SRT, T-C3000) | |
| Spleen AP D | Height (DCM, 121207) | | mm |
| Spleen AP D | Height (DCM, 121207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Spleen Length D | Length (SRT, G-A22A) | | mm |
| Spleen Length D | Length (SRT, G-A22A) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Spleen Width D | Width (SRT, G-A220) | | mm |
| Spleen Width D | Width (SRT, G-A220) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Spleen Vol | Volume (SRT, G-D705) | | cm3 |

### 10.2.36 Left Lower Extremity Vascular Graft 1

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Vascular Graft | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vascular Graft (SRT, T-D000F)<br>Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Proximal anastomosis (SRT, G-D871): Lower Extremity Graft 1 Inflow Vessel (99SIEMENS, LEGraft1InVes)<br>Distal anastomosis (SRT, G-D872): Lower Extremity Graft 1 Outflow Vessel (99SIEMENS, LEGraft1OutVes) | |
| Lt Dist LE Anast 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox LE Anast 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist LE Graft 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid LE Graft 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox LE Graft 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist LE Anast 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox LE Anast 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist LE Graft 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid LE Graft 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox LE Graft 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist LE Anast 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox LE Anast 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist LE Graft 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid LE Graft 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox LE Graft 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist LE Anast 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox LE Anast 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist LE Graft 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid LE Graft 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox LE Graft 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist LE Anast 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, distal anastomosis (SRT, G-D872) | |
| Lt Prox LE Anast 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | m/s2 |
| Lt Dist LE Graft 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | m/s2 |
| Lt Mid LE Graft 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | m/s2 |
| Lt Prox LE Graft 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | m/s2 |
| Lt Dist LE Anast 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Lt Prox LE Anast 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Lt Dist LE Graft 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Lt Mid LE Graft 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Lt Prox LE Graft 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Lt Dist LE Anast 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Lt Prox LE Anast 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Lt Dist LE Graft 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Lt Mid LE Graft 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Lt Prox LE Graft 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Lt Dist LE Anast 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Lt Prox LE Anast 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Lt Dist LE Graft 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Lt Mid LE Graft 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox LE Graft 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Lt Dist LE Anast 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | msec |
| Lt Prox LE Anast 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | msec |
| Lt Dist LE Graft 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | msec |
| Lt Mid LE Graft 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | msec |
| Lt Prox LE Graft 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | msec |
| Lt Dist LE Anast 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Lt Prox LE Anast 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Lt Dist LE Graft 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Lt Mid LE Graft 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Lt Prox LE Graft 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Lt Dist LE Anast 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Lt Prox LE Anast 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist LE Graft 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Lt Mid LE Graft 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Lt Prox LE Graft 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist LE Anast 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Lt Prox LE Anast 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Lt Dist LE Graft 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Lt Mid LE Graft 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Lt Prox LE Graft 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Lt Dist LE Anast 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox LE Anast 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Lt Dist LE Graft 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Lt Mid LE Graft 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox LE Graft 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Lt Dist LE Anast 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm2 |
| Lt Prox LE Anast 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm2 |
| Lt Dist LE Graft 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm2 |
| Lt Mid LE Graft 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm2 |
| Lt Prox LE Graft 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm2 |
| Lt Dist LE Anast 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox LE Anast 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Lt Dist LE Graft 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Lt Mid LE Graft 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Lt Prox LE Graft 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Lt Dist LE Anast 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox LE Anast 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist LE Graft 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid LE Graft 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox LE Graft 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lower Extremity Graft 1 Inflow Vessel | Container : Lower Extremity Graft 1 Inflow Vessel (99SIEMENS, LEGraft1InVes) | | |
| Lt Dist LE Inflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Inflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Inflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Inflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Inflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Inflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Inflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Inflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Inflow Vessel 1 | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| TAmn | | G-A118) | |
| Lt Dist LE Inflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Inflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Inflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Inflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid LE Inflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox LE Inflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist LE Inflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid LE Inflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Inflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist LE Inflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid LE Inflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Inflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist LE Inflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid LE Inflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Inflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist LE Inflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid LE Inflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox LE Inflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist LE Inflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid LE Inflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox LE Inflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist LE Inflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Lt Mid LE Inflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox LE Inflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist LE Inflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Inflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Inflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lower Extremity Graft 1 Outflow Vessel | Container : Lower Extremity Graft 1 Outflow Vessel (99SIEMENS, LEGraft1OutVes) | | |
| Lt Dist LE Outflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Outflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Outflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Outflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Outflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Outflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Outflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Outflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Outflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Outflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Outflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Outflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist LE Outflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid LE Outflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox LE Outflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist LE Outflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid LE Outflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Outflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist LE Outflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid LE Outflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Outflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist LE Outflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid LE Outflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Outflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist LE Outflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid LE Outflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox LE Outflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Mid LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist LE Outflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid LE Outflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox LE Outflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist LE Outflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid LE Outflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox LE Outflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist LE Outflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid LE Outflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Outflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

### 10.2.37 Left Lower Extremity Vascular Graft 2

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Vascular Graft | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vascular Graft (SRT, T-D000F)<br>Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Proximal anastomosis (SRT, G-D871): Lower Extremity Graft 2 Inflow Vessel (99SIEMENS, LEGraft2InVes)<br>Distal anastomosis (SRT, G-D872): Lower Extremity Graft 2 Outflow Vessel (99SIEMENS, LEGraft2OutVes) | |
| Lt Dist LE Anast 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox LE Anast 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist LE Graft 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid LE Graft 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox LE Graft 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist LE Anast 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox LE Anast 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist LE Graft 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid LE Graft 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox LE Graft 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist LE Anast 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox LE Anast 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, proximal anastomosis (SRT, G-D871) | |
| Lt Dist LE Graft 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid LE Graft 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox LE Graft 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist LE Anast 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox LE Anast 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist LE Graft 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid LE Graft 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox LE Graft 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist LE Anast 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | m/s2 |
| Lt Prox LE Anast 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | m/s2 |
| Lt Dist LE Graft 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | m/s2 |
| Lt Mid LE Graft 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | m/s2 |
| Lt Prox LE Graft 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | m/s2 |
| Lt Dist LE Anast 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Lt Prox LE Anast 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Lt Dist LE Graft 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Lt Mid LE Graft 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Lt Prox LE Graft 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist LE Anast 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Lt Prox LE Anast 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Lt Dist LE Graft 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Lt Mid LE Graft 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Lt Prox LE Graft 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Lt Dist LE Anast 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Lt Prox LE Anast 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Lt Dist LE Graft 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Lt Mid LE Graft 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Lt Prox LE Graft 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Lt Dist LE Anast 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | msec |
| Lt Prox LE Anast 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | msec |
| Lt Dist LE Graft 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | msec |
| Lt Mid LE Graft 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | msec |
| Lt Prox LE Graft 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | msec |
| Lt Dist LE Anast 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Lt Prox LE Anast 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Lt Dist LE Graft 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Lt Mid LE Graft 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, mid section (DCM, 122103) | |
| Lt Prox LE Graft 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Lt Dist LE Anast 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Lt Prox LE Anast 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Lt Dist LE Graft 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Lt Mid LE Graft 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Lt Prox LE Graft 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Lt Dist LE Anast 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Lt Prox LE Anast 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Lt Dist LE Graft 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Lt Mid LE Graft 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Lt Prox LE Graft 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Lt Dist LE Anast 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Lt Prox LE Anast 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Lt Dist LE Graft 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid LE Graft 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox LE Graft 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Lt Dist LE Anast 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm2 |
| Lt Prox LE Anast 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm2 |
| Lt Dist LE Graft 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm2 |
| Lt Mid LE Graft 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm2 |
| Lt Prox LE Graft 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm2 |
| Lt Dist LE Anast 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Lt Prox LE Anast 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Lt Dist LE Graft 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Lt Mid LE Graft 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Lt Prox LE Graft 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Lt Dist LE Anast 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox LE Anast 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist LE Graft 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid LE Graft 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox LE Graft 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lower Extremity Graft 2 Inflow | Container : Lower Extremity Graft 2 Inflow Vessel | | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Vessel | (99SIEMENS, LEGraft2InVes) | | |
| Lt Dist LE Inflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Inflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Inflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Inflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Inflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Inflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Inflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Inflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Inflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Inflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Inflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Inflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Inflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid LE Inflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox LE Inflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist LE Inflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid LE Inflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Inflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist LE Inflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid LE Inflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Inflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist LE Inflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid LE Inflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Inflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist LE Inflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid LE Inflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox LE Inflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist LE Inflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid LE Inflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox LE Inflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist LE Inflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid LE Inflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox LE Inflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist LE Inflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Inflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Inflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lower Extremity Graft 2 Outflow Vessel | Container : Lower Extremity Graft 2 Outflow Vessel (99SIEMENS, LEGraft2OutVes) | | |
| Lt Dist LE Outflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Outflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Outflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist LE Outflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Outflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Outflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Outflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Outflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Outflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Outflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Outflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Outflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist LE Outflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid LE Outflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox LE Outflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist LE Outflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid LE Outflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Outflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist LE Outflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid LE Outflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Outflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist LE Outflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Lt Mid LE Outflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox LE Outflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist LE Outflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid LE Outflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox LE Outflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Lt Prox LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist LE Outflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid LE Outflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox LE Outflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist LE Outflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid LE Outflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox LE Outflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist LE Outflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid LE Outflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox LE Outflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

### 10.2.38 Right Lower Extremity Vascular Graft 1

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Vascular Graft | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vascular Graft (SRT, T-D000F)<br>Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Proximal anastomosis (SRT, G-D871): Lower Extremity Graft 1 Inflow Vessel (99SIEMENS, LEGraft1InVes)<br>Distal anastomosis (SRT, G-D872): Lower Extremity Graft 1 Outflow Vessel (99SIEMENS, LEGraft1OutVes) | |
| Rt Dist LE Anast 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox LE Anast 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist LE Graft 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, distal section (DCM, 122104) | |
| Rt Mid LE Graft 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox LE Graft 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist LE Anast 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox LE Anast 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist LE Graft 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid LE Graft 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox LE Graft 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist LE Anast 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox LE Anast 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist LE Graft 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid LE Graft 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox LE Graft 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist LE Anast 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox LE Anast 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist LE Graft 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid LE Graft 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox LE Graft 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist LE Anast 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox LE Anast 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | m/s2 |
| Rt Dist LE Graft 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | m/s2 |
| Rt Mid LE Graft 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | m/s2 |
| Rt Prox LE Graft 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | m/s2 |
| Rt Dist LE Anast 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Rt Prox LE Anast 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Rt Dist LE Graft 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Rt Mid LE Graft 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Rt Prox LE Graft 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Rt Dist LE Anast 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Rt Prox LE Anast 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Rt Dist LE Graft 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Rt Mid LE Graft 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Rt Prox LE Graft 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Rt Dist LE Anast 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Rt Prox LE Anast 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Rt Dist LE Graft 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Rt Mid LE Graft 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Rt Prox LE Graft 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, proximal section (DCM, 122102) | |
| Rt Dist LE Anast 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | msec |
| Rt Prox LE Anast 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | msec |
| Rt Dist LE Graft 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | msec |
| Rt Mid LE Graft 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | msec |
| Rt Prox LE Graft 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | msec |
| Rt Dist LE Anast 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Rt Prox LE Anast 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Rt Dist LE Graft 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Rt Mid LE Graft 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Rt Prox LE Graft 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Rt Dist LE Anast 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Rt Prox LE Anast 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Rt Dist LE Graft 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Rt Mid LE Graft 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Rt Prox LE Graft 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Rt Dist LE Anast 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, distal anastomosis (SRT, G-D872) | |
| Rt Prox LE Anast 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Rt Dist LE Graft 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Rt Mid LE Graft 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Rt Prox LE Graft 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Rt Dist LE Anast 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Rt Prox LE Anast 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Rt Dist LE Graft 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Rt Mid LE Graft 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Rt Prox LE Graft 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Rt Dist LE Anast 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm2 |
| Rt Prox LE Anast 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm2 |
| Rt Dist LE Graft 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm2 |
| Rt Mid LE Graft 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm2 |
| Rt Prox LE Graft 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm2 |
| Rt Dist LE Anast 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Rt Prox LE Anast 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, proximal anastomosis (SRT, G-D871) | |
| Rt Dist LE Graft 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Rt Mid LE Graft 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Rt Prox LE Graft 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Rt Dist LE Anast 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox LE Anast 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist LE Graft 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid LE Graft 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox LE Graft 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lower Extremity Graft 1 Inflow Vessel | Container : Lower Extremity Graft 1 Inflow Vessel (99SIEMENS, LEGraft1InVes) | | |
| Rt Dist LE Inflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Inflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Inflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Inflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Inflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Inflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Inflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Inflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Inflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist LE Inflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Inflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Inflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Inflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid LE Inflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox LE Inflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist LE Inflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid LE Inflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Inflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Inflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid LE Inflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Inflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Inflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid LE Inflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Inflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Inflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid LE Inflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox LE Inflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox LE Inflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox LE Inflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist LE Inflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid LE Inflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox LE Inflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist LE Inflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid LE Inflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox LE Inflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist LE Inflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Inflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Inflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lower Extremity Graft 1 Outflow Vessel | Container : Lower Extremity Graft 1 Outflow Vessel (99SIEMENS, LEGraft1OutVes) | | |
| Rt Dist LE Outflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Outflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Outflow Vessel 1 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Outflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Outflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Outflow Vessel 1 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Outflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Outflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Outflow Vessel 1 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Outflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Outflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Outflow Vessel 1 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Outflow Vessel 1 | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Accel | | A119) | |
| Rt Mid LE Outflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox LE Outflow Vessel 1 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist LE Outflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid LE Outflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Outflow Vessel 1 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Outflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid LE Outflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Outflow Vessel 1 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Outflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid LE Outflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Outflow Vessel 1 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Outflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid LE Outflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox LE Outflow Vessel 1 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Mid LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox LE Outflow Vessel 1 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox LE Outflow Vessel 1 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist LE Outflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid LE Outflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox LE Outflow Vessel 1 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist LE Outflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid LE Outflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox LE Outflow Vessel 1 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist LE Outflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Outflow Vessel 1 | Time averaged mean velocity of Volume Flow | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| TAmn | (99SIEMENS, VolFTAMn) | (SRT, G-A188) | |
| Rt Prox LE Outflow Vessel 1 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

### 10.2.39 Right Lower Extremity Vascular Graft 2

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Vascular Graft | Container : Findings (DCM, 121070) | Distal anastomosis (SRT, G-D872): Lower Extremity Graft 2 Outflow Vessel (99SIEMENS, LEGraft2OutVes)<br>Finding Site (SRT, G-C0E3): Vascular Graft (SRT, T-D000F)<br>Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Proximal anastomosis (SRT, G-D871): Lower Extremity Graft 2 Inflow Vessel (99SIEMENS, LEGraft2InVes) | |
| Rt Dist LE Anast 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox LE Anast 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist LE Graft 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid LE Graft 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox LE Graft 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist LE Anast 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox LE Anast 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist LE Graft 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid LE Graft 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox LE Graft 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist LE Anast 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox LE Anast 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist LE Graft 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid LE Graft 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox LE Graft 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist LE Anast 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox LE Anast 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist LE Graft 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid LE Graft 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox LE Graft 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist LE Anast 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | m/s2 |
| Rt Prox LE Anast 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | m/s2 |
| Rt Dist LE Graft 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | m/s2 |
| Rt Mid LE Graft 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | m/s2 |
| Rt Prox LE Graft 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | m/s2 |
| Rt Dist LE Anast 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Rt Prox LE Anast 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Rt Dist LE Graft 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Rt Mid LE Graft 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Rt Prox LE Graft 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Rt Dist LE Anast 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, distal anastomosis (SRT, G-D872) | |
| Rt Prox LE Anast 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Rt Dist LE Graft 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Rt Mid LE Graft 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Rt Prox LE Graft 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Rt Dist LE Anast 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Rt Prox LE Anast 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Rt Dist LE Graft 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Rt Mid LE Graft 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Rt Prox LE Graft 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Rt Dist LE Anast 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | msec |
| Rt Prox LE Anast 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | msec |
| Rt Dist LE Graft 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | msec |
| Rt Mid LE Graft 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | msec |
| Rt Prox LE Graft 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | msec |
| Rt Dist LE Anast 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Rt Prox LE Anast 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Rt Dist LE Graft 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Rt Mid LE Graft 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox LE Graft 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Rt Dist LE Anast 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Rt Prox LE Anast 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Rt Dist LE Graft 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Rt Mid LE Graft 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Rt Prox LE Graft 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Rt Dist LE Anast 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Rt Prox LE Anast 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Rt Dist LE Graft 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Rt Mid LE Graft 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Rt Prox LE Graft 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Rt Dist LE Anast 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Rt Prox LE Anast 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Rt Dist LE Graft 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Rt Mid LE Graft 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | |
| Rt Prox LE Graft 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Rt Dist LE Anast 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm2 |
| Rt Prox LE Anast 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm2 |
| Rt Dist LE Graft 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm2 |
| Rt Mid LE Graft 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm2 |
| Rt Prox LE Graft 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm2 |
| Rt Dist LE Anast 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Rt Prox LE Anast 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Rt Dist LE Graft 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Rt Mid LE Graft 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Rt Prox LE Graft 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Rt Dist LE Anast 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox LE Anast 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist LE Graft 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid LE Graft 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox LE Graft 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lower Extremity Graft 2 Inflow Vessel | Container : Lower Extremity Graft 2 Inflow Vessel (99SIEMENS, LEGraft2InVes) | | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist LE Inflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Inflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Inflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Inflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Inflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Inflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Inflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Inflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Inflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Inflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Inflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Inflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Inflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid LE Inflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox LE Inflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist LE Inflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid LE Inflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Inflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Inflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid LE Inflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Inflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Inflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid LE Inflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Inflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Inflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid LE Inflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox LE Inflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox LE Inflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118) | |
| Rt Dist LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox LE Inflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist LE Inflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid LE Inflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox LE Inflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist LE Inflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid LE Inflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox LE Inflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist LE Inflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Inflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Inflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lower Extremity Graft 2 Outflow Vessel | Container : Lower Extremity Graft 2 Outflow Vessel (99SIEMENS, LEGraft2OutVes) | | |
| Rt Dist LE Outflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Outflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Outflow Vessel 2 ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Outflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid LE Outflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Outflow Vessel 2 PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Outflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Outflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Outflow Vessel 2 TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Outflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Outflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Outflow Vessel 2 TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist LE Outflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid LE Outflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox LE Outflow Vessel 2 Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist LE Outflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid LE Outflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Outflow Vessel 2 PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Outflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid LE Outflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Outflow Vessel 2 RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Outflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid LE Outflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox LE Outflow Vessel 2 SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist LE Outflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid LE Outflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox LE Outflow Vessel 2 T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox LE Outflow Vessel 2 FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Dist LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox LE Outflow Vessel 2 D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist LE Outflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid LE Outflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox LE Outflow Vessel 2 A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist LE Outflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid LE Outflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox LE Outflow Vessel 2 D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist LE Outflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid LE Outflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox LE Outflow Vessel 2 TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

### 10.2.40 Left Upper Extremity Vascular Graft

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Vascular Graft | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vascular Graft (SRT, T-D000F)<br>Laterality (SRT, G-C171): Left (SRT, G-A101)<br>Proximal anastomosis (SRT, G-D871): Upper Extremity Graft Inflow Vessel (99SIEMENS, UEGraftInVes)<br>Distal anastomosis (SRT, G-D872): Upper Extremity Graft Outflow Vessel (99SIEMENS, UEGraftOutVes) | |
| Lt Dist UE Graft Anast ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox UE Graft Anast ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist UE Graft ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid UE Graft ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox UE Graft ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist UE Graft Anast PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox UE Graft Anast PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist UE Graft PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid UE Graft PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox UE Graft PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist UE Graft Anast TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox UE Graft Anast TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist UE Graft TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid UE Graft TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox UE Graft TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist UE Graft Anast TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox UE Graft Anast TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist UE Graft TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid UE Graft TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox UE Graft TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Lt Dist UE Graft Anast Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | m/s2 |
| Lt Prox UE Graft Anast Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, proximal anastomosis (SRT, G-D871) | |
| Lt Dist UE Graft Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | m/s2 |
| Lt Mid UE Graft Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | m/s2 |
| Lt Prox UE Graft Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | m/s2 |
| Lt Dist UE Graft Anast PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Lt Prox UE Graft Anast PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Lt Dist UE Graft PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Lt Mid UE Graft PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Lt Prox UE Graft PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Lt Dist UE Graft Anast RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Lt Prox UE Graft Anast RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Lt Dist UE Graft RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Lt Mid UE Graft RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Lt Prox UE Graft RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Lt Dist UE Graft Anast SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Lt Prox UE Graft Anast SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Lt Dist UE Graft SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Lt Mid UE Graft SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Lt Prox UE Graft SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist UE Graft Anast T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | msec |
| Lt Prox UE Graft Anast T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | msec |
| Lt Dist UE Graft T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | msec |
| Lt Mid UE Graft T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | msec |
| Lt Prox UE Graft T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | msec |
| Lt Dist UE Graft Anast FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Lt Prox UE Graft Anast FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Lt Dist UE Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Lt Mid UE Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Lt Prox UE Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Lt Dist UE Graft Anast FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Lt Prox UE Graft Anast FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist UE Graft FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Lt Mid UE Graft FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Lt Prox UE Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist UE Graft Anast D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox UE Graft Anast D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Lt Dist UE Graft D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Lt Mid UE Graft D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Lt Prox UE Graft D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Lt Dist UE Graft Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Lt Prox UE Graft Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Lt Dist UE Graft D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Lt Mid UE Graft D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Lt Prox UE Graft D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Lt Dist UE Graft Anast A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm2 |
| Lt Prox UE Graft Anast A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm2 |
| Lt Dist UE Graft A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm2 |
| Lt Mid UE Graft A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm2 |
| Lt Prox UE Graft A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm2 |
| Lt Dist UE Graft Anast D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Lt Prox UE Graft Anast D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Dist UE Graft D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Lt Mid UE Graft D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Lt Prox UE Graft D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Lt Dist UE Graft Anast TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Lt Prox UE Graft Anast TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Lt Dist UE Graft TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Lt Mid UE Graft TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Lt Prox UE Graft TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Upper Extremity Graft Inflow Vessel | Container : Upper Extremity Graft Inflow Vessel (99SIEMENS, UEGraftInVes) | | |
| Lt Dist UE Inflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Inflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Inflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist UE Inflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Inflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Inflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist UE Inflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Inflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Inflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist UE Inflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Lt Mid UE Inflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Inflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist UE Inflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Lt Mid UE Inflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox UE Inflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist UE Inflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid UE Inflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox UE Inflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist UE Inflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid UE Inflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox UE Inflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist UE Inflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid UE Inflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox UE Inflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist UE Inflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid UE Inflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox UE Inflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Mid UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist UE Inflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid UE Inflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox UE Inflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist UE Inflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid UE Inflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Lt Prox UE Inflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist UE Inflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Inflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Inflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Upper Extremity Graft Outflow Vessel | Container : Upper Extremity Graft Outflow Vessel (99SIEMENS, UEGraftOutVes) | | |
| Lt Dist UE Outflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Outflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Outflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist UE Outflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Outflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Outflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist UE Outflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Outflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Outflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist UE Outflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Outflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Lt Prox UE Outflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Lt Dist UE Outflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid UE Outflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Lt Prox UE Outflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Lt Dist UE Outflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid UE Outflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox UE Outflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist UE Outflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid UE Outflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox UE Outflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist UE Outflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Lt Mid UE Outflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Lt Prox UE Outflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Lt Dist UE Outflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Lt Mid UE Outflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Lt Prox UE Outflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Lt Dist UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Lt Mid UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Lt Prox UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Lt Dist UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Mid UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Prox UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Dist UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Mid UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Prox UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Dist UE Outflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Lt Mid UE Outflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Lt Prox UE Outflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Lt Dist UE Outflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Lt Mid UE Outflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Lt Prox UE Outflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Lt Dist UE Outflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Lt Mid UE Outflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Prox UE Outflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

### 10.2.41 Right Upper Extremity Vascular Graft

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Vascular Graft | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Vascular Graft (SRT, T-D000F)<br>Laterality (SRT, G-C171): Right (SRT, G-A100)<br>Proximal anastomosis (SRT, G-D871): Upper Extremity Graft Inflow Vessel (99SIEMENS, UEGraftInVes)<br>Distal anastomosis (SRT, G-D872): Upper Extremity Graft Outflow Vessel (99SIEMENS, UEGraftOutVes) | |
| Rt Dist UE Graft Anast ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox UE Graft Anast ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist UE Graft ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid UE Graft ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox UE Graft ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist UE Graft Anast PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox UE Graft Anast PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist UE Graft PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid UE Graft PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox UE Graft PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist UE Graft Anast TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox UE Graft Anast TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist UE Graft TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, distal section (DCM, 122104) | |
| Rt Mid UE Graft TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox UE Graft TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist UE Graft Anast TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox UE Graft Anast TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist UE Graft TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid UE Graft TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox UE Graft TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Rt Dist UE Graft Anast Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | m/s2 |
| Rt Prox UE Graft Anast Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | m/s2 |
| Rt Dist UE Graft Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | m/s2 |
| Rt Mid UE Graft Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | m/s2 |
| Rt Prox UE Graft Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | m/s2 |
| Rt Dist UE Graft Anast PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Rt Prox UE Graft Anast PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Rt Dist UE Graft PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Rt Mid UE Graft PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Rt Prox UE Graft PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Rt Dist UE Graft Anast RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Prox UE Graft Anast RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Rt Dist UE Graft RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Rt Mid UE Graft RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Rt Prox UE Graft RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Rt Dist UE Graft Anast SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | unitless |
| Rt Prox UE Graft Anast SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | unitless |
| Rt Dist UE Graft SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | unitless |
| Rt Mid UE Graft SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | unitless |
| Rt Prox UE Graft SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | unitless |
| Rt Dist UE Graft Anast T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | msec |
| Rt Prox UE Graft Anast T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | msec |
| Rt Dist UE Graft T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | msec |
| Rt Mid UE Graft T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | msec |
| Rt Prox UE Graft T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | msec |
| Rt Dist UE Graft Anast FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Rt Prox UE Graft Anast FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Rt Dist UE Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Rt Mid UE Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Rt Prox UE Graft FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Graft to cited | l/min |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | segment, proximal section (DCM, 122102) | |
| Rt Dist UE Graft Anast FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | l/min |
| Rt Prox UE Graft Anast FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | l/min |
| Rt Dist UE Graft FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | l/min |
| Rt Mid UE Graft FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | l/min |
| Rt Prox UE Graft FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | l/min |
| Rt Dist UE Graft Anast D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Rt Prox UE Graft Anast D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Rt Dist UE Graft D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Rt Mid UE Graft D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Rt Prox UE Graft D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Rt Dist UE Graft Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Rt Prox UE Graft Anast D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Rt Dist UE Graft D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Rt Mid UE Graft D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Prox UE Graft D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Rt Dist UE Graft Anast A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm2 |
| Rt Prox UE Graft Anast A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm2 |
| Rt Dist UE Graft A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm2 |
| Rt Mid UE Graft A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm2 |
| Rt Prox UE Graft A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm2 |
| Rt Dist UE Graft Anast D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | mm |
| Rt Prox UE Graft Anast D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | mm |
| Rt Dist UE Graft D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | mm |
| Rt Mid UE Graft D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | mm |
| Rt Prox UE Graft D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | mm |
| Rt Dist UE Graft Anast TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal anastomosis (SRT, G-D872) | cm/s |
| Rt Prox UE Graft Anast TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal anastomosis (SRT, G-D871) | cm/s |
| Rt Dist UE Graft TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, distal section (DCM, 122104) | cm/s |
| Rt Mid UE Graft TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, mid section (DCM, 122103) | cm/s |
| Rt Prox UE Graft TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Graft to cited segment, proximal section (DCM, 122102) | cm/s |
| Upper Extremity Graft Inflow Vessel | Container : Upper Extremity Graft Inflow Vessel (99SIEMENS, UEGraftInVes) | | |
| Rt Dist UE Inflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | A119) | |
| Rt Mid UE Inflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Inflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Inflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Inflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Inflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Inflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Inflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Inflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Inflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Inflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Inflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Inflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid UE Inflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox UE Inflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist UE Inflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid UE Inflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox UE Inflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist UE Inflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid UE Inflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox UE Inflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist UE Inflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid UE Inflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox UE Inflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist UE Inflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid UE Inflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox UE Inflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox UE Inflow Vessel FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Dist UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox UE Inflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Dist UE Inflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid UE Inflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox UE Inflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist UE Inflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid UE Inflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox UE Inflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist UE Inflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Inflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Inflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Upper Extremity Graft Outflow Vessel | Container : Upper Extremity Graft Outflow Vessel (99SIEMENS, UEGraftOutVes) | | |
| Rt Dist UE Outflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Outflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Outflow Vessel ED | End Diastolic Velocity (LN, 11653-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Outflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Rt Mid UE Outflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Outflow Vessel PS | Peak Systolic Velocity (LN, 11726-7) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Outflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Outflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Outflow Vessel TAmn | Time averaged mean velocity (LN, 20352-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Outflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Outflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Outflow Vessel TAmx | Time averaged peak velocity (LN, 11692-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |
| Rt Dist UE Outflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | m/s2 |
| Rt Mid UE Outflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | m/s2 |
| Rt Prox UE Outflow Vessel Accel | Acceleration Index (LN, 20167-3) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | m/s2 |
| Rt Dist UE Outflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid UE Outflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox UE Outflow Vessel PI | Pulsatility Index (LN, 12008-9) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist UE Outflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid UE Outflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | unitless |
| Rt Prox UE Outflow Vessel RI | Resistivity Index (LN, 12023-8) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist UE Outflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | unitless |
| Rt Mid UE Outflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, G-A188) | |
| Rt Prox UE Outflow Vessel SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | unitless |
| Rt Dist UE Outflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | msec |
| Rt Mid UE Outflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | msec |
| Rt Prox UE Outflow Vessel T | Acceleration Time (LN, 20168-1) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | msec |
| Rt Dist UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | l/min |
| Rt Mid UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | l/min |
| Rt Prox UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Mid UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Prox UE Outflow Vessel FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | l/min |
| Rt Dist UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Mid UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Prox UE Outflow Vessel D | Diameter (SRT, M-02550) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-A118)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |
| Rt Dist UE Outflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm2 |
| Rt Mid UE Outflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm2 |
| Rt Prox UE Outflow Vessel A | Area of Volume Flow (99SIEMENS, VolFArea) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm2 |
| Rt Dist UE Outflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | mm |
| Rt Mid UE Outflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | mm |
| Rt Prox UE Outflow Vessel D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | mm |
| Rt Dist UE Outflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Distal (SRT, G-A119) | cm/s |
| Rt Mid UE Outflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Mid-longitudinal (SRT, G-A188) | cm/s |
| Rt Prox UE Outflow Vessel TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | Topographical modifier (SRT, G-A1F8): Proximal (SRT, G-A118) | cm/s |

### 10.2.42 Left Hip

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Hip | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Hip (SRT, T-D2500)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Lt Stressed %FHC BHipFHC_FHC | Percent Femoral Head Coverage Stressed (99SIEMENS, FHCStressed) | | % |
| Lt Stressed %FHC BHipFHC_D1 | Distance 1 of Percent Femoral Head Coverage, Stressed (99SIEMENS, FHCStressedD1) | | mm |
| Lt Stressed %FHC BHipFHC_D2 | Distance 2 of Percent Femoral Head Coverage, Stressed (99SIEMENS, FHCStressedD2) | | mm |
| Lt Flexed %FHC BHipFHC_FHC | Percent Femoral Head Coverage Flexed (99SIEMENS, FHCFlexed) | | % |
| Lt Flexed %FHC BHipFHC_D1 | Distance 1 of Percent Femoral Head Coverage, Flexed (99SIEMENS, FHCFlexedD1) | | mm |
| Lt Flexed %FHC BHipFHC_D2 | Distance 2 of Percent Femoral Head Coverage, Flexed | | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | (99SIEMENS, FHCFlexedD2) | | |
| Lt Hip Angle alpha | Hip alpha angle (99SIEMENS, HipAlphaAngle) | | deg |
| Lt Hip Angle beta | Hip beta angle (99SIEMENS, HipBetaAngle) | | deg |
| Lt Hip Angle alpha | Hip alpha angle (Single) (99SIEMENS, HipAlphaAngleSin) | | deg |

### 10.2.43 Right Hip

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Hip | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Hip (SRT, T-D2500)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Rt Stressed %FHC BHipFHC_FHC | Percent Femoral Head Coverage Stressed (99SIEMENS, FHCStressed) | | % |
| Rt Stressed %FHC BHipFHC_D1 | Distance 1 of Percent Femoral Head Coverage, Stressed (99SIEMENS, FHCStressedD1) | | mm |
| Rt Stressed %FHC BHipFHC_D2 | Distance 2 of Percent Femoral Head Coverage, Stressed (99SIEMENS, FHCStressedD2) | | mm |
| Rt Flexed %FHC BHipFHC_FHC | Percent Femoral Head Coverage Flexed (99SIEMENS, FHCFlexed) | | % |
| Rt Flexed %FHC BHipFHC_D1 | Distance 1 of Percent Femoral Head Coverage, Flexed (99SIEMENS, FHCFlexedD1) | | mm |
| Rt Flexed %FHC BHipFHC_D2 | Distance 2 of Percent Femoral Head Coverage, Flexed (99SIEMENS, FHCFlexedD2) | | mm |
| Rt Hip Angle alpha | Hip alpha angle (99SIEMENS, HipAlphaAngle) | | deg |
| Rt Hip Angle beta | Hip beta angle (99SIEMENS, HipBetaAngle) | | deg |
| Rt Hip Angle alpha | Hip alpha angle (Single) (99SIEMENS, HipAlphaAngleSin) | | deg |

## 10.3 Appendix C: Fetal Echo Structured Report

This appendix lists the DICOM Structured Report (SR) mappings used in the Fetal Echo Structured Reports of the ACUSON Redwood system SR files. The mappings follow the DICOM SR Template TID 5220: Pediatric, Fetal and Congenital Cardiac Ultrasound Reports, as described in PS 3.16- 2014 of the DICOM Standard, and are organized in a manner similar to TID 5220. The Label column identifies the on-screen report label associated with a measurement. All private code values use the Coding Scheme Designator "99SIEMENS".

### 10.3.1 Patient Characteristics

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Patient Characteristics | Container : Patient Characteristics (DCM, 121118) | | |
| Age | Subject Age (DCM, 121033) | | year |
| Sex | Subject Sex (DCM, 121032) | | unitless |
| BP | Systolic Blood Pressure (SRT, F-008EC) | | mmHg |
| BP | Diastolic Blood Pressure (SRT, F-008ED) | | mmHg |
| BSA | Body Surface Area (LN, 8277-6) | Body Surface Area Formula (LN, 8278-4): BSA = 0.007184*WT^0.425*HT^0.725 (DCM, 122241) | mmHg |
| Height | Patient Height (LN, 8302-2) | | cm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Weight | Patient Weight (LN, 29463-7) | | kg |

### 10.3.2 Fetus Characteristics

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Fetus Characteristics | Container : Fetus Characteristics (DCM, 125015) | | |
| EFW<1,2> Age JSUM 2003 | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): Gestational Age by EFW, JSUM 2003 (99SIEMENS, GA101-12-01) | day |
| EFW<1,2> Age Osaka | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): Gestational Age by EFW, Osaka 1983 (99SIEMENS, GA101-18-01) | day |
| EFW<1,2> Age Tokyo | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): Gestational Age by EFW, Tokyo 1987 (99SIEMENS, GA101-20-01) | day |
| AC Hadlock | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): AC, Hadlock 1984 (LN, 11892-7) | day |
| SD (AC) Hadlock | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| AC ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): AC, ASUM 2003 (99SIEMENS, GA102-01-01) | day |
| AC JSUM 2003 | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): AC, JSUM 2003 (99SIEMENS, GA102-12-01) | day |
| SD (AC) JSUM 2003 | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| AC Lasser | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): AC, Lasser 1993 (99SIEMENS, GA102-14-01) | day |
| SD (AC) Lasser | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| AC Merz | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): AC, Merz 1991 (99SIEMENS, GA102-16-01) | day |
| SD (AC) Merz | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Hadlock | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): BPD, Hadlock 1984 (LN, 11902-4) | day |
| SD (BPD) Hadlock | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Hansmann | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, Hansmann 1986 (LN, 33538-0) | day |
| SD (BPD) Hansmann | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Jeanty | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, Jeanty 1984 (LN, 11905-7) | day |
| SD (BPD) Jeanty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Chitty (outer-inner) | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD-oi, Chitty 1997 (LN, | day |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 33086-0) | |
| SD (BPD) Chitty (outer-inner) | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Chitty (outer-outer) | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD-oo, Chitty 1997 (LN, 33087-8) | day |
| SD (BPD) Chitty (outer-outer) | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): BPD, ASUM 2003 (99SIEMENS, GA107-01-01) | day |
| BPD JSUM 2003 | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, JSUM 2003 (99SIEMENS, GA107-12-01) | day |
| SD (BPD) JSUM 2003 | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Lasser | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD (outer-inner), Lasser 1993 (99SIEMENS, GA107-14-01) | day |
| SD (BPD) Lasser | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Merz | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, Merz 1991 (99SIEMENS, GA107-16-01) | day |
| SD (BPD) Merz | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Osaka | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, Osaka 1983 (99SIEMENS, GA107-18-01) | day |
| BPD Rempen | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD, Rempen 2001 (99SIEMENS, GA107-25-01) | day |
| SD (BPD) Rempen | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| BPD Verburg (outer-outer) | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): BPD (outer-outer), Verburg 2008 (99SIEMENS, GA107-22-01) | day |
| SD (BPD) Verburg (outer-outer) | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Chitty | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): FL, Chitty 1997 (LN, 33098-5) | day |
| SD (FL) Chitty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Hadlock | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): FL, Hadlock 1984 (LN, 11920-6) | day |
| SD (FL) Hadlock | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Jeanty | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): FL, Jeanty 1984 (LN, 11923-0) | day |
| SD (FL) Jeanty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Tokyo | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): FL, Tokyo 1986 (LN, 33103-3) | day |
| FL ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): FL, ASUM 2003 (99SIEMENS, GA112-01-01) | day |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| FL JSUM 2003 | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): FL, JSUM 2003 (99SIEMENS, GA112-12-01) | day |
| SD (FL) JSUM 2003 | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Merz | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): FL, Merz 1991 (99SIEMENS, GA112-16-01) | day |
| SD (FL) Merz | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| FL Osaka | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): FL, Osaka 1983 (99SIEMENS, GA112-18-01) | day |
| FL WARDA | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): FL, Warda (99SIEMENS, GA112-23-01) | day |
| SD (FL) WARDA | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HC Chitty | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): HC measured, Chitty 1997 (LN, 33110-8) | day |
| SD (HC) Chitty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HC Hadlock | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): HC, Hadlock 1984 (LN, 11932-1) | day |
| SD (HC) Hadlock | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HC Hansmann | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): HC, Hansmann 1986 (LN, 33543-0) | day |
| SD (HC) Hansmann | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HC ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): HC, ASUM 2003 (99SIEMENS, GA116-01-01) | day |
| HC Lasser | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): HC, Lasser 1993 (99SIEMENS, GA116-14-01) | day |
| SD (HC) Lasser | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HC Merz | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): HC, Merz 1991 (99SIEMENS, GA116-16-01) | day |
| SD (HC) Merz | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| OFD ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): OFD, ASUM 2003 (99SIEMENS, GA119-01-01) | day |
| APTDxTTD Tokyo | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): APTDxTTD, Tokyo (99SIEMENS, GA105-20-01) | day |
| Cerebellum Hill | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): TCD, Hill 1990 (LN, 33134-8) | day |
| SD (TCD) Hill | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HL Jeanty | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): Humerus, Jeanty 1984 (LN, 11936-2) | day |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| SD (HL) Jeanty | Gestational Age (LN, 18185-9) | 2 Sigma deviation of population (DCM, 121417) | day |
| HL ASUM 2003 | Gestational Age (LN, 18185-9) | Equation (DCM, 121420): HL, ASUM 2003 (99SIEMENS, GA117-01-01) | day |
| HL Osaka | Gestational Age (LN, 18185-9) | Table of Values (DCM, 121424): HL, Osaka 1983 (99SIEMENS, GA117-18-01) | day |
| Fetal HR HR | Heart Rate (LN, 8867-4) | | bpm |
| Fetal HR HR | Heart Rate (LN, 8867-4) | Derivation (DCM, 121401): Mean (SRT, R-00317) | bpm |
| Atrial FHR HR | Heart Rate (LN, 8867-4) | Finding Site (SRT, G-C0E3): Atrium (SRT, T-32101) | bpm |
| Atrial FHR HR | Heart Rate (LN, 8867-4) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Atrium (SRT, T-32101) | bpm |
| Vent FHR HR | Heart Rate (LN, 8867-4) | Finding Site (SRT, G-C0E3): Cardiac ventricle (SRT, T-32401) | bpm |
| Vent FHR HR | Heart Rate (LN, 8867-4) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Cardiac ventricle (SRT, T-32401) | bpm |
| LVOT FHR HR | Heart Rate (LN, 8867-4) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650) | bpm |
| LVOT FHR HR | Heart Rate (LN, 8867-4) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650) | bpm |
| RVOT FHR HR | Heart Rate (LN, 8867-4) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550) | bpm |
| RVOT FHR HR | Heart Rate (LN, 8867-4) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | bpm |
| Pulm Side FHR HR | Heart Rate (LN, 8867-4) | Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide) | bpm |
| Pulm Side FHR HR | Heart Rate (LN, 8867-4) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide) | bpm |
| Sys Side FHR HR | Heart Rate (LN, 8867-4) | Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, SystemicSide) | bpm |
| Sys Side FHR HR | Heart Rate (LN, 8867-4) | Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, SystemicSide)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | bpm |
| USMA | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Average Ultrasound Age (LN, 11884-4) | day |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| USMA Hadlock6 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (AC, FL) (99SIEMENS, CA100-08-01) | day |
| USMA (SD) Hadlock6 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock2 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, AC) (99SIEMENS, CA100-08-02) | day |
| USMA (SD) Hadlock2 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock9 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, AC, FL) (99SIEMENS, CA100-08-03) | day |
| USMA (SD) Hadlock9 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock3 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, FL) (99SIEMENS, CA100-08-04) | day |
| USMA (SD) Hadlock3 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock1 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, HC) (99SIEMENS, CA100-08-05) | day |
| USMA (SD) Hadlock1 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock7 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, HC, AC) (99SIEMENS, CA100-08-06) | day |
| USMA (SD) Hadlock7 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock11 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, HC, AC, FL) (99SIEMENS, CA100-08-07) | day |
| USMA (SD) Hadlock11 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock8 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (BPD, HC, FL) (99SIEMENS, CA100-08-08) | day |
| USMA (SD) Hadlock8 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock4 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (HC, AC) (99SIEMENS, CA100-08-09) | day |
| USMA (SD) Hadlock4 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock10 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (HC, AC, FL) (99SIEMENS, CA100-08-10) | day |
| USMA (SD) Hadlock10 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| USMA Hadlock5 | Composite Ultrasound Age (LN, 11888-5) | Equation (DCM, 121420): Composite US Age, Hadlock (HC, FL) (99SIEMENS, CA100-08-11) | day |
| USMA (SD) Hadlock5 | Composite Ultrasound Age (LN, 11888-5) | 2 Sigma deviation of population (DCM, 121417) | day |
| EFW<1,2> Hansmann | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by BPD, TTD, Hansmann 1986 (LN, 33139-7) | g |
| SD (EFW<1,2>) Hansmann | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| EFW<1,2> Hadlock1 | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by AC, FL, Hadlock 1985 (LN, 11751-5) | g |
| SD (EFW<1,2>) Hadlock1 | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> Hadlock2 | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by AC, BPD, FL, Hadlock 1985 (LN, 11735-8) | g |
| SD (EFW<1,2>) Hadlock2 | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> Hadlock4 | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by AC, BPD, FL, HC, Hadlock 1985 (LN, 11732-5) | g |
| SD (EFW<1,2>) Hadlock4 | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> Hadlock3 | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by AC, FL, HC, Hadlock 1985 (LN, 11746-5) | g |
| SD (EFW<1,2>) Hadlock3 | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> JSUM 2003 | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW2 by Shinozuka 1996 (LN, 33142-1) | g |
| EFW<1,2> JSUM(APTDxTTD) | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by BPD, APTD, TTD, FL, JSUM 2003 (99SIEMENS, EFW101-12-01) | g |
| EFW<1,2> Osaka | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by BPD, FTA, FL, Osaka 1990 (LN, 33140-5) | g |
| EFW<1,2> Shepard | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by AC and BPD, Shepard 1982 (LN, 11739-0) | g |
| SD (EFW<1,2>) Shepard | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> Tokyo | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by BPD, APTD, TTD, FL, Tokyo 1987 (99SIEMENS, EFW101-20-01) | g |
| EFW<1,2> Merz | Estimated Weight (LN, 11727-5) | Equation (DCM, 121420): EFW by BPD, AC, Merz 2005 (99SIEMENS, EFW101-16-01) | g |
| SD (EFW<1,2>) Merz | Estimated Weight (LN, 11727-5) | 2 Sigma deviation of population (DCM, 121417) | g |
| EFW<1,2> Brenner | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Brenner 1976 (LN, 33189-2) | % |
| EFW<1,2> Hadlock | EFW percentile rank (LN, 11767-1) | Equation (DCM, 121420): EFW by GA, Hadlock 1991 (LN, 33162-9) | % |
| William EFW<1,2> Williams Male | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Williams 1982 (male) (LN, 33184-3) | % |
| EFW<1,2> Doubilet | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Doubilet 1996 (99SIEMENS, GR101-26-01) | % |
| EFW<1,2> Jeanty | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Jeanty 1994 (99SIEMENS, GR101-11-01) | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| EFW<1,2> JSUM 2003 | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, JSUM 2003 (99SIEMENS, GR101-12-01) | unitless |
| EFW<1,2> Osaka | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Osaka 1983 (99SIEMENS, GR101-18-01) | unitless |
| EFW<1,2> Tokyo | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Tokyo (99SIEMENS, GR101-20-01) | unitless |
| EFW<1,2> Yarkoni | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Yarkoni 1987 (99SIEMENS, GR101-24-01) | % |
| William EFW<1,2> Williams Female | EFW percentile rank (LN, 11767-1) | Table of Values (DCM, 121424): FWP by GA, Williams 1982 (female) (LN, 33184-3) | % |
| AC Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): AC (measured) by GA, Chitty 1994 (LN, 33147-0) | % |
| AC Growth%: Hadlock | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): AC by GA, Hadlock 1984 (LN, 33146-2) | % |
| AC Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, ASUM 2003 (99SIEMENS, GR102-01-01) | % |
| AC Growth%: CFEF | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, CFEF 2000 (99SIEMENS, GR102-03-01) | % |
| AC Growth%: DETER | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): AC by GA, Deter 1982 (99SIEMENS, GR102-06-01) | % |
| AC Growth%: Grumbach (twins) | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, Grumbach 1986 (twin) (99SIEMENS, GR102-07-01) | % |
| AC Growth%: Jeanty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, Jeanty 1984 (99SIEMENS, GR102-11-01) | % |
| AC Growth%: JSUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, JSUM 2003 (99SIEMENS, GR102-12-01) | unitless |
| AC Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, Merz 1996 (99SIEMENS, GR102-16-01) | % |
| AC Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, Nicolaides 1994 (99SIEMENS, GR102-17-01) | % |
| AC Growth%: Verburg | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, Verburg 2008 (99SIEMENS, GR102-22-01) | unitless |
| BPD Growth%: Chitty(O-I) | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): BPD outer-inner by GA, Chitty 1994 (LN, 33556-2) | % |
| BPD Growth%: Chitty(O-O) | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): BPD outer-outer by GA, Chitty 1994 (LN, 33152-0) | % |
| BPD Growth%: Hadlock | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): BPD by GA, Hadlock 1984 (LN, | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 33198-3) | |
| BPD Growth%: Rempen | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Rempen 1991 (LN, 33155-3) | % |
| BPD Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, ASUM 2003 (99SIEMENS, GR107-01-01) | % |
| BPD Growth%: CFEF | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, CFEF 2000 (99SIEMENS, GR107-03-01) | % |
| BPD Growth%: Grumbach (twins) | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Grumbach 1986 (twin) (99SIEMENS, GR107-07-01) | % |
| BPD Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Hansmann 1986 (99SIEMENS, GR107-09-01) | % |
| BPD Growth%: JSUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, JSUM 2003 (99SIEMENS, GR107-12-01) | unitless |
| BPD Growth%: Lasser | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): BPD by GA, Lasser 1993 (99SIEMENS, GR107-14-01) | % |
| BPD Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Merz 1996 (99SIEMENS, GR107-16-01) | % |
| BPD Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Nicolaides 1994 (99SIEMENS, GR107-17-01) | % |
| BPD Growth%: Osaka | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Osaka 1983 (99SIEMENS, GR107-18-01) | unitless |
| BPD Growth%: Verburg | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, Verburg 2008 (99SIEMENS, GR107-22-01) | unitless |
| FL Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): FL by GA, Chitty 1994 (LN, 33167-8) | unitless |
| FL Growth%: Hadlock | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): FL by GA, Hadlock 1984 (LN, 33166-0) | % |
| FL Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, ASUM 2003 (99SIEMENS, GR112-01-01) | % |
| FL Growth%: CFEF | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, CFEF 2000 (99SIEMENS, GR112-03-01) | unitless |
| FL Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Hansmann 1986 (99SIEMENS, GR112-09-01) | % |
| FL Growth%: Jeanty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Jeanty 1984 (99SIEMENS, GR112-11-01) | % |
| FL Growth%: JSUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, JSUM 2003 (99SIEMENS, GR112-12-01) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| FL Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Merz 1991 (99SIEMENS, GR112-16-01) | % |
| FL Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Nicolaides 1994 (99SIEMENS, GR112-17-01) | % |
| FL Growth%: Tokyo | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Tokyo (99SIEMENS, GR112-20-01) | unitless |
| FL Growth%: Verburg | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, Verburg 2008 (99SIEMENS, GR112-22-01) | unitless |
| FL Growth%: WARDA | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): FL by GA, Warda 1985 (99SIEMENS, GR112-23-01) | unitless |
| FL Growth%: Osaka | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): FL by GA, Osaka 1983 (99SIEMENS, GR112-18-01) | unitless |
| HC Growth%: Hadlock | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): HC by GA, Hadlock 1984 (LN, 33173-6) | % |
| HC Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, ASUM 2003 (99SIEMENS, GR116-01-01) | % |
| HC Growth%: CFEF | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, CFEF 2000 (99SIEMENS, GR116-03-01) | % |
| HC Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): HC by GA, Chitty 1994 (99SIEMENS, GR116-05-01) | % |
| HC Growth%: Deter | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): HC by GA, Deter 1982 (99SIEMENS, GR116-06-01) | % |
| HC Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, Hansmann 1986 (99SIEMENS, GR116-09-01) | % |
| HC Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, Merz 1996 (99SIEMENS, GR116-16-01) | % |
| HC Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, Nicolaides 1994 (99SIEMENS, GR116-17-01) | % |
| HC Growth%: Verburg | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, Verburg 2008 (99SIEMENS, GR116-22-01) | unitless |
| OFD Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): OFD by GA, Chitty 1994 (LN, 33179-3) | % |
| OFD Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): OFD by GA, ASUM 2003 (99SIEMENS, GR119-01-01) | % |
| OFD Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): OFD by GA, Hansmann 1986 (99SIEMENS, GR119-09-01) | % |
| OFD Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): OFD by GA, Nicolaides | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 1994 (99SIEMENS, GR119-17-01) | |
| TC Growth%: Chitkara | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): TC by GA, Chitkara 1987 (99SIEMENS, GR122-04-01) | % |
| APTDxTTD Growth%: Tokyo | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): APTDxTTD by GA, Tokyo (99SIEMENS, GR105-20-01) | unitless |
| Cerebellum Growth%: Nicolaides | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): TCD by GA, Nicolaides 1994 (99SIEMENS, GR108-17-01) | % |
| Cerebellum Growth%: Verburg | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): TCD by GA, Verburg 2008 (99SIEMENS, GR108-22-01) | unitless |
| HC/AC Growth%: Campbell | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC/AC by GA, Campbell 1977 (LN, 33182-7) | unitless |
| AFI Mean Growth%: Moore | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AFI by GA, Moore 1990 (99SIEMENS, GR135-27-01) | % |
| Lt MCA Growth%: JSUM 2003 PI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Left MCA PI by GA JSUM 2003 (99SIEMENS, GR129-12-01) | unitless |
| Lt MCA Growth%: JSUM 2003 RI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Left MCA RI by GA JSUM 2003 (99SIEMENS, GR130-12-01) | unitless |
| Rt MCA Growth%: JSUM 2003 PI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Right MCA PI by GA JSUM 2003 (99SIEMENS, GR131-12-01) | unitless |
| Rt MCA Growth%: JSUM 2003 RI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Right MCA RI by GA JSUM 2003 (99SIEMENS, GR132-12-01) | unitless |
| Umb A (PI) Growth%: JSUM 2003 PI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Umbilical Artery PI by GA JSUM 2003 (99SIEMENS, GR133-12-01) | unitless |
| Umb A (RI) Growth%: JSUM 2003 RI | Growth Percentile Rank (DCM, 125012) | Equation (DCM, 121420): Umbilical Artery RI by GA JSUM 2003 (99SIEMENS, GR134-12-01) | unitless |
| HL Growth%: ASUM 2003 | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, ASUM 2003 (99SIEMENS, GR117-01-01) | % |
| HL Growth%: Chitty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, Chitty 2002 (99SIEMENS, GR117-05-01) | unitless |
| HL Growth%: Hansmann | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, Hansmann 1986 (99SIEMENS, GR117-09-01) | % |
| HL Growth%: Jeanty | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, Jeanty 1984 (99SIEMENS, GR117-11-01) | % |
| HL Growth%: Merz | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, Merz 1996 (99SIEMENS, GR117-16-01) | % |
| HL Growth%: Osaka | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HL by GA, Osaka 1983 (99SIEMENS, GR117-18-01) | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| OFD Growth%: INTERGROWTH-21st | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): OFD by GA, INTERGROWTH-21st 2014 (99SIEMENS, GR119-29-01) | % |
| HC Growth%: INTERGROWTH-21st | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): HC by GA, INTERGROWTH-21st 2014 (99SIEMENS, GR116-29-01) | % |
| AC Growth%: INTERGROWTH-21st | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): AC by GA, INTERGROWTH-21st 2014 (99SIEMENS, GR102-29-01) | % |
| BPD Growth%: INTERGROWTH-21st | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): BPD by GA, INTERGROWTH-21st 2014 (99SIEMENS, GR107-29-01) | % |
| FL Growth%: INTERGROWTH-21st | Growth Percentile Rank (DCM, 125012) | Table of Values (DCM, 121424): FL by GA, INTERGROWTH-21st 2014 (99SIEMENS, GR112-29-01) | unitless |

### 10.3.3 Fetal Measurements

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Fetal Measurements | Container : Fetal Measurements (DCM, 125016) | | |
| HC/AC Campbell | HC/AC (LN, 11947-9) | | unitless |
| SD-L (HC/AC) Campbell | HC/AC (LN, 11947-9) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (HC/AC) Campbell | HC/AC (LN, 11947-9) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| FL/AC Hadlock | FL/AC (LN, 11871-1) | | unitless |
| SD-L (FL/AC) Hadlock | FL/AC (LN, 11871-1) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (FL/AC) Hadlock | FL/AC (LN, 11871-1) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| FL/BPD Hohler | FL/BPD (LN, 11872-9) | | unitless |
| SD-L (FL/BPD) Hohler | FL/BPD (LN, 11872-9) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (FL/BPD) Hohler | FL/BPD (LN, 11872-9) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| FL/HC Hadlock | FL/HC (LN, 11873-7) | | unitless |
| Hadlock | FL/HC (LN, 11873-7) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| Hadlock | FL/HC (LN, 11873-7) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| CI Hadlock | Cephalic Index (LN, 11823-2) | | unitless |
| SD-L (CI) Hadlock | Cephalic Index (LN, 11823-2) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (CI) Hadlock | Cephalic Index (LN, 11823-2) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| TCD/AC Meyer | TCD/AC (99SIEMENS, TCDOverAC) | | unitless |
| SD-L (Cerebellum/AC) Meyer | TCD/AC (99SIEMENS, TCDOverAC) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (Cerebellum/AC) Meyer | TCD/AC (99SIEMENS, TCDOverAC) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| LVW/HW Johnson | LVW/HW (99SIEMENS, LVWOverHW) | | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| SD-L (Lat Vent/HW) Johnson | LVW/HW (99SIEMENS, LVWOverHW) | Normal Range Lower Limit (SRT, R-10041) | unitless |
| SD-H (Lat Vent/HW) Johnson | LVW/HW (99SIEMENS, LVWOverHW) | Normal Range Upper Limit (SRT, R-0038B) | unitless |
| AFI - Q1 D | First Quadrant Diameter (LN, 11624-4) | | mm |
| AFI - Q2 D | Second Quadrant Diameter (LN, 11626-9) | | mm |
| AFI - Q3 D | Third Quadrant Diameter (LN, 11625-1) | | mm |
| AFI - Q4 D | Fourth Quadrant Diameter (LN, 11623-6) | | mm |
| AFI | Amniotic Fluid Index (LN, 11627-7) | | mm |
| AFI | Amniotic Fluid Index (LN, 11627-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt MCA/Umb A | MCA/Umb A velocity ratio (99SIEMENS, McaUmbAVelRatio) | Laterality (SRT, G-C171): Right (SRT, G-A100) | unitless |
| Lt MCA/Umb A | MCA/Umb A velocity ratio (99SIEMENS, McaUmbAVelRatio) | Laterality (SRT, G-C171): Left (SRT, G-A101) | unitless |
| AC C | Abdominal Circumference (LN, 11979-2) | | mm |
| AC C | Abdominal Circumference (LN, 11979-2) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| APTD D | Anterior-Posterior Trunk Diameter (LN, 11819-0) | | mm |
| APTD D | Anterior-Posterior Trunk Diameter (LN, 11819-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| BPD D | Biparietal Diameter (LN, 11820-8) | | mm |
| BPD D | Biparietal Diameter (LN, 11820-8) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| BPDa | BPD area corrected (LN, 11824-0) | | mm |
| HA A | Cardiac Cross-sectional Area, transverse by US (LN, 59075-2) | | cm2 |
| HA A | Cardiac Cross-sectional Area, transverse by US (LN, 59075-2) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm2 |
| Heart Circum C | Cardiac Circumference, transverse by US (LN, 59073-7) | | mm |
| Heart Circum C | Cardiac Circumference, transverse by US (LN, 59073-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| CTR Area | Cardiothoracic Area Ratio (LN, 59076-0) | | unitless |
| CTR Circum | Cardiothoracic Circumference Ratio (LN, 59074-5) | | unitless |
| FL D | Femur Length (LN, 11963-6) | | mm |
| FL D | Femur Length (LN, 11963-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| HC C | Head Circumference (LN, 11984-2) | | mm |
| HC C | Head Circumference (LN, 11984-2) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lat Vent D | Lateral Ventricle width (LN, 12171-5) | | mm |
| Lat Vent D | Lateral Ventricle width (LN, 12171-5) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| OFD D | Occipital-Frontal Diameter (LN, 11851-3) | | mm |
| OFD D | Occipital-Frontal Diameter (LN, 11851-3) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| TA A | Thoracic Area (LN, 33068-8) | | cm2 |
| TA A | Thoracic Area (LN, 33068-8) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm2 |
| TC C | Thoracic Circumference (LN, 11988-3) | | mm |
| TC C | Thoracic Circumference (LN, 11988-3) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Cerebellum D | Trans Cerebellar Diameter (LN, 11863-8) | | mm |
| Cerebellum D | Trans Cerebellar Diameter (LN, 11863-8) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| TTD D | Transverse Thoracic Diameter (LN, 11864-6) | | mm |
| TTD D | Transverse Thoracic Diameter (LN, 11864-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| HW D | Width of Hemisphere (LN, 12170-7) | | mm |
| HW D | Width of Hemisphere (LN, 12170-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Cardiac Axis Angle | Cardiac axis (SRT, F-0258C) | | deg |
| Cardiac Axis Angle | Cardiac axis (SRT, F-0258C) | Derivation (DCM, 121401): Mean (SRT, R-00317) | deg |
| APTDxTTD | APTD x TTD (99SIEMENS, APTDxTTD) | | cm2 |
| HL D | Humerus length (LN, 11966-9) | | mm |
| HL D | Humerus length (LN, 11966-9) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| PR Interval T | PR Interval (99SIEMENS, PRInterval) | | msec |
| PR Interval T | PR Interval (99SIEMENS, PRInterval) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| CCO | Combined Cardiac Output (99SIEMENS, CombinedCO) | | ml/min |

### 10.3.4 Abdominal Aorta

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Abdominal Aorta | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Abdominal Aorta (SRT, T-42500) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Ao Abd D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| Ao Abd D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.3.5 Anterior Descending Branch of Left Coronary Artery

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Anterior Descending Branch of Left Coronary Artery | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Anterior Descending Branch of Left Coronary Artery (SRT, T-43110) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| LAD D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| LAD D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| LAD D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | | cm/s |
| LAD D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| LAD S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | | cm/s |
| LAD S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.6 Aortic Arch

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Aortic Arch | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Aortic Arch (SRT, T-42300) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Ao Arch D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| Ao Arch D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ao Arch Trans D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Transverse Aortic Arch (SRT, T-42304) | mm |
| Ao Arch Trans D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Transverse Aortic Arch (SRT, T-42304) | mm |
| Ao Arch Vmax PG | Peak Gradient (LN, 20247-3) | | mmHg |
| Ao Arch Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Ao Arch Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.7 Aortic Isthmus

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Aortic Isthmus | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Aortic Isthmus (SRT, T-42310) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Zscore (Ao Isthmus 3VV) Royal | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Ao Isthmus 3VV Fetal Z-score, | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Brompton | | Royal Brompton Hospital 2007 (99SIEMENS, ZFE102-03-01) | |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | mm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | mm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | mm |
| Zscore (Ao Isthmus Sagittal) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Ao Isthmus Sagittal Fetal Z-score, Royal Brompton Hospital 2007 (99SIEMENS, ZFE103-03-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | mm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | mm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | mm |
| Ao Isthmus 3VV D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Image View (DCM, 111031): 3-vessel view (99SIEMENS, 3VesselView) | mm |
| Ao Isthmus 3VV D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Image View (DCM, 111031): 3-vessel view (99SIEMENS, 3VesselView) | mm |
| Ao Isthmus Sagittal D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Image View (DCM, 111031): Suprasternal sagittal view (SRT, R-40B01) | mm |
| Ao Isthmus Sagittal D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Image View (DCM, 111031): Suprasternal sagittal view (SRT, R-40B01) | mm |

### 10.3.8 Aortic Valve

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Aortic Valve | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Aortic Valve (SRT, T-35400) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Zscore (AoV Annulus s) Boston Children's | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Aortic Valve Fetal Z-score, Boston Children's Hospital 2009 (99SIEMENS, ZFE104-01-01) | unitless |
| Boston Children's | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Zscore (AoV Annulus s) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Aortic Valve Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE104-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| AoV Annulus Area s | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Cardiac valve annulus (SRT, T-3500E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm2 |
| AoV Area (VTI) | Cardiovascular Orifice Area (SRT, G-038E) | Measurement Method (SRT, G-C036): Continuity Equation by Velocity Time Integral (DCM, 125215)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm2 |
| AoV Area (Vmax) | Cardiovascular Orifice Area (SRT, G-038E) | Measurement Method (SRT, G-C036): Continuity Equation by Peak Velocity (DCM, 125214)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm2 |
| AoV Annulus s D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Cardiac valve annulus (SRT, T-3500E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| AoV Annulus s D | Diameter (SRT, M-02550) | Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Cardiac valve annulus (SRT, T-3500E) | mm |
| AoV Annulus Circum s C | Circumference (SRT, M-02560) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Cardiac valve annulus (SRT, T-3500E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| AoV Annulus Circum s C | Circumference (SRT, M-02560) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Cardiac valve annulus (SRT, T-3500E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | |
| AoV/PV Annulus s | Aortic Valve to Pulmonary Valve Systolic Annulus Diameter Ratio (99SIEMENS, AoVPVsAnnDRatio) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | unitless |
| AR ED Velocity Vel | End Diastolic Velocity (LN, 11653-3) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| AR ED Velocity Vel | End Diastolic Velocity (LN, 11653-3) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| AoV VTI PGmax | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | mmHg |
| AoV Vmax PG | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| AoV VTI PGmean | Mean Gradient (LN, 20256-4) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | mmHg |
| AoV VTI VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm |
| AR VTI VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm |
| AR PHT | Pressure Half-Time (LN, 20280-4) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | msec |
| AoV Accel Slope T | Acceleration Time (LN, 20168-1) | | msec |
| AR Decel Slope T | Deceleration Time (LN, 20217-6) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | msec |
| AR Decel Slope Accel | Deceleration Slope (LN, 20216-8) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s2 |
| AoV Accel Slope Accel | Acceleration Slope (LN, 20167-3) | | cm/s2 |
| AoV SV | Stroke Volume (SRT, F-32120) | | ml |
| AoV ET T | Ejection Time (LN, 20222-6) | | msec |
| AoV ET T | Ejection Time (LN, 20222-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| AoV VTI Vmean | Blood velocity, mean (DCM, 122205) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R- | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 42047) | |
| AoV VTI Vmax | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| AoV Vmax Vel | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| AoV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| AR ED Velocity PG | Pressure Gradient (SRT, F-023F7) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Cardiac Cycle Point (SRT, R-4089A): End Diastole (SRT, F-32011) | mmHg |
| AoV AT/ET | Ratio of Aortic Valve Acceleration Time to Ejection Time (SRT, G-0382) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | unitless |
| AoV Cusp Sep D | Aortic Valve Cusp Separation (LN, 17996-0) | Image Mode (SRT, G-0373): M mode (SRT, G-0394) | mm |
| AoV Cusp Sep D | Aortic Valve Cusp Separation (LN, 17996-0) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.3.9 Ascending Aorta

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Ascending Aorta | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Ascending Aorta (SRT, T-42100) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Zscore (Ao Asc) Boston Children's | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Ascending Aorta Fetal Z-score, Boston Children's Hospital 2009 (99SIEMENS, ZFE100-01-01) | unitless |
| Boston Children's | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Zscore (Ao Asc) Royal | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Ascending Aorta Fetal Z-score, | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Brompton | | Royal Brompton Hospital 2005 (99SIEMENS, ZFE100-02-01) | |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Ao Asc D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| Ao Asc D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ao Asc Vmax PG | Peak Gradient (LN, 20247-3) | | mmHg |
| Ao Asc Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| Ao Asc Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.10 Atrial Septal Defect

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Atrial Septal Defect | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Atrial Septal Defect (SRT, D4-31220) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| ASD D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| ASD D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| ASD Vmax PG | Peak Gradient (LN, 20247-3) | | mmHg |
| ASD Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| ASD Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.11 Coarctation of Aorta

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Coarctation of Aorta | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Coarctation of Aorta (SRT, D4-32014) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Ao Coarct D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| Ao Coarct D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ao Coarct VTI PGmax | Peak Gradient (LN, 20247-3) | Measurement Method (SRT, G-C036): Doppler Trace | mmHg |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Method (99SIEMENS, DTraceMethod) | |
| Ao Coarct Vmax PG | Peak Gradient (LN, 20247-3) | Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| Ao Coarct VTI PGmean | Mean Gradient (LN, 20256-4) | | mmHg |
| Ao Coarct VTI VTI | Velocity Time Integral (LN, 20354-7) | | cm |
| Ao Coarct AT T | Acceleration Time (LN, 20168-1) | | msec |
| Ao Coarct AT T | Acceleration Time (LN, 20168-1) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Ao Coarct ET T | Ejection Time (LN, 20222-6) | | msec |
| Ao Coarct ET T | Ejection Time (LN, 20222-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Ao Coarct VTI Vmean | Blood velocity, mean (DCM, 122205) | | cm/s |
| Ao Coarct VTI Vmax | Blood velocity, peak (DCM, 122207) | Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| Ao Coarct Vmax Vel | Blood velocity, peak (DCM, 122207) | Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| Ao Coarct Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |

### 10.3.12 Inferior Vena Cava

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Inferior Vena Cava | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Inferior Vena Cava (SRT, T-48710) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| IVC D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| IVC D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| IVC Vmax PG | Peak Gradient (LN, 20247-3) | | mmHg |
| IVC Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| IVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.13 Interatrial Septum Structure

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Interatrial Septum Structure | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Interatrial Septum Structure (SRT, T-32150) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| A Septum Length D | Length (SRT, G-A22A) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| A Septum Length D | Length (SRT, G-A22A) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.3.14 Left Atrium

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Atrium | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Left Atrium (SRT, T-32300) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| LA Major d D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| LA Major d D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| LA Major s D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LA Major s D | Major Axis (SRT, G-A193) | Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| LA Minor d D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| LA Minor d D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| LA Minor s D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LA Minor s D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 32020) | |
| LA Area d A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | cm2 |
| LA Area d A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | cm2 |
| LA Area s A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm2 |
| LA Area s A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm2 |
| LA %FAC | % Fractional Area Change (99SIEMENS, PercentFAC) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | % |
| LA A-P Diam s/Ao Root | Left Atrium to Aortic Root Ratio (LN, 17985-3) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | unitless |
| LA A-P s D | Left Atrium Antero-posterior Systolic Dimension (LN, 29469-4) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| LA A-P s D | Left Atrium Antero-posterior Systolic Dimension (LN, 29469-4) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| LA/RA Major d | Left Atrium Major to Right Atrium Major Diameter Ratio (99SIEMENS, LAMajRAMajDRatio) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | unitless |
| LA Diam s D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LA Diam s D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |

### 10.3.15 Left Main Coronary Artery

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Main Coronary Artery | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Left Main Coronary Artery (SRT, T-43107) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Left Main D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| Left Main D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Left Main D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | | cm/s |
| Left Main D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Left Main S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | | cm/s |
| Left Main S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.16 Left Ventricle

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Ventricle | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Left Ventricle (SRT, T-32600) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Zscore (LV Major d) Boston Children's | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): LV Major Fetal Z-score, Boston Children's Hospital 2009 (99SIEMENS, ZFE107-01-01) | unitless |
| Boston Children's | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Zscore (LV Minor d) Boston Children's | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): LV Minor Fetal Z-score, Boston Children's Hospital 2009 (99SIEMENS, ZFE108-01-01) | unitless |
| Boston Children's | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Zscore (LV Major d) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): LV Major Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE107-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Zscore (LV Minor d) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): LV Minor Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE108-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| LVOT Area s | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650)<br>Cardiac Cycle Point (SRT, R-4089A): End Systole (SRT, R-FAB5B) | cm2 |
| LVOT s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650)<br>Cardiac Cycle Point (SRT, R-4089A): End Systole (SRT, R-FAB5B) | mm |
| LVOT s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650)<br>Cardiac Cycle Point (SRT, R-4089A): End Systole (SRT, R-FAB5B) | mm |
| LV SV | Stroke Volume (SRT, F-32120) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Measurement Method (SRT, G-C036): Teichholz (DCM, 125209) | ml |
| LVOT SV | Stroke Volume (SRT, F-32120) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650) | ml |
| LV SV | Stroke Volume (SRT, F-32120) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Measurement Method (SRT, G-C036): Teichholz (DCM, 125209) | ml |
| LV CO | Cardiac Output (SRT, F-32100) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Measurement Method (SRT, G-C036): Teichholz (DCM, 125209) | ml/min |
| LVOT CO | Cardiac Output (SRT, F-32100) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650) | ml/min |
| LV CO | Cardiac Output (SRT, F-32100) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Measurement Method (SRT, G-C036): Teichholz (DCM, 125209) | ml/min |
| LV Major d D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| LV Major d D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | |
| LV Major s D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LV Major s D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LV Minor d D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| LV Minor d D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| LV Minor s D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LV Minor s D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| IVS d D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Interventricular Septum (SRT, T-32410)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| IVS d D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Finding Site (SRT, G-C0E3): Interventricular Septum (SRT, T-32410)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| IVS d D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Interventricular Septum (SRT, T-32410) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | |
| IVS d D | ROI Thickness by US (LN, 59089-3) | Finding Site (SRT, G-C0E3): Interventricular Septum (SRT, T-32410)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010)<br>Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| IVS s D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Interventricular Septum (SRT, T-32410)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| IVS s D | ROI Thickness by US (LN, 59089-3) | Finding Site (SRT, G-C0E3): Interventricular Septum (SRT, T-32410)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): M mode (SRT, G-0394) | mm |
| IVS s D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Interventricular Septum (SRT, T-32410)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| IVS s D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Finding Site (SRT, G-C0E3): Interventricular Septum (SRT, T-32410)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| LVPW d D | ROI Thickness by US (LN, 59089-3) | Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Posterior Wall (SRT, R-42175) | mm |
| LVPW d D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Finding Site (SRT, G-C0E3): Posterior Wall (SRT, R-42175) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | |
| LVPW d D | ROI Thickness by US (LN, 59089-3) | Finding Site (SRT, G-C0E3): Posterior Wall (SRT, R-42175)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| LVPW d D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Posterior Wall (SRT, R-42175)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| LVPW s D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Posterior Wall (SRT, R-42175)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LVPW s D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Finding Site (SRT, G-C0E3): Posterior Wall (SRT, R-42175)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LVPW s D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Posterior Wall (SRT, R-42175)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LVPW s D | ROI Thickness by US (LN, 59089-3) | Finding Site (SRT, G-C0E3): Posterior Wall (SRT, R-42175)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| LVID d D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F- | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 32010) | |
| LVID d D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| LVID d D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| LVID d D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| LVID s D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LVID s D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LVID s D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| LVID s D | ROI Internal Dimension by US (LN, 59090-1) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): M mode (SRT, G-0394) | mm |
| LV EF | Cardiac ejection fraction (SRT, F-32070) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Measurement Method (SRT, G-C036): Teichholz (DCM, 125209) | % |
| LV EF | Cardiac ejection fraction (SRT, F-32070) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Measurement Method (SRT, G-C036): Teichholz (DCM, 125209) | % |
| IVS %Thick | % Thickening (LN, 59092-7) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Interventricular Septum (SRT, T-32410) | % |
| LVPW %Thick | % Thickening (LN, 59092-7) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Posterior Wall (SRT, R- | % |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 42175) | |
| LV %FS | Fractional Shortening (LN, 59132-1) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | % |
| LV Area d A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | cm2 |
| LV Area d A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | cm2 |
| LV Area s A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm2 |
| LV Area s A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm2 |
| LV Vol d | Volume (SRT, G-D705) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Measurement Method (SRT, G-C036): Teichholz (DCM, 125209)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | ml |
| LV Vol s | Volume (SRT, G-D705) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Measurement Method (SRT, G-C036): Teichholz (DCM, 125209)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | ml |
| LV Vol d | Volume (SRT, G-D705) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Measurement Method (SRT, G-C036): Teichholz (DCM, 125209)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | ml |
| LV Vol s | Volume (SRT, G-D705) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Measurement Method (SRT, G-C036): Teichholz (DCM, 125209)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | ml |
| IVS/LVPW | Interventricular Septum to Posterior Wall Thickness Ratio (LN, 18155-2) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F- | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 32010) | |
| LV/RV Major d | Left Ventricle to Right Ventricle Diastolic Major Axis Ratio (99SIEMENS, LVRVdMajorRatio) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | unitless |
| LVOT VTI PGmax | Peak Gradient (LN, 20247-3) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | mmHg |
| LVOT Vmax PG | Peak Gradient (LN, 20247-3) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| LVOT VTI PGmean | Mean Gradient (LN, 20256-4) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650) | mmHg |
| LVOT VTI VTI | Velocity Time Integral (LN, 20354-7) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650) | cm |
| LV IVRT T | Isovolumic Relaxation Time (LN, 59083-6) | | msec |
| LV IVRT T | Isovolumic Relaxation Time (LN, 59083-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| LVOT IVRT T | Isovolumic Relaxation Time (LN, 59083-6) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650) | msec |
| LVOT IVRT T | Isovolumic Relaxation Time (LN, 59083-6) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650) | msec |
| LV IVCT T | Isovolumic Contraction Time (LN, 59084-4) | | msec |
| LV IVCT T | Isovolumic Contraction Time (LN, 59084-4) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| LVOT IVCT T | Isovolumic Contraction Time (LN, 59084-4) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650) | msec |
| LVOT IVCT T | Isovolumic Contraction Time (LN, 59084-4) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650) | msec |
| LV ET T | Ejection Time (LN, 20222-6) | | msec |
| LV ET T | Ejection Time (LN, 20222-6) | Image Mode (SRT, G-0373): M mode (SRT, G-0394) | msec |
| LV ET T | Ejection Time (LN, 20222-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| LV ET T | Ejection Time (LN, 20222-6) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| LV PEP T | Pre-Ejection Period (LN, 59085-1) | | msec |
| LV PEP T | Pre-Ejection Period (LN, 59085-1) | Image Mode (SRT, G-0373): M mode (SRT, G-0394) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| LV PEP T | Pre-Ejection Period (LN, 59085-1) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| LV PEP T | Pre-Ejection Period (LN, 59085-1) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| LV MPI | Myocardial Performance Index (Tei) (LN, 59099-2) | | unitless |
| LVOT VTI Vmean | Blood velocity, mean (DCM, 122205) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650) | cm/s |
| LVOT VTI Vmax | Blood velocity, peak (DCM, 122207) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| LVOT Vmax Vel | Blood velocity, peak (DCM, 122207) | Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| LVOT Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Left Ventricle Outflow Tract (SRT, T-32650)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| LV Mass | Wall Mass (DCM, 122447) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Measurement Method (SRT, G-C036): Left Ventricle Mass by M-mode (DCM, 125221) | g |
| MV E' Vmax (L) Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Lateral Mitral Annulus (SRT, G-0392)<br>Cardiac Cycle Point (SRT, R-4089A): Early Diastole (SRT, R-40B1B) | cm/s |
| MV E' Vmax (L) Vel | Peak Tissue Velocity (LN, 59133-9) | Cardiac Cycle Point (SRT, R-4089A): Early Diastole (SRT, R-40B1B)<br>Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Lateral Mitral Annulus (SRT, G-0392) | cm/s |
| MV E' Vmax (M) Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Medial Mitral Annulus (SRT, | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | G-0391)<br>Cardiac Cycle Point (SRT, R-4089A): Early Diastole (SRT, R-40B1B) | |
| MV E' Vmax (M) Vel | Peak Tissue Velocity (LN, 59133-9) | Finding Site (SRT, G-C0E3): Medial Mitral Annulus (SRT, G-0391)<br>Cardiac Cycle Point (SRT, R-4089A): Early Diastole (SRT, R-40B1B)<br>Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| MV A' Vmax (L) Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Lateral Mitral Annulus (SRT, G-0392)<br>Cardiac Cycle Point (SRT, R-4089A): Atrial Systole (SRT, F-32030) | cm/s |
| MV A' Vmax (L) Vel | Peak Tissue Velocity (LN, 59133-9) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Lateral Mitral Annulus (SRT, G-0392)<br>Cardiac Cycle Point (SRT, R-4089A): Atrial Systole (SRT, F-32030)<br>Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128) | cm/s |
| MV A' Vmax (M) Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Medial Mitral Annulus (SRT, G-0391)<br>Cardiac Cycle Point (SRT, R-4089A): Atrial Systole (SRT, F-32030) | cm/s |
| MV A' Vmax (M) Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Medial Mitral Annulus (SRT, G-0391)<br>Cardiac Cycle Point (SRT, R-4089A): Atrial Systole (SRT, F-32030) | cm/s |
| MV S' Vmax (L) Vel | Peak Tissue Velocity (LN, 59133-9) | Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): Tissue Doppler Imaging | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Lateral Mitral Annulus (SRT, G-0392) | |
| MV S' Vmax (L) Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Lateral Mitral Annulus (SRT, G-0392)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm/s |
| MV S' Vmax (M) Vel | Peak Tissue Velocity (LN, 59133-9) | Finding Site (SRT, G-C0E3): Medial Mitral Annulus (SRT, G-0391)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128) | cm/s |
| MV S' Vmax (M) Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Medial Mitral Annulus (SRT, G-0391)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm/s |
| MV E/E' (L) | Ratio of MV Peak Velocity to LV Peak Tissue Velocity E-Wave (SRT, G-037B) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Lateral Mitral Annulus (SRT, G-0392) | unitless |
| MV E/E' (M) | Ratio of MV Peak Velocity to LV Peak Tissue Velocity E-Wave (SRT, G-037B) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Medial Mitral Annulus (SRT, G-0391) | unitless |
| MV E'/A' (L) | Left Ventricle E to A Tissue Velocity Ratio (LN, 59129-7) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Lateral Mitral Annulus (SRT, G-0392) | unitless |
| MV E'/A' (M) | Left Ventricle E to A Tissue Velocity Ratio (LN, 59129-7) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Medial Mitral Annulus (SRT, G-0391) | unitless |

### 10.3.17 Mitral Valve

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Mitral Valve | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Mitral Valve (SRT, T-35300) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Zscore (MV Annulus d) Boston Children's | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Mitral Valve Fetal Z-score, Boston Children's Hospital 2009 (99SIEMENS, ZFE110-01-01) | unitless |
| Boston Children's | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Zscore (MV Annulus d) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Mitral Valve Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE110-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| MV Planimetry A | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Measurement Method (SRT, G-C036): Planimetry (DCM, 125220) | cm2 |
| MV Planimetry A | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Method (SRT, G-C036): Planimetry (DCM, 125220) | cm2 |
| MV Annulus Area d | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Mitral Annulus (SRT, T-35313)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | cm2 |
| MV Area (PHT) | Cardiovascular Orifice Area (SRT, G-038E) | Measurement Method (SRT, G-C036): Area by Pressure Half-Time (DCM, 125210) | cm2 |
| MV Area (VTI) | Cardiovascular Orifice Area (SRT, G-038E) | Measurement Method (SRT, G-C036): Continuity Equation by Velocity Time Integral (DCM, 125215) | cm2 |
| MV Annulus d D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Mitral Annulus (SRT, T-35313)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| MV Annulus d D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Mitral Annulus (SRT, T-35313)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| MV SV | Stroke Volume (SRT, F-32120) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | ml |
| MV Annulus Circum d C | Circumference (SRT, M-02560) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Mitral Annulus (SRT, T-35313)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| MV Annulus Circum d C | Circumference (SRT, M-02560) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Mitral Annulus (SRT, T-35313)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| MV/TV Annulus d | Mitral Valve to Tricupid Valve Diastolic Annulus Diameter Ratio (99SIEMENS, MVTVdAnnDRatio) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | unitless |
| MR RF | Regurgitant Fraction (SRT, G-0390) | | % |
| MV Annulus VTI PGmax | Peak Gradient (LN, 20247-3) | Finding Site (SRT, G-C0E3): Mitral Annulus (SRT, T-35313)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | mmHg |
| MV VTI PGmax | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | mmHg |
| MR VTI PGmax | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | mmHg |
| MV Vmax PG | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| MR Vmax PG | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G- | mmHg |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 0367)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | |
| MV Annulus VTI PGmean | Mean Gradient (LN, 20256-4) | Finding Site (SRT, G-C0E3): Mitral Annulus (SRT, T-35313)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | mmHg |
| MV VTI PGmean | Mean Gradient (LN, 20256-4) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | mmHg |
| MR VTI PGmean | Mean Gradient (LN, 20256-4) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | mmHg |
| MV Annulus VTI VTI | Velocity Time Integral (LN, 20354-7) | Finding Site (SRT, G-C0E3): Mitral Annulus (SRT, T-35313)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm |
| MV VTI VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm |
| MR VTI VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm |
| MV PHT | Pressure Half-Time (LN, 20280-4) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | msec |
| MV Decel Slope T | Deceleration Time (LN, 20217-6) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | msec |
| MV Decel Slope Accel | Deceleration Slope (LN, 20216-8) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm/s2 |
| MV E/A | Peak E wave/Peak A wave by US (LN, 59104-0) | | unitless |
| MV E Vmax Vel | E-Wave Peak Velocity (LN, 59080-2) | | cm/s |
| MV E Vmax Vel | E-Wave Peak Velocity (LN, 59080-2) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| MV A Vmax Vel | A-Wave Peak Velocity (LN, 59081-0) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm/s |
| MV A Vmax Vel | A-Wave Peak Velocity (LN, 59081-0) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm/s |
| MV C-O Duration T | Closure to Opening Time (LN, 59082-8) | | msec |
| MV C-O Duration T | Closure to Opening Time (LN, 59082-8) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| MV A Duration T | A-Wave Duration (LN, 59105-7) | | msec |
| MV A Duration T | A-Wave Duration (LN, 59105-7) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| MV VTI Vmean | Blood velocity, mean (DCM, 122205) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm/s |
| MR VTI Vmean | Blood velocity, mean (DCM, 122205) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| MV Annulus VTI Vmean | Blood velocity, mean (DCM, 122205) | Finding Site (SRT, G-C0E3): Mitral Annulus (SRT, T-35313)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm/s |
| MV Annulus VTI Vmax | Blood velocity, peak (DCM, 122207) | Finding Site (SRT, G-C0E3): Mitral Annulus (SRT, T-35313)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm/s |
| MR VTI Vmax | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| MV VTI Vmax | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| MV Vmax Vel | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| MV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| MR Vmax Vel | Blood velocity, peak (DCM, 122207) | Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod)<br>Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| MR Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| MR Vol | Volume (SRT, G-D705) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | ml |
| MV A/E | Mitral Valve A to E Ratio (99SIEMENS, MVAtoERatio) | | unitless |
| MR VC Width D | Width (SRT, G-A220) | Image Mode (SRT, G-0373): Doppler Color Flow (SRT, R-409E2)<br>Finding Site (SRT, G-C0E3): Vena Contracta (SRT, R-421AA)<br>Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | mm |
| MR VC Width D | Width (SRT, G-A220) | Image Mode (SRT, G-0373): Doppler Color Flow (SRT, R-409E2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Vena Contracta (SRT, R-421AA)<br>Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | mm |
| MV EPSS D | Mitral Valve EPSS, E wave (LN, 18036-4) | Image Mode (SRT, G-0373): M mode (SRT, G-0394) | mm |
| MV EPSS D | Mitral Valve EPSS, E wave (LN, 18036-4) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| MAPSE D | Mitral annular plane systolic excursion (99SIEMENS, MAPSE) | Image Mode (SRT, G-0373): M mode (SRT, G-0394) | mm |
| MAPSE D | Mitral annular plane systolic excursion (99SIEMENS, MAPSE) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.3.18 Patent Foramen Ovale

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Patent Foramen Ovale | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Patent Foramen Ovale (SRT, D4-31012) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| PFO D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| PFO D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| PFO/A Septum Length | Patent Foramen Ovale Diameter/Atrial Septum Length (99SIEMENS, PFODiamASLnRatio) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | unitless |
| PFO Vmax PG | Peak Gradient (LN, 20247-3) | | mmHg |
| PFO Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| PFO Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

Pericardium

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Pericardium | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Pericardium (SRT, T-39000) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| PE d D | Diameter (SRT, M-02550) | Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Effusion (SRT, M-36700) | mm |
| PE d D | Diameter (SRT, M-02550) | Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Effusion (SRT, M-36700) | mm |

### 10.3.19 Pulmonary Artery

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Pulmonary Artery | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Pulmonary Artery (SRT, T-44000) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Zscore (LPA) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): LPA Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE106-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Zscore (MPA) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): MPA Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE109-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Zscore (RPA) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): RPA Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE112-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| MPA D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| MPA D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| RPA D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Right Pulmonary Artery (SRT, T-44200) | mm |
| RPA D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Right Pulmonary Artery (SRT, T-44200) | mm |
| LPA D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400) | mm |
| LPA D | Diameter (SRT, M-02550) | Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| MPA Vmax PG | Peak Gradient (LN, 20247-3) | | mmHg |
| LPA VTI PGmax | Peak Gradient (LN, 20247-3) | Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | mmHg |
| LPA Vmax PG | Peak Gradient (LN, 20247-3) | Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| RPA Vmax PG | Peak Gradient (LN, 20247-3) | Finding Site (SRT, G-C0E3): Right Pulmonary Artery (SRT, T-44200)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| LPA VTI PGmean | Mean Gradient (LN, 20256-4) | Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400) | mmHg |
| RPA VTI VTI | Velocity Time Integral (LN, 20354-7) | Finding Site (SRT, G-C0E3): Right Pulmonary Artery (SRT, T-44200) | cm |
| LPA VTI VTI | Velocity Time Integral (LN, 20354-7) | Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400) | cm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| RPA AT T | Acceleration Time (LN, 20168-1) | Finding Site (SRT, G-C0E3): Right Pulmonary Artery (SRT, T-44200) | msec |
| LPA AT T | Acceleration Time (LN, 20168-1) | Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400) | msec |
| RPA AT T | Acceleration Time (LN, 20168-1) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Right Pulmonary Artery (SRT, T-44200) | msec |
| LPA AT T | Acceleration Time (LN, 20168-1) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400) | msec |
| RPA ET T | Ejection Time (LN, 20222-6) | Finding Site (SRT, G-C0E3): Right Pulmonary Artery (SRT, T-44200) | msec |
| RPA ET T | Ejection Time (LN, 20222-6) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Right Pulmonary Artery (SRT, T-44200) | msec |
| LPA ET T | Ejection Time (LN, 20222-6) | Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400) | msec |
| LPA ET T | Ejection Time (LN, 20222-6) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400) | msec |
| LPA VTI Vmean | Blood velocity, mean (DCM, 122205) | Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400) | cm/s |
| MPA Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| LPA VTI Vmax | Blood velocity, peak (DCM, 122207) | Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| MPA Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| LPA Vmax Vel | Blood velocity, peak (DCM, 122207) | Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| LPA Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Left Pulmonary Artery (SRT, T-44400)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| RPA Vmax Vel | Blood velocity, peak (DCM, 122207) | Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod)<br>Finding Site (SRT, G-C0E3): Right Pulmonary Artery (SRT, T-44200) | cm/s |
| RPA Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Right Pulmonary Artery (SRT, T-44200)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |

### 10.3.20 Pulmonary Vein

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Pulmonary Vein | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Pulmonary Vein (SRT, T-48581) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| RUPV D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | mm |
| RUPV D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | mm |
| RLPV D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E) | mm |
| RLPV D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E) | mm |
| LUPV D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | mm |
| LUPV D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| LLPV D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B) | mm |
| LLPV D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| RUPV D VTI PGmax | Peak Gradient (LN, 20247-3) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mmHg |
| RLPV D VTI PGmax | Peak Gradient (LN, 20247-3) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mmHg |
| LUPV D VTI PGmax | Peak Gradient (LN, 20247-3) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mmHg |
| LLPV D VTI PGmax | Peak Gradient (LN, 20247-3) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mmHg |
| RUPV S VTI PGmax | Peak Gradient (LN, 20247-3) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mmHg |
| RLPV S VTI PGmax | Peak Gradient (LN, 20247-3) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mmHg |
| LUPV S VTI PGmax | Peak Gradient (LN, 20247-3) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mmHg |
| LLPV S VTI PGmax | Peak Gradient (LN, 20247-3) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mmHg |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| RUPV D VTI PGmean | Mean Gradient (LN, 20256-4) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mmHg |
| RLPV D VTI PGmean | Mean Gradient (LN, 20256-4) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mmHg |
| LUPV D VTI PGmean | Mean Gradient (LN, 20256-4) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mmHg |
| LLPV D VTI PGmean | Mean Gradient (LN, 20256-4) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mmHg |
| RUPV S VTI PGmean | Mean Gradient (LN, 20256-4) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mmHg |
| RLPV S VTI PGmean | Mean Gradient (LN, 20256-4) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mmHg |
| LUPV S VTI PGmean | Mean Gradient (LN, 20256-4) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mmHg |
| LLPV S VTI PGmean | Mean Gradient (LN, 20256-4) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mmHg |
| RUPV D VTI VTI | Velocity Time Integral (LN, 20354-7) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | cm |
| RLPV D VTI VTI | Velocity Time Integral (LN, 20354-7) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F- | cm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | 32010) | |
| LUPV D VTI VTI | Velocity Time Integral (LN, 20354-7) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | cm |
| LLPV D VTI VTI | Velocity Time Integral (LN, 20354-7) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | cm |
| RUPV S VTI VTI | Velocity Time Integral (LN, 20354-7) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm |
| RLPV S VTI VTI | Velocity Time Integral (LN, 20354-7) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm |
| LUPV S VTI VTI | Velocity Time Integral (LN, 20354-7) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm |
| LLPV S VTI VTI | Velocity Time Integral (LN, 20354-7) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm |
| RUPV S/D Vmax | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | unitless |
| RLPV S/D Vmax | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E) | unitless |
| LUPV S/D Vmax | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | unitless |
| LLPV S/D Vmax | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B) | unitless |
| RUPV A Vmax Vel | Peak Reversal Velocity during Atrial Contraction (LN, 59079-4) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | cm/s |
| RUPV A Vmax Vel | Peak Reversal Velocity during Atrial Contraction (LN, 59079-4) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| RLPV A Vmax Vel | Peak Reversal Velocity during Atrial Contraction (LN, 59079-4) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E) | cm/s |
| RLPV A Vmax Vel | Peak Reversal Velocity during Atrial Contraction (LN, 59079-4) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E) | cm/s |
| LUPV A Vmax Vel | Peak Reversal Velocity during Atrial Contraction (LN, 59079-4) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | cm/s |
| LUPV A Vmax Vel | Peak Reversal Velocity during Atrial Contraction (LN, 59079-4) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | cm/s |
| LLPV A Vmax Vel | Peak Reversal Velocity during Atrial Contraction (LN, 59079-4) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B) | cm/s |
| LLPV A Vmax Vel | Peak Reversal Velocity during Atrial Contraction (LN, 59079-4) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B) | cm/s |
| RUPV A Duration T | A-Wave Duration (LN, 59105-7) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | msec |
| RUPV A Duration T | A-Wave Duration (LN, 59105-7) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | msec |
| RLPV A Duration T | A-Wave Duration (LN, 59105-7) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E) | msec |
| RLPV A Duration T | A-Wave Duration (LN, 59105-7) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E) | msec |
| LUPV A Duration T | A-Wave Duration (LN, 59105-7) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | msec |
| LUPV A Duration T | A-Wave Duration (LN, 59105-7) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | msec |
| LLPV A Duration T | A-Wave Duration (LN, 59105-7) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B) | msec |
| LLPV A Duration T | A-Wave Duration (LN, 59105-7) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B) | msec |
| RUPV D VTI Vmean | Diastolic blood velocity, mean (DCM, 122201) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| RLPV D VTI Vmean | Diastolic blood velocity, mean (DCM, 122201) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E) | cm/s |
| LUPV D VTI Vmean | Diastolic blood velocity, mean (DCM, 122201) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | cm/s |
| LLPV D VTI Vmean | Diastolic blood velocity, mean (DCM, 122201) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B) | cm/s |
| RUPV D VTI Vmax | Diastolic blood velocity, peak (DCM, 122202) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| RLPV D VTI Vmax | Diastolic blood velocity, peak (DCM, 122202) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| LUPV D VTI Vmax | Diastolic blood velocity, peak (DCM, 122202) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| LLPV D VTI Vmax | Diastolic blood velocity, peak (DCM, 122202) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| LLPV D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| LLPV D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B) | cm/s |
| LUPV D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| LUPV D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491)<br>Measurement Method (SRT, G-C036): Point Velocity | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Method (99SIEMENS, PtVelocityMethod) | |
| RLPV D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| RLPV D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| RUPV D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod)<br>Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | cm/s |
| RUPV D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| RUPV S VTI Vmean | Systolic blood velocity, mean (DCM, 122203) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | cm/s |
| RLPV S VTI Vmean | Systolic blood velocity, mean (DCM, 122203) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E) | cm/s |
| LUPV S VTI Vmean | Systolic blood velocity, mean (DCM, 122203) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | cm/s |
| LLPV S VTI Vmean | Systolic blood velocity, mean (DCM, 122203) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B) | cm/s |
| RUPV S VTI Vmax | Systolic blood velocity, peak (DCM, 122204) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| RLPV S VTI Vmax | Systolic blood velocity, peak (DCM, 122204) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| LUPV S VTI Vmax | Systolic blood velocity, peak (DCM, 122204) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491)<br>Measurement Method (SRT, G-C036): Doppler Trace | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Method (99SIEMENS, DTraceMethod) | |
| LLPV S VTI Vmax | Systolic blood velocity, peak (DCM, 122204) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| LLPV S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| LLPV S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| LUPV S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| LUPV S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | cm/s |
| RLPV S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| RLPV S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| RUPV S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| RUPV S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | |
| RUPV A Dur - MV A Dur | Pulm Vein A duration to MV A duration difference (LN, 59114-9) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | msec |
| RLPV A Dur - MV A Dur | Pulm Vein A duration to MV A duration difference (LN, 59114-9) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E) | msec |
| LUPV A Dur - MV A Dur | Pulm Vein A duration to MV A duration difference (LN, 59114-9) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | msec |
| LLPV A Dur - MV A Dur | Pulm Vein A duration to MV A duration difference (LN, 59114-9) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B) | msec |
| RUPV Sys Filling Fraction | Pulmonary Vein Systolic Filling Fraction (99SIEMENS, PVeinSysFillFrac) | Topographical modifier (SRT, G-A1F8): Right Upper Segment (SRT, R-404A0) | % |
| RLPV Sys Filling Fraction | Pulmonary Vein Systolic Filling Fraction (99SIEMENS, PVeinSysFillFrac) | Topographical modifier (SRT, G-A1F8): Right Lower Segment (SRT, R-4049E) | % |
| LUPV Sys Filling Fraction | Pulmonary Vein Systolic Filling Fraction (99SIEMENS, PVeinSysFillFrac) | Topographical modifier (SRT, G-A1F8): Left Upper Segment (SRT, R-40491) | % |
| LLPV Sys Filling Fraction | Pulmonary Vein Systolic Filling Fraction (99SIEMENS, PVeinSysFillFrac) | Topographical modifier (SRT, G-A1F8): Left Lower Segment (SRT, R-4214B) | % |

### 10.3.21 Pulmonic Valve

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Pulmonic Valve | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Pulmonic Valve (SRT, T-35200) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Zscore (PV Annulus s) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Pulmonary Valve Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE111-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| PV Annulus Area s | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Cardiac valve annulus (SRT, T-3500E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm2 |
| PV Annulus s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Cardiac valve annulus (SRT, T-3500E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | |
| PV Annulus s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Cardiac valve annulus (SRT, T-3500E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| PV SV | Stroke Volume (SRT, F-32120) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | ml |
| PR ED Velocity Vel | End Diastolic Velocity (LN, 11653-3) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| PR ED Velocity Vel | End Diastolic Velocity (LN, 11653-3) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| PV VTI PGmax | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | mmHg |
| PR VTI PGmax | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | mmHg |
| PR Vmax PG | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| PV Vmax PG | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| PV VTI PGmean | Mean Gradient (LN, 20256-4) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | mmHg |
| PR VTI PGmean | Mean Gradient (LN, 20256-4) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | mmHg |
| PV VTI VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| PR VTI VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm |
| PV AT T | Acceleration Time (LN, 20168-1) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | msec |
| PV AT T | Acceleration Time (LN, 20168-1) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | msec |
| PR Decel Slope T | Deceleration Time (LN, 20217-6) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | msec |
| PR Decel Slope Accel | Deceleration Slope (LN, 20216-8) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s2 |
| PV ET T | Ejection Time (LN, 20222-6) | | msec |
| PV ET T | Ejection Time (LN, 20222-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| PV VTI Vmean | Blood velocity, mean (DCM, 122205) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm/s |
| PR VTI Vmean | Blood velocity, mean (DCM, 122205) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| PV VTI Vmax | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| PR VTI Vmax | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| PR Vmax Vel | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| PR Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| PV Vmax Vel | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| PV Vmax Vel | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| PR ED Velocity PG | Pressure Gradient (SRT, F-023F7) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Cardiac Cycle Point (SRT, R-4089A): End Diastole (SRT, F-32011) | mmHg |
| PV AT/ET | Ratio of Pulmonic Valve Acceleration Time to Ejection Time (SRT, G-0388) | | unitless |
| PV Area (Vmax) | Pulmonic Valve Area by continuity (LN, 18096-8) | Measurement Method (SRT, G-C036): Continuity Equation by Peak Velocity (DCM, 125214) | cm2 |
| PV Area (VTI) | Pulmonic Valve Area by continuity (LN, 18096-8) | Measurement Method (SRT, G-C036): Continuity Equation by Velocity Time Integral (DCM, 125215) | cm2 |

### 10.3.22 Right Atrium

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Atrium | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Right Atrium (SRT, T-32200) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| RA Major d D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RA Major d D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RA Major s D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RA Major s D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RA Minor d D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| RA Minor d D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RA Minor s D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RA Minor s D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RA Area d A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | cm2 |
| RA Area d A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | cm2 |
| RA Area s A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm2 |
| RA Area s A | Area (SRT, G-A166) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm2 |

### 10.3.23 Right Coronary Artery

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Coronary Artery | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Right Coronary Artery (SRT, T-43203) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| RCA D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| RCA D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| RCA D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | | cm/s |
| RCA D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| RCA S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | | cm/s |
| RCA S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.24 Right Ventricle

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Ventricle | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Right Ventricle (SRT, T-32500) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Zscore (RV Major d) Boston Children's | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): RV Major Fetal Z-score, Boston Children's Hospital 2009 (99SIEMENS, ZFE113-01-01) | unitless |
| Boston Children's | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Boston Children's | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Zscore (RV Major d) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): RV Major Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE113-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Zscore (RV Minor d) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): RV Minor Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE114-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| RVOT Area s | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm2 |
| RVOT s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RVOT s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | |
| RV Major d D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RV Major d D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RV Major s D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RV Major s D | Major Axis (SRT, G-A193) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RV Minor d D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RV Minor d D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RV Minor s D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RV Minor s D | Minor Axis (SRT, G-A194) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RVFW d D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Anterior Wall (SRT, R-4210B)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RVFW d D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): M mode (SRT, G-0394) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Finding Site (SRT, G-C0E3): Anterior Wall (SRT, R-4210B)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | |
| RVFW d D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Anterior Wall (SRT, R-4210B)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RVFW d D | ROI Thickness by US (LN, 59089-3) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Anterior Wall (SRT, R-4210B)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010)<br>Image Mode (SRT, G-0373): M mode (SRT, G-0394) | mm |
| RVFW s D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Anterior Wall (SRT, R-4210B)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RVFW s D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Finding Site (SRT, G-C0E3): Anterior Wall (SRT, R-4210B)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RVFW s D | ROI Thickness by US (LN, 59089-3) | Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Anterior Wall (SRT, R-4210B) | mm |
| RVFW s D | ROI Thickness by US (LN, 59089-3) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Anterior Wall (SRT, R-4210B)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| RVID d D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RVID d D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RVID d D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RVID d D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| RVID s D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RVID s D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RVID s D | ROI Internal Dimension by US (LN, 59090-1) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| RVID s D | ROI Internal Dimension by US (LN, 59090-1) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): M mode (SRT, G-0394) | mm |
| RVOT VTI PGmax | Peak Gradient (LN, 20247-3) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | mmHg |
| RVOT Vmax PG | Peak Gradient (LN, 20247-3) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| RVOT VTI PGmean | Mean Gradient (LN, 20256-4) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550) | mmHg |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| RVOT VTI VTI | Velocity Time Integral (LN, 20354-7) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550) | cm |
| RVOT SV | Stroke Volume (SRT, F-32120) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550) | ml |
| RVOT CO | Cardiac Output (SRT, F-32100) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550) | ml/min |
| RV IVRT T | Isovolumic Relaxation Time (LN, 59083-6) | | msec |
| RV IVRT T | Isovolumic Relaxation Time (LN, 59083-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| RVOT IVRT T | Isovolumic Relaxation Time (LN, 59083-6) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550) | msec |
| RVOT IVRT T | Isovolumic Relaxation Time (LN, 59083-6) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550) | msec |
| RV IVCT T | Isovolumic Contraction Time (LN, 59084-4) | | msec |
| RV IVCT T | Isovolumic Contraction Time (LN, 59084-4) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| RVOT IVCT T | Isovolumic Contraction Time (LN, 59084-4) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550) | msec |
| RVOT IVCT T | Isovolumic Contraction Time (LN, 59084-4) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550) | msec |
| RV ET T | Ejection Time (LN, 20222-6) | | msec |
| RV ET T | Ejection Time (LN, 20222-6) | Image Mode (SRT, G-0373): M mode (SRT, G-0394) | msec |
| RV ET T | Ejection Time (LN, 20222-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| RV ET T | Ejection Time (LN, 20222-6) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| RV PEP T | Pre-Ejection Period (LN, 59085-1) | | msec |
| RV PEP T | Pre-Ejection Period (LN, 59085-1) | Image Mode (SRT, G-0373): M mode (SRT, G-0394) | msec |
| RV PEP T | Pre-Ejection Period (LN, 59085-1) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| RV PEP T | Pre-Ejection Period (LN, 59085-1) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| RVSP (TR) | Blood Pressure (SRT, F-31000) | Finding Site (SRT, G-C0E3): Tricuspid Valve (SRT, T-35100)<br>Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Cardiac Cycle Point (SRT, R-4089A): Peak Systolic (SRT, F-32021) | mmHg |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| RV MPI | Myocardial Performance Index (Tei) (LN, 59099-2) | | unitless |
| RVOT VTI Vmean | Blood velocity, mean (DCM, 122205) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550) | cm/s |
| RVOT VTI Vmax | Blood velocity, peak (DCM, 122207) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| RVOT Vmax Vel | Blood velocity, peak (DCM, 122207) | Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| RVOT Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Right Ventricle Outflow Tract (SRT, T-32550)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| RVFW A' Vmax Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Tricuspid Annulus (SRT, T-35111)<br>Cardiac Cycle Point (SRT, R-4089A): Atrial Systole (SRT, F-32030) | cm/s |
| RVFW A' Vmax Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Tricuspid Annulus (SRT, T-35111)<br>Cardiac Cycle Point (SRT, R-4089A): Atrial Systole (SRT, F-32030) | cm/s |
| RVFW E' Vmax Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Tricuspid Annulus (SRT, T-35111)<br>Cardiac Cycle Point (SRT, R-4089A): Early Diastole (SRT, R-40B1B) | cm/s |
| RVFW E' Vmax Vel | Peak Tissue Velocity (LN, 59133-9) | Cardiac Cycle Point (SRT, R-4089A): Early Diastole (SRT, R-40B1B)<br>Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Tricuspid Annulus (SRT, T-35111) | |
| RVFW S' Vmax Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Finding Site (SRT, G-C0E3): Tricuspid Annulus (SRT, T-35111)<br>Cardiac Cycle Point (SRT, R-4089A): Peak Systolic (SRT, F-32021) | cm/s |
| RVFW S' Vmax Vel | Peak Tissue Velocity (LN, 59133-9) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Tricuspid Annulus (SRT, T-35111)<br>Cardiac Cycle Point (SRT, R-4089A): Peak Systolic (SRT, F-32021) | cm/s |
| RVFW E/E' | Ratio of TV E Vmax to RV Free Wall Ea (99SIEMENS, RatioRVEePrime) | Image Mode (SRT, G-0373): Tissue Doppler Imaging (SRT, P5-B0128) | unitless |

### 10.3.25 Root of Aorta

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Root of Aorta | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Root of Aorta (SRT, T-42110) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Ao Root D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| Ao Root D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ao Root/MPA Diam | Aortic Root to Main Pulmonary Artery Diameter Ratio (99SIEMENS, AoRootOvrMPADiam) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | unitless |

### 10.3.26 Superior Vena Cava

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Superior Vena Cava | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Superior Vena Cava (SRT, T-48610) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| SVC D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| SVC D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| SVC Vmax PG | Peak Gradient (LN, 20247-3) | | mmHg |
| SVC Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| SVC Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.27 Tricuspid Valve

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Tricuspid Valve | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Tricuspid Valve (SRT, T-35100) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Zscore (TV Annulus d) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Tricuspid Valve Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE115-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| TV Annulus Area d | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Tricuspid Annulus (SRT, T-35111)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | cm2 |
| TV Annulus d D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Tricuspid Annulus (SRT, T-35111)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| TV Annulus d D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Tricuspid Annulus (SRT, T-35111)<br>Cardiac Cycle Point (SRT, R-4089A): Diastole (SRT, F-32010) | mm |
| TV VTI PGmax | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Doppler Trace | mmHg |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Method (99SIEMENS, DTraceMethod) | |
| TR VTI PGmax | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | mmHg |
| TV Vmax PG | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| TR Vmax PG | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| TV VTI PGmean | Mean Gradient (LN, 20256-4) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | mmHg |
| TR VTI PGmean | Mean Gradient (LN, 20256-4) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | mmHg |
| TV VTI VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm |
| TR VTI VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm |
| TV PHT | Pressure Half-Time (LN, 20280-4) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | msec |
| TV Decel Slope T | Deceleration Time (LN, 20217-6) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | msec |
| TV Decel Slope Accel | Deceleration Slope (LN, 20216-8) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm/s2 |
| TV E/A | Peak E wave/Peak A wave by US (LN, 59104-0) | | unitless |
| TV E Vmax Vel | E-Wave Peak Velocity (LN, 59080-2) | | cm/s |
| TV E Vmax Vel | E-Wave Peak Velocity (LN, 59080-2) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| TV A Vmax Vel | A-Wave Peak Velocity (LN, 59081-0) | | cm/s |
| TV A Vmax Vel | A-Wave Peak Velocity (LN, 59081-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| TV SV | Stroke Volume (SRT, F-32120) | | ml |
| TV C-O Duration T | Closure to Opening Time (LN, 59082-8) | | msec |
| TV C-O Duration T | Closure to Opening Time (LN, 59082-8) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| TV VTI Vmean | Blood velocity, mean (DCM, 122205) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| TR VTI Vmean | Blood velocity, mean (DCM, 122205) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| TV VTI Vmax | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| TR VTI Vmax | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| TV Vmax Vel | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| TV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| TR Vmax Vel | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| TR Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| TAPSE D | Tricuspid annular plane systolic excursion (99SIEMENS, TAPSE) | Image Mode (SRT, G-0373): M mode (SRT, G-0394) | mm |
| TAPSE D | Tricuspid annular plane systolic excursion (99SIEMENS, TAPSE) | Image Mode (SRT, G-0373): M mode (SRT, G-0394)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |

### 10.3.28 Truncal Valve Structure

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Truncal Valve Structure | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Truncal Valve Structure (SRT, T-35014) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| TruncArt V Annulus Area s | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Cardiac valve annulus (SRT, T-3500E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | cm2 |
| TruncArt V Annulus s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Cardiac valve annulus (SRT, T-3500E)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| TruncArt V Annulus s D | Cardiovascular Orifice Diameter (SRT, G-038F) | Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020)<br>Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Cardiac valve annulus (SRT, T-3500E) | mm |
| TruncArt V Regurg ED Velocity Vel | End Diastolic Velocity (LN, 11653-3) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| TruncArt V Regurg ED Velocity Vel | End Diastolic Velocity (LN, 11653-3) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| TruncArt V VTI PGmax | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | mmHg |
| TruncArt V Regurg VTI PGmax | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | mmHg |
| TruncArt V Vmax PG | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| TruncArt V VTI PGmean | Mean Gradient (LN, 20256-4) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | mmHg |
| TruncArt V Regurg VTI PGmean | Mean Gradient (LN, 20256-4) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | mmHg |
| TruncArt V VTI VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| TruncArt V Regurg VTI VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm |
| TruncArt V Regurg PHT | Pressure Half-Time (LN, 20280-4) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | msec |
| TruncArt V AT T | Acceleration Time (LN, 20168-1) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | msec |
| TruncArt V AT T | Acceleration Time (LN, 20168-1) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | msec |
| TruncArt V Regurg Decel Slope T | Deceleration Time (LN, 20217-6) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | msec |
| TruncArt V Regurg Decel Slope Accel | Deceleration Slope (LN, 20216-8) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s2 |
| TruncArt V ET T | Ejection Time (LN, 20222-6) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | msec |
| TruncArt V ET T | Ejection Time (LN, 20222-6) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | msec |
| TruncArt V VTI Vmean | Blood velocity, mean (DCM, 122205) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm/s |
| TruncArt V Regurg VTI Vmean | Blood velocity, mean (DCM, 122205) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| TruncArt V VTI Vmax | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| TruncArt V Regurg VTI Vmax | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G-0367) | cm/s |
| TruncArt V Vmax Vel | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| TruncArt V Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| TruncArt V Regurg ED Velocity | Pressure Gradient (SRT, F-023F7) | Flow Direction (SRT, G-C048): Regurgitant Flow (SRT, G- | mmHg |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| PG | | 0367)<br>Cardiac Cycle Point (SRT, R-4089A): End Diastole (SRT, F-32011) | |

### 10.3.29 Ventricular Septal Defect

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Ventricular Septal Defect | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Ventricular Septal Defect (SRT, D4-31150) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| VSD D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| VSD D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| VSD Vmax PG | Peak Gradient (LN, 20247-3) | | mmHg |
| VSD Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| VSD Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.30 Ductus arteriosus

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Ductus arteriosus | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Ductus arteriosus (SRT, T-F6845) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Zscore (Ductus A 3VV) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Ductus Arteriosus Fetal Z-score, Royal Brompton Hospital 2007 (99SIEMENS, ZFE105-03-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | mm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | mm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | mm |
| Ductus A 3VV D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Image View (DCM, 111031): 3-vessel view (99SIEMENS, 3VesselView) | mm |
| Ductus A 3VV D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Image View (DCM, 111031): 3-vessel view (99SIEMENS, 3VesselView) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Ductus Art ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Ductus Art PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Ductus Art SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Ductus Art PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Ductus Art RI | Resistivity Index (LN, 12023-8) | | unitless |

### 10.3.31 Ductus venosus

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Ductus venosus | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Ductus venosus (SRT, T-F6806) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Ductus V VTI PGmax | Peak Gradient (LN, 20247-3) | | mmHg |
| Ductus V VTI PGmean | Mean Gradient (LN, 20256-4) | | mmHg |
| Ductus V VTI VTI | Velocity Time Integral (LN, 20354-7) | | cm |
| Ductus V S/D Vmax | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Ductus V A Vmax Vel | A-Wave Peak Velocity (LN, 59081-0) | | cm/s |
| Ductus V A Vmax Vel | A-Wave Peak Velocity (LN, 59081-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Ductus V D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | | cm/s |
| Ductus V D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Ductus V S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | | cm/s |
| Ductus V S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Ductus V VTI Vmean | Blood velocity, mean (DCM, 122205) | | cm/s |
| Ductus V VTI Vmax | Blood velocity, peak (DCM, 122207) | | cm/s |

### 10.3.32 Umbilical Artery

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Umbilical Artery | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Umbilical Artery (SRT, T-F1810) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Umb A Vel | Flow Velocity (DCM, 110828) | | cm/s |
| Umb A Vel | Flow Velocity (DCM, 110828) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Umb A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Umb A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Umb A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Umb A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Umb A RI | Resistivity Index (LN, 12023-8) | | unitless |

### 10.3.33 Umbilical Vein

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Umbilical Vein | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Umbilical Vein (SRT, T-F1820) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Umb V VTI PGmax | Peak Gradient (LN, 20247-3) | | mmHg |
| Umb V VTI PGmean | Mean Gradient (LN, 20256-4) | | mmHg |
| Umb V VTI VTI | Velocity Time Integral (LN, 20354-7) | | cm |
| Umb V A Vmax Vel | A-Wave Peak Velocity (LN, 59081-0) | | cm/s |
| Umb V A Vmax Vel | A-Wave Peak Velocity (LN, 59081-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Umb V D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | | cm/s |
| Umb V D Vmax Vel | Diastolic blood velocity, peak (DCM, 122202) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Umb V VTI Vmean | Systolic blood velocity, mean (DCM, 122203) | | cm/s |
| Umb V S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | | cm/s |
| Umb V S Vmax Vel | Systolic blood velocity, peak (DCM, 122204) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Umb V VTI Vmax | Blood velocity, peak (DCM, 122207) | | cm/s |

### 10.3.34 Left Middle Cerebral Artery

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Middle Cerebral Artery | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Middle Cerebral Artery (SRT, T-45600)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Lt MCA Vel | Flow Velocity (DCM, 110828) | | cm/s |
| Lt MCA Vel | Flow Velocity (DCM, 110828) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Lt MCA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt MCA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt MCA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt MCA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Lt MCA RI | Resistivity Index (LN, 12023-8) | | unitless |

### 10.3.35 Right Middle Cerebral Artery

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Middle Cerebral Artery | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Middle Cerebral Artery (SRT, T-45600)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Rt MCA Vel | Flow Velocity (DCM, 110828) | | cm/s |
| Rt MCA Vel | Flow Velocity (DCM, 110828) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |
| Rt MCA ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt MCA PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt MCA SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt MCA PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt MCA RI | Resistivity Index (LN, 12023-8) | | unitless |

### 10.3.36 Descending Aorta

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Descending Aorta | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Descending Aorta (SRT, T-D0765) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Zscore (Ao Desc) Royal Brompton | Growth Z-score (DCM, 125013) | Equation (DCM, 121420): Descending Aorta Fetal Z-score, Royal Brompton Hospital 2005 (99SIEMENS, ZFE101-02-01) | unitless |
| Royal Brompton | Growth Z-score (DCM, 125013) | Mean Value of population (SRT, R-00317) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Lower Limit (SRT, R-10041) | cm |
| Royal Brompton | Growth Z-score (DCM, 125013) | Normal Range Upper Limit (SRT, R-0038B) | cm |
| Ao Desc D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| Ao Desc D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Ao Desc VTI PGmax | Peak Gradient (LN, 20247-3) | Measurement Method (SRT, G-C036): Doppler Trace | mmHg |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Method (99SIEMENS, DTraceMethod) | |
| Ao Desc Vmax PG | Peak Gradient (LN, 20247-3) | Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | mmHg |
| Ao Desc VTI PGmean | Mean Gradient (LN, 20256-4) | | mmHg |
| Ao Desc VTI VTI | Velocity Time Integral (LN, 20354-7) | | cm |
| Ao Desc AT T | Acceleration Time (LN, 20168-1) | | msec |
| Ao Desc AT T | Acceleration Time (LN, 20168-1) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Ao Desc ET T | Ejection Time (LN, 20222-6) | | msec |
| Ao Desc ET T | Ejection Time (LN, 20222-6) | Derivation (DCM, 121401): Mean (SRT, R-00317) | msec |
| Ao Desc VTI Vmean | Blood velocity, mean (DCM, 122205) | | cm/s |
| Ao Desc VTI Vmax | Blood velocity, peak (DCM, 122207) | Measurement Method (SRT, G-C036): Doppler Trace Method (99SIEMENS, DTraceMethod) | cm/s |
| Ao Desc Vmax Vel | Blood velocity, peak (DCM, 122207) | Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |
| Ao Desc Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Measurement Method (SRT, G-C036): Point Velocity Method (99SIEMENS, PtVelocityMethod) | cm/s |

### 10.3.37 Coronary sinus

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Coronary sinus | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Coronary sinus (SRT, T-48410) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Cor Sinus Length D | Length (SRT, G-A22A) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| Cor Sinus Length D | Length (SRT, G-A22A) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Cor Sinus Diam D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| Cor Sinus Diam D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Cor Sinus Length/Diam | Coronary Sinus Length to Diameter Ratio (99SIEMENS, CorSinusLnDRatio) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | unitless |

### 10.3.38 Cardiac Shunt Study

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Cardiac Shunt Study | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Cardiac Shunt Study (SRT, P5-30031) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Pulm Side Area | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide) | cm2 |
| Sys Side Area | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, SystemicSide) | cm2 |
| Pulm Side D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide) | mm |
| Pulm Side D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide) | mm |
| Sys Side D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, SystemicSide) | mm |
| Sys Side D | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317)<br>Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, SystemicSide) | mm |
| Pulm Side VTI PGmax | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide) | mmHg |
| Sys Side VTI PGmax | Peak Gradient (LN, 20247-3) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, SystemicSide) | mmHg |
| Pulm Side VTI PGmean | Mean Gradient (LN, 20256-4) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide) | mmHg |
| Sys Side VTI PGmean | Mean Gradient (LN, 20256-4) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, | mmHg |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | SystemicSide) | |
| Pulm Side VTI VTI | Velocity Time Integral (LN, 20354-7) | Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm |
| Sys Side VTI VTI | Velocity Time Integral (LN, 20354-7) | Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, SystemicSide)<br>Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047) | cm |
| Pulm Side SV | Stroke Volume (SRT, F-32120) | Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide) | ml |
| Sys Side SV | Stroke Volume (SRT, F-32120) | Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, SystemicSide) | ml |
| Pulm Side CO | Cardiac Output (SRT, F-32100) | Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide) | ml/min |
| Sys Side CO | Cardiac Output (SRT, F-32100) | Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, SystemicSide) | ml/min |
| Pulm Side VTI Vmean | Blood velocity, mean (DCM, 122205) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide) | cm/s |
| Sys Side VTI Vmean | Blood velocity, mean (DCM, 122205) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, SystemicSide) | cm/s |
| Pulm Side VTI Vmax | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Finding Site (SRT, G-C0E3): Pulmonary side (99SIEMENS, PulmonarySide) | cm/s |
| Sys Side VTI Vmax | Blood velocity, peak (DCM, 122207) | Flow Direction (SRT, G-C048): Antegrade Flow (SRT, R-42047)<br>Finding Site (SRT, G-C0E3): Systemic side (99SIEMENS, SystemicSide) | cm/s |
| Qp/Qs (SV) | Pulmonary-to-Systemic Shunt Flow Ratio (LN, 29462-9) | Measurement Method (SRT, G-C036): Stroke Volume (SRT, F-32120) | unitless |
| Qp/Qs (CO) | Pulmonary-to-Systemic Shunt Flow Ratio (LN, 29462-9) | Measurement Method (SRT, G-C036): Cardiac Output (SRT, F-32100) | unitless |

### 10.3.39 Left Hepatic Vein

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Hepatic Vein | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Left Hepatic Vein (SRT, T-48727) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| LHV Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| LHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.40 Middle Hepatic Vein

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Middle Hepatic Vein | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Middle Hepatic Vein (SRT, T-48726) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| MHV Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| MHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.41 Right Hepatic Vein

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Hepatic Vein | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Right Hepatic Vein (SRT, T-48725) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| RHV Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| RHV Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.42 Truncus Arteriosus Communis

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Truncus Arteriosus Communis | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Truncus Arteriosus Communis (SRT, D4-31400) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Truncus Art s D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |
| Truncus Art s D | Diameter (SRT, M-02550) | Cardiac Cycle Point (SRT, R-4089A): Systole (SRT, F-32020) | mm |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| | | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | |

### 10.3.43 Common atrioventricular-type ventricular septal defect

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Common atrioventricular-type ventricular septal defect | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Common atrioventricular-type ventricular septal defect (SRT, D4-31042) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| AVSD D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2) | mm |
| AVSD D | Diameter (SRT, M-02550) | Image Mode (SRT, G-0373): 2D mode (SRT, G-03A2)<br>Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| AVSD Vmax PG | Peak Gradient (LN, 20247-3) | | mmHg |
| AVSD Vmax Vel | Blood velocity, peak (DCM, 122207) | | cm/s |
| AVSD Vmax Vel | Blood velocity, peak (DCM, 122207) | Derivation (DCM, 121401): Mean (SRT, R-00317) | cm/s |

### 10.3.44 Left Uterine Artery

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Left Uterine Artery | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Uterine Artery (SRT, T-46820)<br>Laterality (SRT, G-C171): Left (SRT, G-A101) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Lt Uterine A D | Diameter (SRT, M-02550) | | mm |
| Lt Uterine A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Lt Uterine A FV | Volume Flow (LN, 33878-0) | | l/min |
| Lt Uterine A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Lt Uterine A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Lt Uterine A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Lt Uterine A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Lt Uterine A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Lt Uterine A T | Acceleration Time (LN, 20168-1) | | msec |
| Lt Uterine A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Lt Uterine A Accel | Acceleration Slope (LN, 20167-3) | | m/s2 |
| Lt Uterine A PI | Pulsatility Index (LN, 12008-9) | | unitless |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Lt Uterine A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Lt Uterine A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Lt Uterine A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Lt Uterine A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

### 10.3.45 Right Uterine Artery

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers | Units |
|---|---|---|---|
| Right Uterine Artery | Container : Findings (DCM, 121070) | Finding Site (SRT, G-C0E3): Uterine Artery (SRT, T-46820)<br>Laterality (SRT, G-C171): Right (SRT, G-A100) | |
| Measurement Group | Container : Measurement Group (DCM, 125007) | | |
| Rt Uterine A D | Diameter (SRT, M-02550) | | mm |
| Rt Uterine A D | Diameter (SRT, M-02550) | Derivation (DCM, 121401): Mean (SRT, R-00317) | mm |
| Rt Uterine A FV | Volume Flow (LN, 33878-0) | | l/min |
| Rt Uterine A FV | Volume Flow (LN, 33878-0) | Derivation (DCM, 121401): Mean (SRT, R-00317) | l/min |
| Rt Uterine A ED | End Diastolic Velocity (LN, 11653-3) | | cm/s |
| Rt Uterine A PS | Peak Systolic Velocity (LN, 11726-7) | | cm/s |
| Rt Uterine A TAmn | Time averaged mean velocity (LN, 20352-1) | | cm/s |
| Rt Uterine A TAmx | Time averaged peak velocity (LN, 11692-1) | | cm/s |
| Rt Uterine A T | Acceleration Time (LN, 20168-1) | | msec |
| Rt Uterine A SD | Systolic to Diastolic Velocity Ratio (LN, 12144-2) | | unitless |
| Rt Uterine A Accel | Acceleration Slope (LN, 20167-3) | | m/s2 |
| Rt Uterine A PI | Pulsatility Index (LN, 12008-9) | | unitless |
| Rt Uterine A RI | Resistivity Index (LN, 12023-8) | | unitless |
| Rt Uterine A A | Area of Volume Flow (99SIEMENS, VolFArea) | | cm2 |
| Rt Uterine A D | Diameter of Volume Flow (99SIEMENS, VolFDiam) | | mm |
| Rt Uterine A TAmn | Time averaged mean velocity of Volume Flow (99SIEMENS, VolFTAMn) | | cm/s |

## 10.4 Appendix D: Adult Echocardiography Structured Report

This appendix lists the DICOM Structured Report (SR) mappings used in the Echocardiography Structured Reports of Redwood DICOM SR files.

The mappings are organized in a manner similar to the DICOM SR Templates as described in PS 3.16-2011 of the DICOM Standard. The “Label” column identifies the on-screen label associated with a measurement and consists of the “Grouping Heading: Measurement Label”. All private code values use the Coding Scheme Designator “99SIEMENSUS”.

Measurements from private measurement packages are identified by the concept modifier:

HAS CONCEPT MOD (MeasPackage, 99SIEMENSUS, “Measurement Package Membership”)

The Adult Echocardiography Report mappings follow the DICOM SR Template TID 5200: Echocardiography Procedure Report, except where noted.

Notation:

< … > indicates that the description is not the actual text displayed
[ … ] is additional information

### 10.4.1 Patient Characteristics

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Patient Characteristics** | Container: Patient Characteristics (DCM, 121118) | |
| Blood Pressure SYS: | Systolic Blood Pressure (SRT, F-008EC) | |
| DIA: | Diastolic Blood Pressure (SRT, F-008ED) | |
| BSA | Body Surface Area (LN, 8277-6) | [ Based on BSA (DuBois) = 0.007184*WT^0.425*HT^0.725 ] |

### 10.4.2 Left Ventricle

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Left Ventricle** | Finding Site: Left Ventricle (SRT, T-32600) | |
| Aortic Valve: CI | Cardiac Index (SRT, F-32110) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Measurement Method: Doppler Volume Flow (DCM, 125219) |
| Bi-Plane: CI | Cardiac Index (SRT, F-32110) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Cubed: CI | Cardiac Index (SRT, F-32110) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: CI | Cardiac Index (SRT, F-32110) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: CI | Cardiac Index (SRT, F-32110) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz CI | Cardiac Index (SRT, F-32110) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Simpson BP: CI4 | Cardiac Index (SRT, F-32110) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson SP: CI | Cardiac Index (SRT, F-32110) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| Simpson BP: CI2 | Cardiac Index (SRT, F-32110) | Image View: Apical Two Chamber (SRT, G-A19B)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson BP: CI | Cardiac Index (SRT, F-32110) | Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Aortic Valve: CO | Cardiac Output (SRT, F-32100) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Measurement Method: Doppler Volume Flow (DCM, 125219) |
| Mitral Valve: CO | Cardiac Output (SRT, F-32100) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER)<br>Measurement Method: Doppler Volume Flow (DCM, 125219) |
| Bi-Plane: CO | Cardiac Output (SRT, F-32100) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Cubed: CO | Cardiac Output (SRT, F-32100) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: CO | Cardiac Output (SRT, F-32100) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: CO | Cardiac Output (SRT, F-32100) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: CO | Cardiac Output (SRT, F-32100) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Simpson BP: CO4 | Cardiac Output (SRT, F-32100) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson SP: CO | Cardiac Output (SRT, F-32100) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| Simpson BP: CO2 | Cardiac Output (SRT, F-32100) | Image View: Apical Two Chamber (SRT, G-A19B)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson BP: CO | Cardiac Output (SRT, F-32100) | Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Aortic Valve: LVOT diam | Cardiovascular Orifice Diameter (SRT, G-038F) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650) |
| Bi-Plane: HR | Heart Rate (LN, 8867-4) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Cubed: HR | Heart Rate (LN, 8867-4) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Single Plane: HR | Heart Rate (LN, 8867-4) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Single Plane (DCM, 125205) |
| Teichholz: HR | Heart Rate (LN, 8867-4) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: HR | Heart Rate (LN, 8867-4) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: HR | Heart Rate (LN, 8867-4) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Simpson BP: HR | Heart Rate (LN, 8867-4) | Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson SP: HR | Heart Rate (LN, 8867-4) | Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| Cubed: IVSd | Interventricular Septum Diastolic Thickness (LN, 18154-5) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: IVSd | Interventricular Septum Diastolic Thickness (LN, 18154-5) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: IVSd | Interventricular Septum Diastolic Thickness (LN, 18154-5) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Teichholz: IVSd | Interventricular Septum Diastolic Thickness (LN, 18154-5) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: IVSs | Interventricular Septum Systolic Thickness (LN, 18158-6) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: IVSs | Interventricular Septum Systolic Thickness (LN, 18158-6) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: IVSs | Interventricular Septum Systolic Thickness (LN, 18158-6) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: IVSs | Interventricular Septum Systolic Thickness (LN, 18158-6) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| LV Mass A-L: LVL | Left Ventricle diastolic major axis (LN, 18077-8) | Image Mode: 2D mode (SRT, G-03A2) |
| Single Plane: LVLd apical | Left Ventricle diastolic major axis (LN, 18077-8) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Single Plane (DCM, 125205) |
| LV Mass A-L: A Sax Epi | Left Ventricle Epicardial Diastolic Area, psax pap view (SRT, G-0379) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Left Ventricle Mass by Area Length (99SIEMENSUS, LVMassAL) |
| LV Mass T-E: A Sax Epi | Left Ventricle Epicardial Diastolic Area, psax pap view (SRT, G-0379) | Measurement Method: Left Ventricle Mass by Truncated Ellipse (DCM, 125222) |
| Bi-Plane: LVIDd | Left Ventricle Internal End Diastolic Dimension (LN, 29436-3) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Cubed: LVIDd | Left Ventricle Internal End Diastolic Dimension (LN, 29436-3) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: LVIDd | Left Ventricle Internal End Diastolic Dimension (LN, 29436-3) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: LVIDd | Left Ventricle Internal End Diastolic Dimension (LN, 29436-3) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: LVIDd | Left Ventricle Internal End Diastolic Dimension (LN, 29436-3) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Bi-Plane: LVIDs | Left Ventricle Internal Systolic Dimension (LN, 29438-9) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Cubed: LVIDs | Left Ventricle Internal Systolic Dimension (LN, 29438-9) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: LVIDs | Left Ventricle Internal Systolic Dimension (LN, 29438-9) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Cubed: LVIDs | Left Ventricle Internal Systolic Dimension (LN, 29438-9) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: LVIDs | Left Ventricle Internal Systolic Dimension (LN, 29438-9) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| LV Mass A-L: LV Mass | Left Ventricle Mass (LN, 18087-7) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Left Ventricle Mass by Area Length (99SIEMENSUS, LVMassAL) |
| LV Mass A-L: LV Mass-I | Left Ventricle Mass (LN, 18087-7) | Image Mode: 2D mode (SRT, G-03A2)<br>Index: Body Surface Area (LN, 8277-6)<br>Measurement Method: Left Ventricle Mass by Area Length (99SIEMENSUS, LVMassAL) |
| Cubed: LV Mass | Left Ventricle Mass (LN, 18087-7) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Cubed: LV Mass-I | Left Ventricle Mass (LN, 18087-7) | Image Mode: M-Mode (SRT, G-0394)<br>Index: Body Surface Area (LN, 8277-6)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: LV Mass | Left Ventricle Mass (LN, 18087-7) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Teichholz: LV Mass-I | Left Ventricle Mass (LN, 18087-7) | Image Mode: M-Mode (SRT, G-0394)<br>Index: Body Surface Area (LN, 8277-6)<br>Measurement Method: Teichholz (DCM, 125209) |
| LV Mass T-E: LV Mass-I | Left Ventricle Mass (LN, 18087-7) | Index: Body Surface Area (LN, 8277-6)<br>Measurement Method: Left Ventricle Mass by Truncated Ellipse (DCM, 125222) |
| LV Mass T-E: LV Mass | Left Ventricle Mass (LN, 18087-7) | Measurement Method: Left Ventricle Mass by Truncated Ellipse (DCM, 125222) |
| Cubed: LV Mass-c | Left Ventricle Mass corrected (99SIEMENSUS, CA_LV_MASSc) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: LV Mass-c | Left Ventricle Mass corrected (99SIEMENSUS, CA_LV_MASSc) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: LVPWd | Left Ventricle Posterior Wall Diastolic Thickness (LN, 18152-9) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: LVPWd | Left Ventricle Posterior Wall Diastolic Thickness (LN, 18152-9) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: LVPWd | Left Ventricle Posterior Wall Diastolic Thickness (LN, 18152-9) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Teichholz: LVPWd | Left Ventricle Posterior Wall Diastolic Thickness (LN, 18152-9) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: LVPWs | Left Ventricle Posterior Wall Systolic Thickness (LN, 18156-0) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: LVPWs | Left Ventricle Posterior Wall Systolic Thickness (LN, 18156-0) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: LVPWs | Left Ventricle Posterior Wall Systolic Thickness (LN, 18156-0) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: LVPWs | Left Ventricle Posterior Wall Systolic Thickness (LN, 18156-0) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| LV Mass T-E: a | Left Ventricle Semi-major Axis Diastolic Dimension (SRT, G-0377) | Measurement Method: Left Ventricle Mass by Truncated Ellipse (DCM, 125222) |
| Single Plane: LVAs apical | Left Ventricle Systolic Area (SRT, G-0374) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Single Plane (DCM, 125205) |
| Single Plane: LVLs apical | Left Ventricle systolic major axis (LN, 18076-0) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Single Plane (DCM, 125205) |
| LV Mass T-E: d | Left Ventricle Truncated Semi-major Axis Diastolic Dimension (SRT, G-0378) | Measurement Method: Left Ventricle Mass by Truncated Ellipse (DCM, 125222) |
| Bi-Plane: LVAd apical | Left Ventricular Diastolic Area (SRT, G-0375) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Bi-Plane: LVAd sxMV | Left Ventricular Diastolic Area (SRT, G-0375) | Image Mode : 2D mode (SRT, G-03A2)<br>Image View : Parasternal Short Axis at the Mitral Valve Level (SRT, G-039A)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| LV Mass A-L: A Sax Endo | Left Ventricular Diastolic Area (SRT, G-0375) | Image Mode: 2D mode (SRT, G-03A2)<br>Image View: Parasternal Short Axis at the Papillary Muscle Level (SRT, G-039B)<br>Measurement Method: Left Ventricle Mass by Area Length (99SIEMENSUS, LVMassAL) |
| Single Plane: LVAd apical | Left Ventricular Diastolic Area (SRT, G-0375) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Single Plane (DCM, 125205) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| LV Mass T-E: A Sax Endo | Left Ventricular Diastolic Area (SRT, G-0375) | Image View: Parasternal Short Axis at the Papillary Muscle Level (SRT, G-039B)<br>Measurement Method: Left Ventricle Mass by Truncated Ellipse (DCM, 125222) |
| Bi-Plane: EF | Left Ventricular Ejection Fraction (LN, 18043-0) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Cubed(2D): EF | Left Ventricular Ejection Fraction (LN, 18043-0) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz(2D): EF | Left Ventricular Ejection Fraction (LN, 18043-0) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| LV/Cubed(M): EF | Left Ventricular Ejection Fraction (LN, 18043-0) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| LV/Teich (M): EF | Left Ventricular Ejection Fraction (LN, 18043-0) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Simpson BP: EF4 | Left Ventricular Ejection Fraction (LN, 18043-0) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson SP: EF | Left Ventricular Ejection Fraction (LN, 18043-0) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| Simpson BP: EF2 | Left Ventricular Ejection Fraction (LN, 18043-0) | Image View: Apical Two Chamber (SRT, G-A19B)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson BP: EF (BP) | Left Ventricular Ejection Fraction (LN, 18043-0) | Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Bi-Plane: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Cubed: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Single Plane: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Single Plane (DCM, 125205) |
| Teichholz: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Teichholz: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Simpson BP: LV 4ch EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson SP: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| Simpson BP: EDV2 | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image View: Apical Two Chamber (SRT, G-A19B)<br>Measurement Method: Method of Disks,Biplane (DCM, 125207) |
| Simpson BP: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Bi-Plane: ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Cubed: ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Single Plane: ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Single Plane (DCM, 125205) |
| Teichholz: ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Simpson BP:LV 4ch ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson SP: ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| Simpson BP:LV 2ch ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image View: Apical Two Chamber (SRT, G-A19B)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson BP:ESV (BP) | Left Ventricular End Systolic Volume (LN, 18148-7) | Measurement Method: Method of Disks, Biplane (DCM, 125207) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Cubed: FS | Left Ventricular Fractional Shortening (LN, 18051-3) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: FS | Left Ventricular Fractional Shortening (LN, 18051-3) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: FS | Left Ventricular Fractional Shortening (LN, 18051-3) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: FS | Left Ventricular Fractional Shortening (LN, 18051-3) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Tei Index:LV MPI | Left Ventricular Index of Myocardial Performance (SRT, G-037F) | |
| Aortic Valve: IVRT<br>Mitral Valve: IVRT | Left Ventricular Isovolumic Relaxation Time (LN, 18071-1) | |
| DTI:Lat E' Vel | Left Ventricular Peak Early Diastolic Tissue Velocity (SRT, G-037A) | Finding Site: Lateral Mitral Annulus (SRT, G-0392) |
| DTI:Med E' Vel | Left Ventricular Peak Early Diastolic Tissue Velocity (SRT, G-037A) | Finding Site: Medial Mitral Annulus (SRT, G-0391) |
| DTI:Lat S Vel | Left Ventricular Peak Systolic Tissue Velocity (SRT, G-037D) | Finding Site: Lateral Mitral Annulus (SRT, G-0392) |
| DTI:Med S Vel | Left Ventricular Peak Systolic Tissue Velocity (SRT, G-037D) | Finding Site: Medial Mitral Annulus (SRT, G-0391) |
| Bi-Plane: LVAs apical | Left Ventricular Systolic Area (SRT, G-0374) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Bi-Plane: LVAs sxMV | Left Ventricular Systolic Area (SRT, G-0374) | Image Mode : 2D mode (SRT, G-03A2)<br>Image View : Parasternal Short Axis at the Mitral Valve Level (SRT, G-039A)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Simpson BP:diffD (2ch) | LV Difference (99SIEMENSUS, CA_LV_DIF) | Cardiac Cycle Point: End Diastole (SRT, F-32011)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson BP:diffS (2ch) | LV Difference (99SIEMENSUS, CA_LV_DIF) | Cardiac Cycle Point: F-32011, SRT, End Systole<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| DTI:Lat A' Vel | LV Peak Diastolic Tissue Velocity During Atrial Systole (SRT, G-037C) | Finding Site: Lateral Mitral Annulus (SRT, G-0392) |
| DTI:Med A' Vel | LV Peak Diastolic Tissue Velocity During Atrial Systole (SRT, G-037C) | Finding Site: Medial Mitral Annulus (SRT, G-0391) |
| Aortic Valve: LVOT PGmean | Mean Gradient (LN, 20256-4) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Flow Direction: Antegrade Flow (SRT, R-42047) |
| Aortic Valve: LVOT Vmean | Mean Velocity (LN, 20352-1) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Flow Direction: Antegrade Flow (SRT, R-42047) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| DTI:Lat Accel Rate | Mitral Valve DTI acceleration rate of Ea (99SIEMENSUS, CA_MV_ARa) | Finding Site: Lateral Mitral Annulus (SRT, G-0392) |
| DTI:Med Accel Rate | Mitral Valve DTI acceleration rate of Ea (99SIEMENSUS, CA_MV_ARa) | Finding Site: Medial Mitral Annulus (SRT, G-0391) |
| DTI:Lat Accel Time | Mitral Valve DTI acceleration time of Ea (99SIEMENSUS, CA_MV_ATa) | Finding Site: Lateral Mitral Annulus (SRT, G-0392) |
| DTI:Med Accel Time | Mitral Valve DTI acceleration time of Ea (99SIEMENSUS, CA_MV_ATa) | Finding Site: Medial Mitral Annulus (SRT, G-0391) |
| DTI:Lat Decel Rate | Mitral Valve DTI deceleration rate of Ea (99SIEMENSUS, CA_MV_DRa) | Finding Site: Lateral Mitral Annulus (SRT, G-0392) |
| DTI:Med Decel Rate | Mitral Valve DTI deceleration rate of Ea (99SIEMENSUS, CA_MV_DRa) | Finding Site: Medial Mitral Annulus (SRT, G-0391) |
| DTI:Lat Decel Time | Mitral Valve DTI deceleration time of Ea (99SIEMENSUS, CA_MV_DTa) | Finding Site: Lateral Mitral Annulus (SRT, G-0392) |
| DTI:Med Decel Time | Mitral Valve DTI deceleration time of Ea (99SIEMENSUS, CA_MV_DTa) | Finding Site: Medial Mitral Annulus (SRT, G-0391) |
| DTI:E'/A' (Lat) | Mitral Valve DTI Ea to Aa Ratio (99SIEMENSUS, CA_MV_Ea2Aa) | Finding Site: Lateral Mitral Annulus (SRT, G-0392) |
| DTI:E'/A' (Med) | Mitral Valve DTI Ea to Aa Ratio (99SIEMENSUS, CA_MV_Ea2Aa) | Finding Site: Medial Mitral Annulus (SRT, G-0391) |
| LV Mass A-L: t | Myocard. thickn. calc. from short axis epicard. & cavity areas (99SIEMENSUS, CA_LV_MyoTh) | Image Mode: 2D mode (SRT, G-03A2) |
| LV Mass T-E: t | Myocard. thickn. calc. from short axis epicard. & cavity areas (99SIEMENSUS, CA_LV_MyoTh) | Measurement Method: Left Ventricle Mass by Truncated Ellipse (DCM, 125222) |
| Aortic Valve: LVOT PGmax | Peak Gradient (LN, 20247-3) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Flow Direction: Antegrade Flow (SRT, R-42047) |
| Aortic Valve: VSD PGmax | Peak Gradient (LN, 20247-3) | Finding Site: Ventricular Septal Defect (SRT, D4-31150) |
| Aortic Valve: LVOT Vmax | Peak Systolic Velocity (LN, 11726-7) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Flow Direction: Antegrade Flow (SRT, R-42047) |
| Aortic Valve: VSD Vmax | Peak Systolic Velocity (LN, 11726-7) | Finding Site: Ventricular Septal Defect (SRT, D4-31150) |
| DTI:E/E' (Lat)<br>Mitral Valve:E/E' (Lat) | Ratio of MV Peak Velocity to LV Peak Tissue Velocity E-Wave (SRT, G-037B) | Finding Site: Lateral Mitral Annulus (SRT, G-0392) |
| DTI:E/E' (Med)<br>Mitral Valve:E/E' (Med) | Ratio of MV Peak Velocity to LV Peak Tissue Velocity E-Wave (SRT, G-037B) | Finding Site: Medial Mitral Annulus (SRT, G-0391) |
| LV Mass T-E: b | Short axis radius calculated from short axis cavity area (99SIEMENSUS, CA_LV_RadSAX) | Measurement Method: Left Ventricle Mass by Truncated Ellipse (DCM, 125222) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Aortic Valve: SI | Stroke Index (SRT, F-00078) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Measurement Method: Doppler Volume Flow (DCM, 125219) |
| Bi-Plane: SI | Stroke Index (SRT, F-00078) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Cubed: SI | Stroke Index (SRT, F-00078) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: SI | Stroke Index (SRT, F-00078) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: SI | Stroke Index (SRT, F-00078) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: SI | Stroke Index (SRT, F-00078) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Simpson BP: SI4 | Stroke Index (SRT, F-00078) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson SP: SI | Stroke Index (SRT, F-00078) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| Simpson BP: SI2 | Stroke Index (SRT, F-00078) | Image View: Apical Two Chamber (SRT, G-A19B)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson BP: SI | Stroke Index (SRT, F-00078) | Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Aortic Valve: SV | Stroke Volume (SRT, F-32120) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Measurement Method: Doppler Volume Flow (DCM, 125219) |
| Mitral Valve: SV | Stroke Volume (SRT, F-32120) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER)<br>Measurement Method: Doppler Volume Flow (DCM, 125219) |
| Bi-Plane: SV | Stroke Volume (SRT, F-32120) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| Cubed: SV | Stroke Volume (SRT, F-32120) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Teichholz: SV | Stroke Volume (SRT, F-32120) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: SV | Stroke Volume (SRT, F-32120) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: SV | Stroke Volume (SRT, F-32120) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Simpson BP: SV4 | Stroke Volume (SRT, F-32120) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson SP: SV | Stroke Volume (SRT, F-32120) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| Simpson BP: SV2 | Stroke Volume (SRT, F-32120) | Image View: Apical Two Chamber (SRT, G-A19B)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Simpson BP: SV | Stroke Volume (SRT, F-32120) | Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| Cubed: mVcf | systolic index (99SIEMENSUS, CA_LF_VCF) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Teichholz: mVcf | systolic index (99SIEMENSUS, CA_LF_VCF) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Aortic Valve: LVOT VTI | Velocity Time Integral (LN, 20354-7) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Flow Direction: Antegrade Flow (SRT, R-42047) |
| Bullet: HR | Heart Rate (LN, 8867-4) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Bullet Package (99SIEMENSUS, MP2DBU) |
| Bullet: LVLd apical | Left Ventricle diastolic major axis (LN, 18077-8) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Bullet Package (99SIEMENSUS, MP2DBU) |
| Bullet: LVLs apical | Left Ventricle systolic major axis (LN, 18076-0) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Bullet Package (99SIEMENSUS, MP2DBU) |
| Bullet: LVAd sxMV | Left Ventricular Diastolic Area (SRT, G-0375) | Image Mode : 2D mode (SRT, G-03A2)<br>Image View : Parasternal Short Axis at the Mitral Valve Level (SRT, G-039A)<br>Measurement Package Membership: 2D Bullet Package (99SIEMENSUS, MP2DBU) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Bullet: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Bullet Package (99SIEMENSUS, MP2DBU) |
| Bullet: ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Bullet Package (99SIEMENSUS, MP2DBU) |
| Bullet: LVAs sxMV | Left Ventricular Systolic Area (SRT, G-0374) | Image Mode : 2D mode (SRT, G-03A2)<br>Image View : Parasternal Short Axis at the Mitral Valve Level (SRT, G-039A)<br>Measurement Package Membership: 2D Bullet Package (99SIEMENSUS, MP2DBU) |
| Gibson: CI | Cardiac Index (SRT, F-32110) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: CO | Cardiac Output (SRT, F-32100) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: HR | Heart Rate (LN, 8867-4) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: IVSd | Interventricular Septum Diastolic Thickness (LN, 18154-5) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: IVSs | Interventricular Septum Systolic Thickness (LN, 18158-6) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: LVIDd | Left Ventricle Internal End Diastolic Dimension (LN, 29436-3) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: LVIDs | Left Ventricle Internal Systolic Dimension (LN, 29438-9) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: LVPWd | Left Ventricle Posterior Wall Diastolic Thickness (LN, 18152-9) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: LVPWs | Left Ventricle Posterior Wall Systolic Thickness (LN, 18156-0) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Gibson: EF | Left Ventricular Ejection Fraction (LN, 18043-0) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: FS | Left Ventricular Fractional Shortening (LN, 18051-3) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: SI | Stroke Index (SRT, F-00078) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: SV | Stroke Volume (SRT, F-32120) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Gibson: CI | Cardiac Index (SRT, F-32110) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: CO | Cardiac Output (SRT, F-32100) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: HR | Heart Rate (LN, 8867-4) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: IVSd | Interventricular Septum Diastolic Thickness (LN, 18154-5) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: IVSs | Interventricular Septum Systolic Thickness (LN, 18158-6) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: LVIDd | Left Ventricle Internal End Diastolic Dimension (LN, 29436-3) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Gibson: LVIDs | Left Ventricle Internal Systolic Dimension (LN, 29438-9) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: LV Mass | Left Ventricle Mass (LN, 18087-7) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method : Left Ventricle Mass corrected by M-Mode (99SIEMENSUS, MethodMassASEcor)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: LV Mass-I | Left Ventricle Mass (LN, 18087-7) | Image Mode: M-Mode (SRT, G-0394)<br>Index: Body Surface Area (LN, 8277-6)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: LV Mass-c | Left Ventricle Mass corrected (99SIEMENSUS, CA_LV_MASSc) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method = Left Ventricle Mass corrected by M-Mode (99SIEMENSUS, MethodMassASEcor)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: LVPWd | Left Ventricle Posterior Wall Diastolic Thickness (LN, 18152-9) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: LVPWs | Left Ventricle Posterior Wall Systolic Thickness (LN, 18156-0) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: EF | Left Ventricular Ejection Fraction (LN, 18043-0) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: FS | Left Ventricular Fractional Shortening (LN, 18051-3) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: SI | Stroke Index (SRT, F-00078) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Gibson: SV | Stroke Volume (SRT, F-32120) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Gibson: mVcf | systolic index (99SIEMENSUS, CA_LF_VCF) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership: Mmode Gibson Package (99SIEMENSUS, MPMMode) |
| Simpson MOD: CI | Cardiac Index (SRT, F-32110) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: CO | Cardiac Output (SRT, F-32100) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: HR | Heart Rate (LN, 8867-4) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: LVLd apical | Left Ventricle diastolic major axis (LN, 18077-8) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: LVLs apical | Left Ventricle systolic major axis (LN, 18076-0) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: LVAd sxMV | Left Ventricular Diastolic Area (SRT, G-0375) | Image Mode : 2D mode (SRT, G-03A2)<br>Image View : Parasternal Short Axis at the Mitral Valve Level (SRT, G-039A)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: LVAd sxPM | Left Ventricular Diastolic Area (SRT, G-0375) | Image Mode : 2D mode (SRT, G-03A2)<br>Image View : Parasternal Short Axis at the Papillary Muscle Level (SRT, G-039B)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: EF | Left Ventricular Ejection Fraction (LN, 18043-0) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: EDV | Left Ventricular End Diastolic Volume (LN, 18026-5) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Simpson MOD: ESV | Left Ventricular End Systolic Volume (LN, 18148-7) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: LVAs sxMV | Left Ventricular Systolic Area (SRT, G-0374) | Image Mode : 2D mode (SRT, G-03A2)<br>Image View : Parasternal Short Axis at the Mitral Valve Level (SRT, G-039A)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: LVAs sxPM | Left Ventricular Systolic Area (SRT, G-0374) | Image Mode : 2D mode (SRT, G-03A2)<br>Image View : Parasternal Short Axis at the Papillary Muscle Level (SRT, G-039B)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: SI | Stroke Index (SRT, F-00078) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Simpson MOD: SV | Stroke Volume (SRT, F-32120) | Image Mode : 2D mode (SRT, G-03A2)<br>Measurement Package Membership: 2D Modified Simpson Package (99SIEMENSUS, MP2DModSimp) |
| Qp/Qs:COs | Cardiac Output (SRT, F-32100) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER)<br>Measurement Method: Doppler Volume Flow (DCM, 125219)<br>Measurement Package Membership: DP Qp/Qs (99SIEMENSUS, MPDPQp2Qs) |
| Qp/Qs: Systemic diam | Cardiovascular Orifice Diameter (SRT, G-038F) | Image Mode : 2D mode (SRT, G-03A2)<br>Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Measurement Package Membership: DP Qp/Qs (99SIEMENSUS, MPDPQp2Qs) |
| Qp/Qs: HR | Heart Rate (LN, 8867-4) | Measurement Package Membership: DP Qp/Qs (99SIEMENSUS, MPDPQp2Qs) |
| Qp/Qs: SVs | Stroke Volume (SRT, F-32120) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Image Mode : Doppler Mode (99SIEMENSUS, DOPPLER)<br>Measurement Method: Doppler Volume Flow (DCM, 125219)<br>Measurement Package Membership: DP Qp/Qs (99SIEMENSUS, MPDPQp2Qs) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Qp/Qs: Systemic VTI | Velocity Time Integral (LN, 20354-7) | Finding Site: Left Ventricle Outflow Tract (SNM3, T-32650)<br>Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Package Membership: DP Qp/Qs (99SIEMENSUS, MPDPQp2Qs) |
| Teichholz:RWT | Left Ventricle Relative Wall Thickness (99SIEMENSUS, CA_LVRelWallThick) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| Gibson:RWT | Left Ventricle Relative Wall Thickness (99SIEMENSUS, CA_LVRelWallThick) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership : MMode Gibson Package (99SIEMENSUS, MPMMode) |
| Cubed:RWT | Left Ventricle Relative Wall Thickness (99SIEMENSUS, CA_LVRelWallThick) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |

### 10.4.3 Right Ventricle

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Right Ventricle** | Finding Site: Right Ventricle (SRT, T-32500) | |
| Pulmonary Valve: CI | Cardiac Index (SRT, F-32110) | Finding Site: Right Ventricle Outflow Tract (SNM3, T-32550)<br>Measurement Method: Doppler Volume Flow (DCM, 125219) |
| Pulmonary Valve: CO | Cardiac Output (SRT, F-32100) | Finding Site: Right Ventricle Outflow Tract (SNM3, T-32550)<br>Measurement Method: Doppler Volume Flow (DCM, 125219) |
| Qp/Qs: COp | Cardiac Output (SRT, F-32100) | Finding Site: Right Ventricle Outflow Tract (SNM3, T-32550)<br>Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER)<br>Measurement Method: Doppler Volume Flow (DCM, 125219)<br>Measurement Package Membership: DP Qp/Qs (99SIEMENSUS, MPDPQp2Qs) |
| Pulmonary Valve: PV diam | Cardiovascular Orifice Diameter (SRT, G-038F) | Finding Site: Right Ventricle Outflow Tract (SNM3, T-32550)<br>Image Mode: 2D mode (SRT, G-03A2) |
| Qp/Qs: Pulmonic diam | Cardiovascular Orifice Diameter (SRT, G-038F) | Finding Site: Right Ventricle Outflow Tract (SNM3, T-32550)<br>Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership: DP Qp/Qs (99SIEMENSUS, MPDPQp2Qs) |
| Cubed: RVAWd | Right Ventricle Anterior Wall Diastolic Thickness (LN, 18153-7) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Teichholz: RVAWd | Right Ventricle Anterior Wall Diastolic Thickness (LN, 18153-7) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Gibson: RVAWd | Right Ventricular Anterior Wall Diastolic Thickness (LN, 18153-7) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership : 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Tei Index:RV MPI | Right Ventricular Index of Myocardial Performance (SRT, G-0381) | |
| RV: RV diam | Right Ventricular Internal Diastolic Dimension (LN, 20304-2) | |
| Cubed: RVDd | Right Ventricular Internal Diastolic Dimension (LN, 20304-2) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Cube Method (DCM, 125206) |
| Gibson: RVDd | Right Ventricular Internal Diastolic Dimension (LN, 20304-2) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Package Membership : 2D Gibson Package (99SIEMENSUS, MP2DGIB) |
| Teichholz: RVDd | Right Ventricular Internal Diastolic Dimension (LN, 20304-2) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Teichholz (DCM, 125209) |
| Cubed: RVDd | Right Ventricular Internal Diastolic Dimension (LN, 20304-2) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Gibson: RVDd | Right Ventricular Internal Diastolic Dimension (LN, 20304-2) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership : MMode Gibson Package (99SIEMENSUS, MPMMode) |
| Teichholz: RVDd | Right Ventricular Internal Diastolic Dimension (LN, 20304-2) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |
| AO/LA:RV Diam | Right Ventricular Internal Diastolic Dimension at AV/LA (99SIEMENSUS, CA_RV_INTD_AVLA) | |
| AO/LA:RV Diam | Right Ventricular Internal Diastolic Dimension at AV/LA (99SIEMENSUS, CA_RV_INTD_AVLA) | Image Mode: M-Mode (SRT, G-0394) |
| TR: RVSP | Right Ventricular Peak Systolic Pressure (SRT, G-0380) | |
| Pulmonary Valve: SI | Stroke Index (SRT, F-00078) | Finding Site: Right Ventricle Outflow Tract (SNM3, T-32550)<br>Measurement Method: Doppler Volume Flow (DCM, 125219) |
| Pulmonary Valve: SV | Stroke Volume (SRT, F-32120) | Finding Site: Right Ventricle Outflow Tract (SNM3, T-32550)<br>Measurement Method: Doppler Volume Flow (DCM, 125219) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Qp/Qs: SVp | Stroke Volume (SRT, F-32120) | Finding Site: Right Ventricle Outflow Tract (SNM3, T-32550)<br>Measurement Method: Doppler Volume Flow (DCM, 125219)<br>Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER)<br>Measurement Package Membership: DP Qp/Qs (99SIEMENSUS, MPDPQp2Qs) |
| Qp/Qs: Pulmonic VTI | Velocity Time Integral (LN, 20354-7) | Finding Site: Right Ventricle Outflow Tract (SNM3, T-32550)<br>Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Package Membership: DP Qp/Qs (99SIEMENSUS, MPDPQp2Qs) |
| RV:TAPSE | Tricuspid Annular Plane Systolic Excursion (99SIEMENSUS, CA_TAPSE) | Image Mode: M-Mode (SRT, G-0394) |

### 10.4.4 Left Atrium

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Left Atrium** | Finding Site: Left Atrium (SRT, T-32300) | |
| AO/LA:AOd/LAs | Aortic Root Diameter (Dia) to Left Atrium Diameter (Sys) Ratio (99SIEMENSUS, CA_LA_AOd2LAs) | |
| AO/LA:AOd/LAs | Aortic Root Diameter (Dia) to Left Atrium Diameter (Sys) Ratio (99SIEMENSUS, CA_LA_AOd2LAs) | Image Mode: M-Mode (SRT, G-0394) |
| AO/LA:LAd Diam | Diameter (SRT, M-02550) | Cardiac Cycle Point: Diastole (SRT, F-32010) |
| AO/LA:LAd Diam | Diameter (SRT, M-02550) | Cardiac Cycle Point: Diastole (SRT, F-32010)<br>Image Mode: M-Mode (SRT, G-0394) |
| AO/LA:LAs Diam | Diameter (SRT, M-02550) | Cardiac Cycle Point: Systole (SRT, F-32020) |
| AO/LA:LAs Diam | Diameter (SRT, M-02550) | Cardiac Cycle Point: Systole (SRT, F-32020)<br>Image Mode: M-Mode (SRT, G-0394) |
| LA Vol AL:LA Vol (A-L) | Left Atrial ES Volume (DCM, 122408) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| LA Vol AL:LA Vol-I (A-L) | Left Atrial ES Volume (DCM, 122408) | Image Mode: 2D mode (SRT, G-03A2)<br>Index: Body Surface Area (LN, 8277-6)<br>Measurement Method: Area-Length Biplane (DCM, 125204) |
| LA Vol Simp:LA Vol-I | Left Atrial ES Volume (DCM, 122408) | Image Mode: 2D mode (SRT, G-03A2)<br>Index: Body Surface Area (LN, 8277-6)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| LA Vol Simp:LA 4ch ESV | Left Atrial ES Volume (DCM, 122408) | Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| LA Vol Simp: LA 4ch EDV | Left Atrial ED Volume (DCM, 122407) | Image Mode: 2D mode (SRT, G-03A2)<br>Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| LA Vol Simp:LA 2ch ESV | Left Atrial ES Volume (DCM, 122408) | Image View: Apical Two Chamber (SRT, G-A19B)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| LA Vol Simp: LA 2ch EDV | Left Atrial ED Volume (DCM, 122407) | Image Mode: 2D mode (SRT, G-03A2)<br>Image View: Apical Two Chamber (SRT, G-A19B)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| LA Vol Simp:LA EF2 | Left Atrium Ejection Fraction (99SIEMENSUS, CA_LA_EF) | Image Mode: 2D mode (SRT, G-03A2)<br>Image View: Apical Two Chamber (SRT, G-A19B)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| LA Vol Simp:LA EF4 | Left Atrium Ejection Fraction (99SIEMENSUS, CA_LA_EF) | Image Mode: 2D mode (SRT, G-03A2)<br>Image View: Apical Four Chamber (SRT, G-A19C)<br>Measurement Method: Method of Disks, Single Plane (DCM, 125208) |
| LA Vol Simp:LA EF (BP) | Left Atrium Ejection Fraction (99SIEMENSUS, CA_LA_EF) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| LA Vol Simp:LA ESV (BP) | Left Atrial ES Volume (DCM, 122408) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| LA Vol Simp:LA EDV (BP) | Left Atrial ES Volume (DCM, 122407) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| LA Vol Simp:LA diffD(2ch) | LA difference (99SIEMENSUS, CA_LA_DIF) | Cardiac Cycle Point: End Diastole (SRT, F-32011)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| LA Vol Simp:LA diffS(2ch) | LA difference (99SIEMENSUS, CA_LA_DIF) | Cardiac Cycle Point: F-32011, SRT, End Systole<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| LA Vol Simp:LA diffD(4ch) | LA difference (99SIEMENSUS, CA_LA_DIF) | Cardiac Cycle Point: End Diastole (SRT, F-32011)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| LA Vol Simp:LA diffS(4ch) | LA difference (99SIEMENSUS, CA_LA_DIF) | Cardiac Cycle Point: F-32011, SRT, End Systole<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| LA Vol AL:A1-A4C | Left Atriuim Systolic Area (LN, 17977-0) | Image Mode: 2D mode (SRT, G-03A2)<br>Image View: Apical Four Chamber (SRT, G-A19C)<br>Cardiac Cycle Point: Systole (SRT, F-32020) |
| LA Vol AL:A2-A2C | Left Atriuim Systolic Area (LN, 17977-0) | Image Mode: 2D mode (SRT, G-03A2)<br>Image View: Apical Two Chamber (SRT, G-A19B)<br>Cardiac Cycle Point: Systole (SRT, F-32020) |
| LA Vol AL:L | Left Atrium Antero-posterior Systolic Dimension (LN, 29469-4) | Image Mode: 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point: Systole (SRT, F-32020) |
| AO/LA:LAs/AOd | Left Atrium Diameter (Sys) to Aortic Root Diameter (Dia) Ratio (99SIEMENSUS, CA_LA_LAs2AOd) | |
| AO/LA:LAs/AOd | Left Atrium Diameter (Sys) to Aortic Root Diameter (Dia) Ratio (99SIEMENSUS, CA_LA_LAs2AOd) | Image Mode: M-Mode (SRT, G-0394) |

### 10.4.5 Right Atrium

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Right Atrium** | Finding Site: Right Atrium (SRT, T-32200) | |
| RA Vol AL:A1-A4C | Right Atrium Systolic Area (LN, 17988-7) | Image Mode: 2D mode (SRT, G-03A2)<br>Image View: Apical Four Chamber (SRT, G-A19C)<br>Cardiac Cycle Point: Systole (SRT, F-32020) |
| RA Vol AL:A2-A2C | Right Atrium Systolic Area (LN, 17988-7) | Image Mode: 2D mode (SRT, G-03A2)<br>Image View: Apical Two Chamber (SRT, G-A19B)<br>Cardiac Cycle Point: Systole (SRT, F-32020) |
| RA Vol AL:L | Right Atrium Systolic Dimension (99SIEMENSUS, CA_RA_DIA) | Image Mode: 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point: Systole (SRT, F-32020) |
| PR:RAP select TR:RAP select or not shown on report | Right Atrium Systolic Pressure (LN, 18070-3) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| RA Vol AL:RA Vol (A-L) | Right Atrium Systolic Volume (99SIEMENSUS, CA_RA_VOL) | Image Mode: 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point: Systole (SRT, F-32020)<br>Measurement Method = Area-Length Biplane (DCM, 125204) |
| RA Vol AL:RA Vol-I (A-L) | Right Atrium Systolic Volume (99SIEMENSUS, CA_RA_VOL) | Image Mode: 2D mode (SRT, G-03A2)<br>Index: Body Surface Area (LN, 8277-6)<br>Measurement Method = Area-Length Biplane (DCM, 125204) |
| RA Vol Simp:2CH | Right Atrium Systolic Volume (99SIEMENSUS, CA_RA_VOL) | Image Mode: 2D mode (SRT, G-03A2)<br>Image View: Apical Two Chamber (SRT, G-A19B)<br>Cardiac Cycle Point: Systole (SRT, F-32020) |
| RA Vol Simp:4CH | Right Atrium Systolic Volume (99SIEMENSUS, CA_RA_VOL) | Image Mode: 2D mode (SRT, G-03A2)<br>Image View: Apical Four Chamber (SRT, G-A19C)<br>Cardiac Cycle Point: Systole (SRT, F-32020) |
| RA Vol Simp:RA Vol (Simp) | Right Atrium Systolic Volume (99SIEMENSUS, CA_RA_VOL) | Image Mode: 2D mode (SRT, G-03A2)<br>Cardiac Cycle Point: Systole (SRT, F-32020)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |
| RA Vol Simp:RA Vol-I (Simp) | Right Atrium Systolic Volume (99SIEMENSUS, CA_RA_VOL) | Image Mode: 2D mode (SRT, G-03A2)<br>Index: Body Surface Area (LN, 8277-6)<br>Measurement Method: Method of Disks, Biplane (DCM, 125207) |

### 10.4.6 Aortic Valve

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Aortic Valve** | Finding Site: Aortic Valve (SRT, T-35400) | |
| AR: AR Duration | Aortic Regurgitation Duration (99SIEMENSUS, CA_AR_DUR) | |
| AO/LA:ACS | Aortic Valve Cusp Separation (LN, 17996-0) | Image Mode: 2D mode (SRT, G-03A2) |
| AO/LA:ACS | Aortic Valve Cusp Separation (LN, 17996-0) | Image Mode: M-Mode (SRT, G-0394) |
| Aortic Valve:LV ET | Aortic Valve Ejection Time (LN, 18041-4) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER) |
| AO/LA:LV ET | Aortic Valve Ejection Time (LN, 18041-4) | Image Mode: M-Mode (SRT, G-0394) |
| Teichholz:LV ET | Aortic Valve Ejection Time (LN, 18041-4) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Teichholz (DCM, 125209) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Gibson:LV ET | Aortic Valve Ejection Time (LN, 18041-4) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Package Membership : MMode Gibson Package (99SIEMENSUS, MPMMode) |
| Cubed:LV ET | Aortic Valve Ejection Time (LN, 18041-4) | Image Mode: M-Mode (SRT, G-0394)<br>Measurement Method: Cube Method (DCM, 125206) |
| Aortic Valve:LV STI | Aortic Valve Pre-ejection Period to Ejection Time (99SIEMENSUS, CA_AV_PEP2ET) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER) |
| AO/LA:LV STI | Aortic Valve Pre-ejection Period to Ejection Time (99SIEMENSUS, CA_AV_PEP2ET) | Image Mode: M-Mode (SRT, G-0394) |
| Aortic Valve:AVA (Vmax) | Cardiovascular Orifice Area (SRT, G-038E) | Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Continuity Equation by Peak Velocity (DCM, 125214); |
| Aortic Valve:AVA (VTI) | Cardiovascular Orifice Area (SRT, G-038E) | Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Continuity Equation by Velocity Time Integral (DCM, 125215) |
| Aortic Valve:AV Area | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Planimetry (DCM, 125220) |
| AR:AR Decel Rate | Deceleration Slope (LN, 20216-8) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| AR:AR Decel Slope | Deceleration Slope (LN, 20216-8) | Flow Direction: Regurgitant Flow (SRT, R-42E61)<br>Measurement Method: Area by Pressure Half-Time (DCM, 125210) |
| AR:AR Decel Time | Deceleration Time ( LN, 20217-6) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| AR: AR V ed | End Diastolic Velocity (LN, 11653-3) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| Aortic Valve: HR | Heart Rate (LN, 8867-4) | Finding Site: Aortic Valve (SRT, T-35400) |
| Aortic Valve: LVOT/AV VTI | Left Ventricle Outflow Tract VTI to Aortic Valve VTI Ratio (99SIEMENSUS, CA_LVOT2AV_VTI) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER) |
| AR: AR Vmax | Maximum Velocity (LN, 20351-3) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| Aortic Valve: AV PGmean | Mean Gradient (LN, 20256-4) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| Aortic Valve: AV Vmean | Mean Velocity (LN, 20352-1) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| Aortic Valve: AV PGmax | Peak Gradient (LN, 20247-3) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| AR: AR PGmax | Peak Gradient (LN, 20247-3) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| Aortic Valve: AV Vmax | Peak Systolic Velocity (LN, 11726-7) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| Aortic Valve:LV PEP | Pre-Ejection Period (LN, 18068-7) | |
| AO/LA:LV PEP | Pre-Ejection Period (LN, 18068-7) | Image Mode: M-Mode (SRT, G-0394) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| AR:AR PHT | Pressure Half-Time (LN, 20280-4) | Flow Direction: Regurgitant Flow (SRT, R-42E61)<br>Measurement Method: Area by Pressure Half-Time (DCM, 125210) |
| Aortic Valve: AV VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction: Antegrade Flow (SRT, R-42047) |

### 10.4.7 Mitral Valve

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Mitral Valve** | Finding Site: Mitral Valve (SRT, T-35300) | |
| Mitral Valve:CA amp | Amplitude A Wave Mmode<br>(99SIEMENSUS, CA_MV_AWaveAmpl) | Image Mode: M-Mode (SRT, G-0394) |
| Mitral Valve:DE amp | Amplitude D-E Wave Mmode<br>(99SIEMENSUS, CA_MV_DEWaveAmpl) | Image Mode: M-Mode (SRT, G-0394) |
| Mitral Valve:CE amp | Amplitude E Wave Mmode<br>(99SIEMENSUS, CA_MV_EWaveAmpl) | Image Mode: M-Mode (SRT, G-0394) |
| PISA (MS):MS Angle | Angle measured at Mitral Valve Stenosis (99SIEMENSUS, CA_MS_Angle) | Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| Tei Index:LV ET | Aortic Valve Ejection Time (LN, 18041-4) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER) |
| Mitral Valve: CI | Cardiac Index (SRT, F-32110) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER)<br>Measurement Method: Doppler Volume Flow (DCM, 125219) |
| Mitral Valve:MV Area | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode: 2D mode (SRT, G-03A2)<br>Measurement Method: Planimetry (DCM, 125220); |
| Mitral Valve:MVA (PHT) | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER)<br>Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Area by Pressure Half-Time (DCM, 125210) |
| Mitral Valve:MVA (VTI) | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER)<br>Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Continuity Equation (DCM, 125212) |
| PISA (MR):MR EO Area | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER)<br>Flow Direction: Regurgitant Flow (SRT, R-42E61)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| PISA (MS):MS MVA | Cardiovascular Orifice Area (SRT, G-038E) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER)<br>Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| Mitral Valve: MV diam | Cardiovascular Orifice Diameter (SRT, G-038F) | |
| Mitral Valve:MV Decel Slope | Deceleration Slope (LN, 20216-8) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER) |
| Mitral Valve: MV DT | Deceleration Time (LN, 20217-6) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER) |
| MR: dt | Deceleration Time (LN, 20217-6) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| PISA (MS):MS Radius | Dome Radius (99SIEMENSUS, CA_DOME) | Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| PISA (MR):MR Radius | Dome Radius (99SIEMENSUS, CA_DOME) | Flow Direction: Regurgitant Flow (SRT, R-42E61)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| Mitral Valve: HR | Heart Rate (LN, 8867-4) | |
| Mitral Valve: MV Vmax | Maximum Velocity (LN, 20351-3) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| PISA(MS): MS Vmax | Maximum Velocity (LN, 20351-3) | Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| Mitral Valve: MV PGmean | Mean Gradient (LN, 20256-4) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| Mitral Valve: MV Vmean | Mean Velocity (LN, 20352-1) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| PISA (MS):MS Aliasing Vel | Mean Velocity (LN, 20252-1) | Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216)<br>Derivation: Estimated (DCM, 121427) |
| PISA (MR):MR Aliasing Vel | Mean Velocity (LN, 20252-1) | Flow Direction: Regurgitant Flow (SRT, R-42E61)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216)<br>Derivation: Estimated (DCM, 121427) |
| MR:LV dP/dt | Mitral Regurg. dP/dt derived from Mitral Regurg. velocity (LN, 18035-6) | |
| Mitral Valve:CA/CE | Mitral Valve A to E Ratio (99SIEMENSUS, CA_MV_A2E) | Image Mode: M-Mode (SRT, G-0394) |
| Mitral Valve: A/E | Mitral Valve A to E Ratio (99SIEMENSUS, CA_MV_A2E) | |
| Mitral Valve: A Dur | Mitral Valve A-Wave Duration (SRT, G-0385) | |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Mitral Valve:MV Peak A vel | Mitral Valve A-Wave Peak Velocity (LN, 17978-8) | |
| Tei Index:MV C-O Time | Mitral Valve Closure to Opening Time (SRT, G-0387) | |
| Mitral Valve:DE excursion | Mitral Valve D-E Excursion (LN, 17997-8) | Image Mode: M-Mode (SRT, G-0394) |
| Mitral Valve: MV PGmax | Mitral Valve Diastolic Peak Instantaneous Gradient (LN, 18057-0) | |
| Mitral Valve: E/A | Mitral Valve E to A Ratio (LN, 18038-0) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER) |
| Mitral Valve(M): EF Slope | Mitral Valve E-F Slope by M-Mode (LN, 18040-6) | Image Mode: M-Mode (SRT, G-0394) |
| Mitral Valve: EPSS | Mitral Valve EPSS, E wave (LN, 18036-4) | Image Mode: 2D mode (SRT, G-03A2) |
| Mitral Valve: EPSS | Mitral Valve EPSS, E wave (LN, 18036-4) | Image Mode: M-Mode (SRT, G-0394) |
| Mitral Valve:MV Decel Time | Mitral Valve E-Wave Deceleration Time (SRT, G-0384) | |
| Mitral Valve: E Dur | Mitral Valve E-Wave Duration (99SIEMENSUS, CA_MV_DURe) | |
| Mitral Valve:MV Peak E vel | Mitral Valve E-Wave Peak Velocity (LN, 18037-2) | |
| PISA(MS): MS PGmax | Peak Gradient (LN, 20247-3) | Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| MR: MR PGmax | Peak Gradient (LN, 20247-3) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| PISA (MS):MS Flow Rate | Peak Instantaneous Flow Rate (LN, 34141-2) | Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| PISA (MR):MR Flow Rate | Peak Instantaneous Flow Rate (LN, 34141-2) | Flow Direction: Regurgitant Flow (SRT, R-42E61)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| MR: MR Vmax | Peak Systolic Velocity (LN, 11726-7) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| PISA(MR): MR Vmax | Peak Systolic Velocity (LN, 11726-7) | Flow Direction: Regurgitant Flow (SRT, R-42E61)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| Mitral Valve: MV PHT | Pressure Half-Time (LN, 20280-4) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| Mitral Valve: SI | Stroke Index (SRT, F-00078) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER) |
| Mitral Valve: MV VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| PISA(MS): MS VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| PISA(MR): MR VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction: Regurgitant Flow (SRT, R-42E61)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| PISA(MS): Flow Vol | Volume Flow (LN, 33878-0) | Flow Direction: Antegrade Flow (SRT, R-42047)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| PISA(MR): Flow Vol | Volume Flow (LN, 33878-0) | Flow Direction: Regurgitant Flow (SRT, R-42E61)<br>Measurement Method: Proximal Isovelocity Surface Area (DCM, 125216) |
| Mitral Valve:MAPSE | Mitral Annular Plane Systolic Excursion (99SIEMENSUS, CA_MAPSE) | Image Mode: M-Mode (SRT, G-0394) |

### 10.4.8 Pulmonary Valve

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Pulmonary Valve** | Finding Site: Pulmonary Valve (SRT, T-35200) | |
| Pulmonary Valve:RV Accel Time | Acceleration Time (LN, 20168-1) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| PR:PR V ed | End Diastolic Velocity (LN, 11653-3) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| Pulmonary Valve: HR | Heart Rate (LN, 8867-4) | |
| PR: PR Vmax | Maximum Velocity (LN, 20351-3) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| Pulmonary Valve: PV PGmean | Mean Gradient (LN, 20256-4) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| PR: PR PGmean | Mean Gradient (LN, 20256-4) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| Pulmonary Valve: PV Vmean | Mean Velocity (LN, 20352-1) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| PR: PR Vmean | Mean Velocity (LN, 20352-1) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| Pulmonary Valve: PV PGmax | Peak Gradient (LN, 20247-3) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| PR: PR PGmax | Peak Gradient (LN, 20247-3) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| Pulmonary Valve: PV Vmax | Peak Systolic Velocity (LN, 11726-7) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| Pulmonary Valve:RV ET Tricuspid Valve: RVET<br>Tei Index:RV ET | Pulmonic Valve Ejection Time (LN, 18042-2) | |
| Pulmonary Valve:RV STI | Pulmonic Valve Pre-ejection Period to Ejection Time (99SIEMENSUS, CA_PV_PEP2ET) | Image Mode: Doppler Mode (99SIEMENSUS, DOPPLER) |
| Pulmonary Valve: RV Acc T/ET | Ratio of Pulmonic Valve Acceleration Time to Ejection Time (SRT, G-0388) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| Pulmonary Valve:RVPEP | Right Ventricle Pre-Ejection Period (LN, 20301-8) | Image Mode: M-Mode (SRT, G-0394) |
| Pulmonary Valve: PV VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| PR: PR VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |

### 10.4.9 Tricuspid Valve

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Tricuspid Valve** | Finding Site: Tricuspid Valve (SRT, T-35100) | |
| Tricuspid Valve: TV Vmax | Maximum Velocity (LN, 20351-3) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| Tricuspid Valve: TV PGmean | Mean Gradient (LN, 20256-4) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| TR: TR PGmean | Mean Gradient (LN, 20256-4) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| Tricuspid Valve: TV Vmean | Mean Velocity (LN, 20352-1) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| TR: TR Vmean | Mean Velocity (LN, 20352-1) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| Tricuspid Valve: TV PGmax | Peak Gradient (LN, 20247-3) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| TR: TR PGmax | Peak Gradient (LN, 20247-3) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| TR: TR Vmax | Peak Systolic Velocity (LN, 11726-7) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |
| Tricuspid Valve: TV A pt | Tricuspid Valve A Wave Peak Velocity (LN, 18030-7) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| Tei Index:TV C-O Time | Tricuspid Valve Closure to Opening Time (SRT, G-0389) | |
| Tricuspid Valve: E/A | Tricuspid Valve E to A Ratio (LN, 18039-8) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| Tricuspid Valve: TV E pt | Tricuspid Valve E Wave Peak Velocity (LN, 18031-5) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| Tricuspid Valve: TV VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| TR: TR VTI | Velocity Time Integral (LN, 20354-7) | Flow Direction: Regurgitant Flow (SRT, R-42E61) |

### 10.4.10 Aorta

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Aorta** | Finding Site: Aorta (SRT, T-42000) | |
| AO/LA:AOd | Aortic Root Diameter (LN, 18015-8) | Cardiac Cycle Point: Diastole (SRT, F-32010) |
| AO/LA:AOd | Aortic Root Diameter (LN, 18015-8) | Cardiac Cycle Point: Diastole (SRT, F-32010)<br>Image Mode: M-Mode (SRT, G-0394) |
| AO/LA:AOs | Aortic Root Diameter (LN, 18015-8) | Cardiac Cycle Point: Systole (SRT, F-32020) |
| AO/LA:AOs | Aortic Root Diameter (LN, 18015-8) | Cardiac Cycle Point: Systole (SRT, F-32020)<br>Image Mode: M-Mode (SRT, G-0394) |
| Aortic Valve: Ao Arch PGmean | Mean Gradient (LN, 20256-4) | Finding Site: Aortic Arch (SRT, T-42300)<br>Flow Direction: Antegrade Flow (SRT, R-42047) |
| Aortic Valve: Ao Arch Vmean | Mean Velocity (LN, 20352-1) | Finding Site: Aortic Arch (SRT, T-42300)<br>Flow Direction: Antegrade Flow (SRT, R-42047) |

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| Aortic Valve: Ao Arch PGmax | Peak Gradient (LN, 20247-3) | Finding Site: Aortic Arch (SRT, T-42300)<br>Flow Direction: Antegrade Flow (SRT, R-42047) |
| Aortic Valve: Ao Arch Vmax | Peak Systolic Velocity (LN, 11726-7) | Finding Site: Aortic Arch (SRT, T-42300)<br>Flow Direction: Antegrade Flow (SRT, R-42047) |
| Aortic Valve: Ao Arch VTI | Velocity Time Integral (LN, 20354-7) | Finding Site: Aortic Arch (SRT, T-42300)<br>Flow Direction: Antegrade Flow (SRT, R-42047) |

### 10.4.11 Pulmonary Artery

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Pulmonary Artery** | Finding Site: Pulmonary Artery (SRT, T-44000) | |
| Pulmonary Valve:PV Accel Time | Acceleration Time (LN, 20168-1) | Flow Direction: Antegrade Flow (SRT, R-42047) |
| PR: PAEDP | Pulmonary Artery Pressure (SRT, F0212C) | Cardiac Cycle Point: End Diastole (SRT, F-32011) |

### 10.4.12 Pulmonary Venous Structure

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Pulmonary Venous Structure** | Finding Site: Pulmonary Veins (SRT, T-48581) | |
| Pulmonary Vein:PVd Decel | Deceleration Time (LN, 20217-6) | Cardiac Cycle Point: Diastole (SRT, F-32010) |
| Pulmonary Vein: PVa Dur | Pulmonary Vein A-Wave Duration (SRT, G-038B) | |
| Pulmonary Vein: PVa Vel | Pulmonary Vein Atrial Contraction Reversal Peak Velocity (LN, 29453-8) | Cardiac Cycle Point: Diastole (SRT, F-32010) |
| Pulmonary Vein: PVd VTI | Pulmonary Vein D-Wave Velocity Time Integral (SRT, G-038D) | |
| Pulmonary Vein: PVd Vel | Pulmonary Vein Diastolic Peak Velocity (LN, 29451-2) | Cardiac Cycle Point: Diastole (SRT, F-32010) |
| Pulmonary Vein: PVs VTI | Pulmonary Vein S-Wave Velocity Time Integral (SRT, G-038C) | |
| Pulmonary Vein: Sys Fraction | Pulmonary Vein Systolic Fraction (99SIEMENSUS, CA_PVE_SF) | |
| Pulmonary Vein: PVs1 Vel | Pulmonary Vein Systolic Peak Velocity (LN, 29450-4) | Topographical Modifier: Peak1 (99SIEMENSUS, Peak1) |
| Pulmonary Vein: PVs2 Vel | Pulmonary Vein Systolic Peak Velocity (LN, 29450-4) | Topographical Modifier: Peak2 (99SIEMENSUS, Peak2) |
| Pulmonary Vein: PVs2/PVd | Pulmonary Vein Systolic to Diastolic Ratio (LN, 29452-0) | |

### 10.4.13 Cardiac Shunt Study

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|

| Label | Code Meaning (Coding Scheme Designator, Code Value) | Modifiers |
|---|---|---|
| **Cardiac Shunt Study** | Finding Site: Cardiac Shunt Study (SRT, P5-30031) | |
| Qp/Qs: Qp/Qs | Pulmonary-to-Systemic Shunt Flow Ratio (LN, 29462-9) | Measurement Package Membership: DP Qp/Qs (99SIEMENSUS, MPDPQp2Qs) |